AUTHOR INDEX TO VOLUME 23

Aardsma, G.
—; Stevens, J. R.: Preparation of Clean Polymers for Rayleigh–Brillouin Light Scattering Studies (Note), 2533
Abbott, T. P.
—; James, C.; Otey, F. H.: Ionically Bonded Filler–Elastomer Composites, 1223
Abdel-Alim, A. H.
Mark–Houwink Relationship of the System PVC/N-Methylpyrrolidone (NMP) (Note), 1577
Abhiraman, A. S.
Shish Kebab and High-Performance Morphologies, 2419
Aboul-Nasr, O. T.
—; Huang, R. Y. M.: Diffusivity and Solubility of Organic Vapors in Modified Polyethylene Films. I. Technique and Analysis of Results, 1819
—; Huang, R. Y. M.: Diffusivity and Solubility of Organic Vapors in Modified Polyethylene Films. II. Diffusivity Studies, 1833
—; Huang, R. Y. M.: Diffusivity and Solubility of Organic Vapors in Modified Polyethylene Films. III. Solubility Studies, 1851
Acharya, H. K.
—; Krishnaswamy, N.; Dasare, B. D.: Hydroquinone, Polyvinyl Alcohol, Formaldehyde, and Acrylonitrile (HPFA) Based Weak Acid Electron Exchangers, 2945
—; Krishnaswamy, N.; Dasare, B. D.: Modification of a Few Anion Exchangers to Electron Exchangers, 2951
—; Krishnaswamy, N.: Styrene Divinylbenzene-Based Strong Acid Ferromagnetic Cation Exchanger, 2939
Ades, D.
—; Fontanille, M.: Polymerisation des Methacrylates d'Ethers Glyceriques par le Peroxyde de Benzoyle: Acceleration de la Polymerisation par les Sulfinates d'Amines Tertiaries, 11
Adicoff, A. See Lepie, A. H., 2169
Aharoni, S. M.
—; Sibilia, J. P.: Crystalline Transitions and the Solid-State Extrusion of Polymers, 133
—; Signorelli, A. J.: Electrical Resistivity and ESCA Studies on Neutral Poly(alkylbenzimidazoles), Their Salts, and Complexes, 2653
On Free Volume of Polymers Above the Glass Transition, 223
Akovali, G. See Shah, B. A., 295
Albarino, R. V. See Schonhorn, H., 75
Alberino, L. M.
Experimental Confirmation of Extent of Reaction at the Gel Point in a Polyisocyanurate, 2719
Albihn, P.
—; Hedman, K.; Kubat, J.: Solubility of Polystyrene in Liquid Sulfur Dioxide, 2829
Ali, S. M.
—; Clay, P. G.: γ Radiolysis of Cellulose Acetate, 2893
Alince, B.
—; Inoue, M.; Robertson, A. A.: Cationic Latex Interaction with Pulp Fibers. I. Deposition of Styrene-Butadiene Latex Having Quaternized Amino Groups, 539
Cationic Latex Interaction with Pulp Fibers. II. Modification of Sheet Properties by Styrene-Butadiene Latex with Quaternized Amino Groups, 549
Altmann, O.
—; Fehrmann, U.; Schnabel, W.: γ-Radiation-Induced Telomerization of Vinyl Acetate, Styrene, and Methyl Methacrylate, 215
Anderson, C. C.
—; Rodriguez, F.; Thurston, D. A.: Crosslinking Aqueous Poly(vinyl pyrrolidone) Solutions by Persulfate, 2453
Aoki, H. See Harwood, D., 2155
—; White, J. L.; Fellers, J. F.: A Rheological and Optical Properties Investigation of Aliphatic (Nylon 66, PγBLG) and Aromatic (Kevlar, Nomex) Polyamide Solutions, 2293
Aptel, P. See Morel, G., 2397
Aramaki, T. See Morita, Y., 3421
Arroyo, N. A.
—; Hiltner, A.: Suspension Bromination of High-Density Polyethylene, 1473
Artamonova, S. D. See Kharas, G. B., 2989
Arthur, J. C., Jr. See Harris, J. A., 2555
Augostini, P. P. See Buckley, D. A., 311
Avela, E. See Bergstrom, C., 163
Azuma, K. See Fujiyama, M., 2807

Babu, G. N. See Bajaj, P., 3505
Bach, H. C.
—; Dobinson, F.; Lea, K. R.; Saunders, J. H.: High-Strength/High-Modulus Fibers of *p*-Phenylene Oxadiazole/N-Methyl Hydrazide Copolymers—A New Class of High-Performance Organic Materials, 2125
Bagchi, A. K.
—; Sirkar, K. K.: Extrusion Die Swell of Carbon Black-Filled Natural Rubber, 1653
Bagley, E. B. See Taylor, N. W., 1897
Baird, D. G.
—; Silver, F. M.: Concentrated Solutions of Poly(*p*-phenylene-1,3,4-oxadiazole) in Sulfuric Acid (Note), 941
Bajaj, P.
—; Sharma, A. K.: Chemical Modification of Nylon 6 by Organoacetoxy- and Ethoxysilanes, 1541
—; Babu, G. N.; Khanna, D. N.; Varshney, S. K.: Room Temperature-Vulcanized Silicone Elastomer: Effect of Curing Conditions and the Nature of Filler on Mechanical and Thermal Properties, 3505
Bakos, D.
—; Ozima, A.; Bleha, T.; Berek, D.: Contribution of Adsorption and Partition to the Separation Mechanism in Gel Chromatography on Inorganic Carriers, 2233
Bandyopadhyay, P. K.
—; Banerjee, S.: Sulfur Vulcanization of Natural Rubber Accelerated with 2-Mercaptobenzothiazole plus Tetramethylthiuram Disulfide, 185
Banerjee, M. S. See Ghosh, P., 1923
Banerjee, S. See Bandyopadhyay, P. K., 185
Bansleben, D. A. See Huang, S. J., 429
Barlow, J. W. See Cruz, C. A., 589; Mohn, R. N., 575; Nassar, T. R., 85; Nolley, E., 623
Barrie, J. A. See Spencer, H. G., 2537
Barsoum, S. See Khalifa, W. M., 2225
Bartholin, M. See Jacobelli, H., 927
Bartick, E. G. See Moebus, G. A., 3501
Bayazeed, A. M. See Hebeish, A., 3051
Belayche, J. See Ziderman, I., 3427

Bell, A. T. See Hinman, P. V., 3651; Nakajima, K., 2627
Belli, F. G.
—; Buckley, D. A.: Measurements of Vapor Sorption/Desorption Properties of Ultrathin Polymeric Films, 1795
Benecki, W. See Turska, E., 3489
Benerito, R. R. See Ward, T. L., 1987
Berek, D. See Bakos, D., 2233
Bergstrom, C.
—; Avela, E.: Investigation of the Composite Molecular Structure of LDPE by Using Temperature Rising Elution Fractionation, 163
—; Brenner, J.; Stenius, P.: The Influence of Reactor Conditions, Antioxidant, and Processing on the Degradation of LDPE, 3563
Berni, R. J. See Hebert, J. J., 2929
Berrod, G.
—; Vidal, A.; Papirer, E.; Donnet, J. B.: Reinforcement of Siloxane Elastomers by Silica. Interactions Between an Oligomer of Poly(Dimethylsiloxane) and a Fumed Silica, 2579
Bersted, B. H.
A Proposed Experimental Procedure for the Vapor Pressure Osmometer to Minimize the Solute Dependence of the Calibration Constant (Note), 633
Modification of a Model Relating Rheological Behavior of Polymer Melts to the Molecular Weight Distribution (Note), 1867
Prediction of Dynamic and Transient Rheological Properties of Polystyrene and High-Density Polyethylene Melts from the Molecular Weight Distribution, 1279
Bertolini, G. See Greco, A., 1333
Bertoniere, N. R.
—; Rowland, S. P.: Durable-Press Cotton with Improved Retentions of Strength and Abrasion Resistance via N-Methylolpolyethyleneurea D.P. 2, 2567
Bhargava, G. S.
—; Khan, H. U.; Bhattacharyya, K. K.: SAN Copolymer by Suspension Polymerization. II. Bead Size Distribution and Molecular Weight, 1181
Bhattacharyya, K. K. See Bhargava, G. S., 1181
Bhattacharyya, N. See Lokhande, H. T., 275
Bieber, O.
—; Degler, G.; Pfeffer, A.; Schnecko, H.; Weigelt, W.: Determination of Terminal OH Groups in Butadiene Telechelics by Calorimetry and by Inverse Gas Chromatography, 1043
Biesenberger, J. A. See Sebastian, D. H., 661
Biswas, M.
—; John, K. J.: Furfural-Based Cation-Exchange Resins from *N*-Vinylcarbazole and Its Polymer, 2327
Black, W. B. See Dobinson, F., 2189
Bleha, T. See Bakos, D., 2233
Blumentritt, B. F.
Anisotropy and Dimensional Stability of Biaxially Oriented Poly(ethylene Terephthalate) Films, 3205
Bonner, D. C. See Karim, K. A., 2825
Booth, R. G. See Cooper, A. R., 1373
Bordoloi, B. K.
—; Pearce, E. M.: Kinetics of the Base-Catalyzed Reactions of Cyclo-octameric and Catenapolymeric Sulfur with Dithiol, 2757
Bradbury, A. G. W. See Shafizadeh, F., 1431
—; Sakai, Y.; Shafizadeh, F.: A Kinetic Model for Pyrolysis of Cellulose, 3271
Brandt, E. S. See Morosoff, N., 3449, 3471; Yasuda, H., 1003
Brathe, L.
—; Rigdahl, M.: An Interpretation of the Critical Strain Measure for Polymers, 2435
Brenner, J. See Bergstrom, C., 3563
Brown, C. W. See Rahman, A., 2019, 3027
Brown, J. R.
—; O'Donnell, J. H.: Effects of Gamma Radiation on Two Aromatic Polysulfones. II. A Comparison of Irradiation at Various Temperatures in Air-Vacuum Environments, 2763
Bruzzone, M. See Greco, A., 1333
Buchanan, R. A. See Swanson, C. L., 743
Buckley, D. A. See Belli, F. G., 1795
—; Augostini, P. P.: Design of Polymers for Migration Imaging Applications. I. Copolymerization of *p*-Decylstyrene (Note), 311
Burghoff, H.-G.
—; Pusch, W.: Characterization of Water Structure in Cellulose Acetate Membranes by Calorimetric Measurements, 473
Burns, C. M. See Narasimhan, V., 749
Burr, R. C. See Fanta, G. F., 229
Byrne, L. F.
—; Hourston, D. J.: Aspects of the Thermal and Dynamic Mechanical Behavior of EPDM Rubbers, 1607
—; Hourston, D. H.: The Dynamic Mechanical Properties of Oil-Extended, Carbon Black-Reinforced, and Peroxide-Crosslinked EPDM Rubber, 2899

Cabasso, I.
—; Tamvakis, A. P.: Composite Hollow Fiber Membranes, 1509
—; Tran, C. N.: Polymer Alloy Membrane. I. Cellulose Acetate Poly(Bromophenylene Oxide Phosphonate) Dense and Asymmetric Membranes, 2967
Calahorra, A. See Ram, A., 797
Cannelongo, J. F. See Savides, C., 2639
Carciello, N. See Zeldin, A., 3179
Carlsson, D. J. See Stepaniak, R. F., 1747
Carraher, C. E., Jr.
—; Giron, D. J.; Woelk, W. K.; Schroeder, J. A.; Feddersen, M. F.: Characterization of Polyethyleneimine Modified with Organotin Halides. Thermal, Solubility, and Fungal Properties, 1501
Cavagna, F. See Schwenk, U., 1589
Cefelin, P. See Raab, M., 1875
Cesari, M. See Greco, A., 1319
Cesca, S. See Greco, A., 1319, 1333
Chanda, M.
—; Kumar, W. S. J.; Raghavendrachar, P.: A Kinetic Investigation of Thermal Degradation of Poly(vinyl Formals), 755
Chatfield, D. A. See Mumford, N. A., 2099
Chee, K. K.
A Novel Approach to Viscometric Parameters of Polymer Solutions, 1639
Chen, J. See Gryte, C. C. , 2611
Chen, S.-A.
—; Lai, W.-J.: Applicability of the Two-Dimensional Approach to Polymer Miscibility in Pure and Mixed Organic Liquids, 317
—; Lai, W.-J.: Polymer Miscibility in Mixed Organic Liquids Having Acid-Base Interaction–A Modified Two-Dimensional Approach, 319
Cheng, J. T.
—; Mantell, G. J.: Polyblends Based on Vinyl Chloride/Propylene Copolymer, 1733
Chien, J. C. W. See Yang, H. W. H., 3375
Chikaishi, K. See Uemura, Y., 2695
Chirkova, V. F. See Kharas, G. B., 2989
Chiu, W. Y. See Lin, C. C., 2049
Chiu, W.-Y. See Lin, C.-C., 1203
Chong, P.
—; Curthoys, G.: Adsorption of Polyacrylamide on Zirconium Dioxide, 1565
Chopra, V. K. See Van Der Hoff, B. M. E., 2373
Chow, R. H. See Ozari, Y., 1189
Chow, S.
—; Steiner, P. R.: Comparisons of the Cure of Phenol–Formaldehyde Novolac and Resol Systems by Differential Scanning Calorimetry, 1973
Chumaievskaya, A. N. See Korshak, V. V., 1915
Cifaretti, J. See Ghiradella, H., 1583
Clay, P. G. See Ali, S. M., 2893
Cochran, T. G. See Shafizadeh, F., 3525
Cooper, A. R.
—; Matzinger, D. P.: Aqueous Gel Permeation Chromatography: The Effect of Solvent Ionic Strength, 419

—; Booth, R. G.: Purification of Polymeric Dyes by Ultrafiltration, 1373
Cooper, S. L. See McBride, J. S., 201
Coupek, J. See Stokr, J., 3553
Courtney, J. M.
—; Hood, R. G.; Ewart, J. M.: Acrylonitrile Copolymer Films: Influence of Modification by Reaction with Ethylene Oxide on Biological Degradation, 1449
Cox, H. W. See Iobst, S. A., 2513
Croll, S. G.
The Origin of Residual Internal Stress in Solvent-Cast Thermoplastic Coatings, 847
Crowther, J. A. See Moebus, G. A., 3501
Crugnola, A. M. See Nusbaum, H. J., 777
Cruz, C. A. See Mohn, R. N., 575
—; Paul, D. R.; Barlow, J. W.: Polyester–Polycarbonate Blends. IV. Poly(ε-caprolactone), 589
Curthoys, G. See Chong, P., 1535

Dang, V.-D.
Low Peclet Number Heat Transfer for Power Law Non-Newtonian Fluid With Heat Generation, 3077
Daolio, S. See Mengoli, G., 2117
Dasare, B. D. See Acharya, H. K., 2945, 2951
Degler, G. See Bieber, O., 1043
Dehoff, P. H.
Application of the Fung Equation to the Constant Strain Rate Behavior of Plasticized Polyvinyl Chloride, 2179
Deopura, B. L. See Goel, R. N., 3541
DiGiacomo, G.
—; Spaulding, E.: A Method for Determining the Permeability and Solubility of Sulfur in Poly(dimethylsiloxane) (RTV), 261
Dixon, D. D. See Hayes, L. J., 1907
Doane, W. M. See Fanta, G. F., 229; Gugliemelli, L. A., 635
Dobinson, F. See Bach, H. C., 2125
—; Pelezo, C. A.; Black, W. B.: High-Strength, High-Modulus Fibers from Hydrazide Polymers and Copolymers, 2189
Donatelli, A. A.
Characterization of Multicomponent Polyethylene Blends by Differential Scanning Calorimetry, 3071
Donnet, J. B. See Berrod, G., 2579
Donohoe, K. G.
—; Wydeven, T.: Plasma Polymerization of Ethylene in an Atmospheric Pressure-Pulsed Discharge, 2591
Dreyfuss, P. See Runge, M. L., 1863
Duchacek, V.
—; Frenkel, R.: Complexes of Tetramethylthiuram Disulfide with Zinc Dialkyldithiocarbamates and Their Role in the Sulfur Vulcanization of Natural Rubber, 2065
Duda, J. L.
—; Ni, Y. C.; Vrentas, J. S.: Toluene Diffusion in Molten Polystyrene (Note), 947
Dusek, K. See Ilavsky, M., 2073
Dweltz, N. E. See Hunter, R. E., 249
Dzyubina, M. A. See Kharas, G. B., 2989

Einhorn, I. N. See Mumford, N. A., 2099
El-Alfi, E. A. See Hebeish, A., 453
El-Aref, A. T. See Hebeish, A., 453
El-Azmerly, M. A. See Khalifa, W. M., 2225
El-Kashouti, M. A. See Hebeish, A., 1803
Ellis, T. S.
—; Still, R. H.: Thermal Degradation of Polymers. XXI. Vacuum Pyrolysis of Poly(*m*-N,N-dimethylaminostyrene); the Products Volatile at Pyrolysis Temperature, Liquid at Room Temperature, 2837
—; Still, R. H.: Thermal Degradation of Polymers. XXII. Vacuum Pyrolysis of Poly(*m*-N,N-dimethylaminostyrene); the Residue and the Fraction Volatile at Pyrolysis Temperature, Involatile at Room Temperature, 2855
—; Still, R. H.: Thermal Degradation of Polymers. XXIII. Vacuum Pyrolysis of Poly(*p*-N,N-diethylaminostyrene); the Products Volatile at Pyrolysis Temperature, Liquid or Gaseous at Room Temperature, 2871
—; Still, R. H.: Thermal Degradation of Polymers. XXIV. Vacuum Pyrolysis of Poly(*p*-N,N-diethylaminostyrene); the Residue and the Fraction Volatile at Pyrolysis Temperature, Involatile at Room Temperature, 2881
El-Rafie, M. H. See Hebeish, A., 453, 3061
Enyiegbulam, M. E.
—; Hourston, D. J.: Stress–Strain Behavior of a Fractionated Cariflex SBS Rubber (Note), 2821
Ewart, J. M. See Courtney, J. M., 1449

Fanta, G. F.
—; Burr, R. C.; Doane, W. M.; Russell, C. R.: Graft Polymerization of Vinyl Acetate onto Starch. Saponification to Starch–*g*–Poly(vinyl Alcohol), 229
Farris, R. See Yang, H. W. H., 3375
Feddersen, M. F. See Carraher, C. E., Jr., 1501
Fehrmann, U. See Altmann, O., 215
Fellers, J. F. See Aoki, H., 2293; Harwood, D., 2155
—; Huang, D. C.: Crazing Studies of Polystyrene. II. Application of Fluctuation Theory, 2315
Ferguson, R. D. See von Meerwall, E., 877, 3657
Flodin, P. See Wirsen, A., 2005
Folonari, C. See Mengoli, G., 2117
Fontanille, M. See Ades, D., 11
Fornes, R. E. See Fuller, R. T., 1871
Franey, J. P. See Graedel, T. E., 1769
Freeland, G. N. See Guise, G. B., 353
Frenkel, R. See Duchacek, V., 2065
Frisch, H. L. See Ghiradella, H., 1583
Frommer, M. A. See Kraus, M. A., 445
Frydrychova, A. See Stokr, J., 3553
Fujiki, T. See Rokudai, M., 3289, 3295
Fujimoto, T. See Tanaka, T., 1131
Fujiwara, Y.
—; Zeronian, S. H.: Crystallization of Cyclic Oligomers on the Surface of Nylon 6 Fibers, 3601
Fujiyama, M.
—; Azuma, K.: Skin/Core Morphology and Tensile Impact Strength of Injection-Molded Polypropylene (Note), 2807
Fukuda, A. See Sumita, O., 2279
Fuller, R. T.
—; Fornes, R. E.; Memory, J. D.: NMR Study of Water Absorbed by Epoxy Resin (Note), 1871
Furneaux, R. H. See Shafizadeh, F., 3525
Furtek, A. B. See Robeson, L. M., 645
Furusawa, K. See Onda, N., 3631

Galeski, A. See Kryszewski, M., 1271
Galina, H.
—; Kolarz, B. N.: Studies of Porous Polymer Gels. I. One-Step Suspension Technique for Preparation of Moderately Crosslinked Methacrylic Acid Gels, 3017
Garcia-Rubio, L. H.
—; Hamielec, A. E.: Bulk Polymerization of Acrylonitrile. I. An Experimental Investigation of the Kinetics of the Bulk Polymerization of Acrylonitrile, 1397
—; Hamielec, A. E.; MacGregor, J. F.: Bulk Polymerization of Acrylonitrile. II. Model Development, 1413
Garton, A. See Stepaniak, R. F., 1747
Geil, P. H. See Soni, P. L., 1167
George, H. F. See Lipko, J. D., 2739
Ghiradella, H.
—; Cifaretti, J.; Palma, R.; Frisch, H. L.: Change in Water Vapor Permeability of Polymer Films Treated with Osmium Tetroxide (Note), 1583
Ghosh, A. K.
—; Sirkar, K. K.: Low-Pressure Reverse Osmosis Desalination with Improved Cellulose Acetate Membranes, 1291

Ghosh, P.
—; Banerjee, M. S.: Polymerization of Methyl Methacrylate With H_2O_2-Thiourea Redox Initiator System, 1923
Gibas, M. See Matlengiewicz, M., 3255
Gillham, J. K. See Ozari, Y., 1189
Gilmour, I. W.
—; Hay, J. N.; Trainor, A.: An Anomolous Voltage Effect Observed During Melting and Crystallization of Poly(ethylene Oxide) (Note), 2813
—; Trainor, A.; Haward, R. N.: Elastic Moduli of Glassy Polymers at Low Strains, 3129
Giron, D. J. See Carraher, C. E., Jr., 1501
Giulio, U. See Mengoli, G., 2117
Goel, R. N.
—; Hepworth, A.; Deopura, B. L.; Varma, I. K.; Varma, D. S.: Polyimide Fibers: Structure and Morphology, 3541
Goswami, D. N.
The Dielectric Behavior of Natural Resin Shellac, 529
Goto, N. See Ohsawa, T., 1233
Goynes, W. R., Jr. See Harris, J. A., 2555
Graedel, T. E.
—; Franey, J. P.; Starnes, W. H., Jr.; Hische, D. C.; Warren, P. C.: The Interaction of Hydrogen Sulfide with Lead- and Barium–Cadmium–Zinc-Stabilized Poly(vinyl Chloride), 1769
Granzow, A. See Savides, C., 2639
Greco, A.
—; Perego, G.; Cesari, M.; Cesca, S.: Novel Binary Chlorides Containing $TiCl_3$ as Components of Coordination Catalysts for Ethylene Polymerization. I. Synthesis and Characterization of the Solid Solutions Obtained, 1319
—; Bertolini, G.; Bruzzone, M.; Cesca, S.: Novel Binary Chlorides Containing $TiCl_3$ as Components of Coordination Catalysts for Ethylene Polymerization. II. Behavior of the Resulting Catalyst Systems, 1333
Gregor, H. P. See Gryte, C. C. , 2611; Stamberg, J., 503
Gribova, I. A. See Korshak, V. V., 1915
Griskey, R. G. See Luba, M., 55
Gryte, C. C.
—; Chen, J.; Kevorkian, V.; Gregor, H. P.: Hydrophilic Interpolymer Membranes from Crosslinked Blends of Poly(vinylalcohol), Poly(styrene sodium sulfonate) and Poly(vinyl methyl ether–*alt*–maleic anhydride), 2611
Gugliemelli, L. A.
—; Doane, W. M.; Russell, C. R.: Preparation of Soapless Latexes by Sonification of Starch-Based Poly(isoprene–*co*–acrylonitrile) Graft Reaction Mixtures, 635
Guise, G. B.
—; Freeland, G. N.; Smith, G. C.: Blocked Isocyanate-Terminated Prepolymers in a Delayed-Cure Durable-Press Finish for Wool. Influence of Isocyanate and Blocking Group Structure on Reactivity, 353
Guyot, A. See Jacobelli, H., 927

Hall, R. A.
—; Jacoby, P.: The Effect of Grafting on Rubber-Phase Oxidative Etch Resistance in High-Impact Polystyrene, 1453
Hamielec, A. E. See Garcia-Rubio, L. H., 1397, 1413; Kiparissides, C., 401; Shawki, S. M., 3155, 3323, 3341
Hammer, R. B.
—; O'Shaughnessy, M. E.; Strauch, E. R.; Turbak, A. F.: Process and Fiber Spinning Studies for the Cellulose/Paraformaldehyde/Dimethyl Sulfoxide System, 485
Handa, T.
—; Yoshizawa, S.; Hatakeyama, K.: The Effect of Moisture Presoaking on Graft Copolymerization of Methyl Methacrylate in Wood Under Mutual Irradiation by Electron Beam Accelerator, 1527
Haraguchi, K.
—; Kajiyama, T.; Takayanagi, M.: Effect of Coagulation Conditions on Crystal Modification of Poly(*p*-phenylene Terephthalamide), 915
—; Kajiyama, T.; Takayanagi, M.: Uniplanar Orientation of Poly(*p*-phenylene Terephthalamide) Crystal in Thin Film and Its Effect on Mechanical Properties, 903
Hargest, S. C. See Lipko, J. D., 2739
Harris, J. A.
—; Arthur, J. C., Jr.; Goynes, W. R., Jr.: Flame Resistant Cotton Fabrics Prepared by Radiation-Initiated Polymerization with Vinyl Phosphonate Oligomer and N-Methylolacrylamide, 2555
Hartmann, B.
—; Lee, G. F.: Impact Resistance and Secondary Transitions, 3639
Harwood, D.
—; Aoki, H.; Fellers, J. F.; White, J. L.; Lee, Y.-D.: Solution and Rheological Properties of Poly(*m*-phenyleneisophthalamide) in Dimethylacetamide/LiCl, 2155
Hasegawa, A. See Miwa, M., 2957
Hatakeyama, K. See Handa, T., 1527
Haward, R. N. See Gilmour, I. W., 3129
Hay, J. N. See Gilmour, I. W., 2813; Trainor, A., 2803
Hayakawa, K. See Yamakita, H., 303
Hayase, K. See Ogiwara, Y., 1
Hayes, L. J.
—; Dixon, D. D.: Solvent Barrier Property for Fluorinated Polyethylene, 1907
Hebeish, A.
—; Khalil, E. M.; Waly, A.; El-Rafie, M. H.: Behavior of Chemically Modified Cellulose Towards Dyeing. IV. Dyeability of Poly(Methyl Vinyl Pyridine)-Cellulose Graft Copolymers Before and After Treatment with Epichlorohydrin, 3061
—; Waly, A.; El-Kashouti, M. A.: Durable Flame Resistance Via Reaction of Cotton Cellulose Bearing Aromatic Amino Groups with Tetrakis(Hydroxymethyl)phosphonium Chloride, 1803
—; Shalaby, S. E.; Bayazeed, A. M.: Dyeing Properties of Poly(Methyl Vinyl Pyridine)-Poly(Ethylene Terephthalate) Graft Copolymers, 3051
—; El-Aref, A. T.; El-Alfi, E. A.; El-Rafie, M. H.: Effect of Short Thermal Treatment on Cotton Degradation, 453
Hebert, J. J.
—; Hensarling, T. P.; Jacks, T. J.; Berni, R. J.: Use of Sorbyl Chloride–Osmium Staining for Fibrillar Measurements in Cotton Fibers, 2929
Hedman, K. See Albihn, P., 2829
Hensarling, T. P. See Hebert, J. J., 2929
Hepworth, A. See Goel, R. N., 3541
Hiltner, A. See Arroyo, N. A., 1473
Hinman, P. V.
—; Bell, A. T.; Shen, M.: Composite Reverse Osmosis Membranes Prepared by Plasma Polymerization of Allylamine. Evaluation of Membrane Performance for the Treatment of Washwater and Its Components, 3651
Hinojosa, O. See Ward, T. L., 1987
Hirose, S.
—; Shimizu, A.; Nose, T.: Preparation and Structures of the Poly(vinyl chloride) Porous Membranes, 3193
Hische, D. C. See Graedel, T. E., 1769
Hon, D. N.-S.
ESR Studies of the Photodegradation of Cellulose Graft Copolymers, 3591
Formation and Behavior of Mechanoradicals in Pulp Cellulose, 1487
Hood, R. G. See Courtney, J. M., 1449
Hoornstra, C. W. See Jones, G. D., 115
Hosaka, S.
—; Ozawa, H.; Tanzawa, H.: Controlled Release of Drugs from Hydrogel Matrices, 2089
Hourston, D. H. See Byrne, L. F., 2899
Hourston, D. J. See Byrne, L. F., 1607; Enyiegbulam, M. E., 2821

Hsieh, F.-H.
—; Matsuura, T.; Sourirajan, S.: Reverse Osmosis Separations of Polyethylene Glycols in Dilute Aqueous Solutions Using Porous Cellulose Acetate Membranes, 561
Huang, D. C. See Fellers, J. F., 2315
Huang, R. Y. M. See Aboul-Nasr, O. T., 1819, 1833, 1851
Huang, S. J.
—; Bansleben, D. A.; Knox, J. R.: Biodegradable Polymers: Chymotrypsin Degradation of a Low Molecular Weight Poly(ester-Urea) Containing Phenylalanine, 429
Hudecek, S. See Kolarik, J., 1553
Hunter, R. E.
—; Dweltz, N. E.: Structure of Cellulose II, 249

Ibe, E. C.
—; Ibe, S. N.: Swelling of Crosslinked Cellulose Film in Water (Note), 2529
Ibe, S. N. See Ibe, E. C., 2529
Ilavsky, M.
—; Dusek, K.; Vacik, J.; Kopecek, J.: Deformational, Swelling, and Potentiometric Behavior of Ionized Gels of 2-Hydroxyethyl Methacrylate–Methacrylic Acid Copolymers, 2073
Inagaki, N.
—; Sakurai, S.; Katsuura, K.: Flame-Retardant Effect of Tris(2,3-dibromopropyl) Phosphate on Polystyrene, 2023
Inoue, M. See Alince, B., 539
Iobst, S. A.
—; Cox, H. W.: Thermoset Polyurethanes Containing Hydroquinone Di(β-hydroxyethyl) Ether, 2513
Ishigaki, I. See Morita, Y., 3395, 3411, 3421
—; Morita, Y.; Nishimura, K.; Morishita, N.; Ito, A.: Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. V. Studies on Molecular Weight Distribution of Copolymer, 3383
Itadani, K. See Nakatsuka, T., 3139
Ito, A. See Ishigaki, I., 3383; Morita, Y., 3395, 3411, 3421
Itoyama, K.
—; Soda, A.: Flow Properties of Saturated Rubber-Modified Polymer Melts, 1723
Iwai, T. See Okamoto, H., 1893
Iwakura, Y. See Kurita, K., 511
Izawa, M. See Minoura, Y., 1137
Izydorczyk, J.
—; Podkowka, J.; Salwinski, J.: Evaluation of Results of Simplified Determination Methods of Polymer Membrane Permeability to Vapors, 2265

Jacks, T. J. See Hebert, J. J., 2929
Jacobelli, H.
—; Bartholin, M.; Guyot, A.: Styrene Divinyl Benzene Copolymers. I. Texture of Macroporous Copolymers with Ethyl-2-Hexanoic Acid in Diluent, 927
Jacoby, P. See Hall, R. A., 1453
Jacovic, M. S.
—; Pollock, D.; Porter, R. S.: A Rheological Study of Long Branching in Polyethylene by Blending, 517
Jacques, C. H. M.
—; Wyzgoski, M. G.: Prediction of Environmental Stress Cracking of Polycarbonate from Solubility Considerations, 1153
James, C. See Abbott, T. P., 1223
Janca, J.
—; Pokorny, S.; Kolinsky, M.: Gel Permeation Chromatography in the Study of the Molecular Weight Distribution Vinyl Chloride–Vinyl Acetate Copolymer. III. Influence of the Incompatibility of Polymers and Some Problems of Interpretation of Experimental Data, 1811
Jantas, R. See Turska, E., 2409
Jog, A. G. See Rao, K. N., 2133
John, K. J. See Biswas, M., 2327
Johnson, J. F. See Moebus, G. A., 3501
Jones, G. D.
—; Hoornstra, C. W.; Leonard, D. E.; Smith, H. B.: Water-Soluble Photocurable Elastomer, 115
Joseph, K. T. See Sudhakar, D., 2923
Jozefonvicz, J. See Morel, G., 2397
Jung, H. Z. See Ward, T. L., 1987

Kagiyama, Y.
—; Shikata, K.; Mizutani, Y.: Copolymerization of Styrene–*m*-Divinylbenzene in the Presence of Poly(vinyl Chloride), 1309
Kaiser, R. See Riggin, M. T., 3147
Kajiyama, T. See Haraguchi, K., 903, 915
Kalal, J. See Shatayeva, L. K., 2245
Kalfoglou, N. K.
Mechanical Properties of SBS Block Copolymers. I. Effect of Structure and Selective Solvent Casting on Dynamic Viscoelasticity, 2385
Mechanical Properties of SBS Block Copolymers. II. Effect of Structure and Selective Solvent Casting on Stress–Strain Properties and Mechanical Hysteresis, 2673
Kamiya, Y.
—; Takahashi, F.: Effect of Water Sorption Hysteresis on Gas Transport in a Regenerated Cellulose (Note), 627
Kanetsuna, H. See Nakayama, K., 2543
Karim, K. A.
—; Bonner, D. C.: Thermodynamic Interpretation of Solute-Polymers Interactions at Infinite Dilution (Erratum), 2825
Karpacheva, G. P. See Kharas, G. B., 2989
Katsuura, K. See Inagaki, N., 2023
Kawasaki, H. See Nakatsuka, T., 3139
Kelly, M. J.
—; Parkinson, W. W., Jr.; Salyer, I. O.: Identification of the Active Species in the Suppression of Postirradiation Conductivity in Polystyrene Films for Dosimeter Application, 3033
Kenyon, A. S.
—; Rayford, McC. J.: Mechanical Relaxation Processes in Polyacrylonitrile Polymers and Copolymers, 717
Kevorkian, V. See Gryte, C. C. , 2611
Khalifa, W. M.
—; El-Azmerly, M. A.; Morsi, S. E.; Barsoum, S.: The Influence of Anilino-Substituted Salicylanilide on the Physicomechanical Properties of Ultraviolet-Aged Natural Rubber, 2225
Khalil, E. M. See Hebeish, A., 3061
Khan, H. U. See Bhargava, G. S., 1181
Khanna, D. N. See Bajaj, P., 3505
Kharas, G. B.
—; Kleiner, V. I.; Stotskaya, L. L.; Karpacheva, G. P.; Krentsel, B. A.; Dzyubina, M. A.: Structure and Properties of Copolymers of Vinylcyclohexane and α-Methylvinylcyclohexane with Acrylonitrile, 2989
Kim, K.-S.
—; Yu, A. J.: Copolyamides Derived from Brassylic Acid, 439
Kinson, P. L.
—; Orlando, C. M.: 2,2′,6,6′-Tetrabromo-3,3′,5,5′-tetramethyl-4,4′-biphenol (TTB)–Flame Retardant Copolycarbonates and Copolyesters, 155
Kiparissides, C.
—; MacGregor, J. F.; Hamielec, A. E.: Continuous Emulsion Polymerization. Modeling Oscillations in Vinyl Acetate Polymerization, 401
Kleiner, V. I. See Kharas, G. B., 2989
Knox, J. R. See Huang, S. J., 429
Kobayashi, R. See Morita, Z., 859
Kobayashi, S. See Saegusa, T., 2343
Kohjiya, S. See Yamashita, S., 1951, 1963
Kohmoto, S.-I. See Minoura, Y., 1137
Kohn, D. H. See Liebersohn, A., 3445

Kolarik, J.
—; Hudecek, S.; Lednicky, F.; Nicolais, L.: Temperature Dependence of Reinforcement in the Composites Polyurethane Rubber–Crosslinked Polymeric Filler, 1553
Kolarz, B. N. See Galina, H., 3017
Kolinsky, M. See Janca, J., 1811
Komuro, S. See Onda, N., 3631
Konig, I. See Schwenk, U., 1589, 1595
Kopecek, J. See Ilavsky, M., 2073; Shatayeva, L. K., 2245
Korshak, V. V.
—; Gribova, I. A.; Chumaievskaya, A. N.; Mgeladze, B. M.: Pyropolycarboranes: The Base for Self-Lubricating Materials with Gas Lubricant, 1915
Koutsky, J. A. See Mijovic, J. S., 1037
Kraus, M. A.
—; Nemas, M.; Frommer, M. A.: The Effect of Low Molecular Weight Additives on the Properties of Aromatic Polyamide Membranes, 445
Krentsel, B. A. See Kharas, G. B., 2989
Krishnaswamy, N. See Acharya, H. K., 2939, 2945, 2951
Kryszewski, M.
—; Ulanski, J.; Galeski, A.: Mechanical Properties of Polycarbonate Antiplasticized with a Charge-Transfer Complex, 1271
Kubat, J. See Albihn, P., 2829
Kubin, M. See Samay, G., 1879
Kubota, H. See Ogiwara, Y., 1, 837
—; Ogiwara, Y.: Decomposition of Peroxide on Carboxymethyl Cellulose and Its Ability to Initiate Graft Copolymerization, 241
—; Ogiwara, Y.: Formation of Peroxide on Poly(vinyl Alcohol) and Its Characteristics, 2271
Kucharikova, I.
Some Aspects of the Estimation of M_n by Vapor Pressure Osmometry, 3041
Kuchiki, K. See Morita, Z., 859
Kukacka, L. E. See Zeldin, A., 3179
Kulas, F. R.
—; Thorshaug, N. P.: PVC Powder Extrusion. Melting Properties and Particle Morphology, 1781
Kulicke, W. M.
—; Porter, R. S.: Irregularities in Steady Flow for Non-Newtonian Fluids Between Cone and Plate, 953
Kumakura, M. See Morita, Y., 3395
Kumar, V. See Malhotra, H. C., 3575
Kumar, W. S. J. See Chanda, M., 755
Kurisu, N. See Osawa, Z., 3583
Kurita, K.
—; Sannan, T.; Iwakura, Y.: Studies on Chitin. VI. Binding of Metal Cations, 511
Kuze, E. See Sumita, O., 2279
Kwon, Y. D.
—; Prevorsek, D. C.: Melt Spinning of Fibers: Effect of Air Drag, 3105
Kyker, G. S. See Valaitis, J. K., 765

Lai, W.-J. See Chen, S.-A., 317, 319
Lai, Y.-Z.
—; Ontto, D. E.: Effects of Alkalinity on Endwise Depolymerization of Hydrocellulose, 3219
Langsam, M.
Polymerization of Vinyl Chloride in Presence of Substituted Olefins: Effects on Molecular Weight and Melt Rheology, 867
Larsen, F. See Penn, L., 59
Lea, K. R. See Bach, H. C., 2125; Dobinson, F., 2189
Lednicky, F. See Kolarik, J., 1553
Lee, G. F. See Hartmann, B., 3639
Lee, Y.-D. See Harwood, D., 2155
Lenk, R. S.
—; Slater, G.: Pressure Drop Through a Tapered Die with Optimized Flow Characteristics, 2793
Pressure Drop Through Tapered Dies (Erratum), 1587
Lenka, S. See Nayak, P. L., 1345
Lenz, R. W. See Warthen, R., 3167; Weiss, R. A., 2443
Leonard, D. E. See Jones, G. D., 115
Lepie, A. H.
—; Adicoff, A.: Energy Balances and Uniaxial Failure of Solid Propellants, 2169
Levesque, D. See Savard, S., 1943
Lewis, T. J.
The Birefringence of Nitrocellulose Fibers and Pastes, 2661
Liebersohn, A.
—; Kohn, D. H.: Polymers with Pendant Isocyanate Groups. III. Synthesis and Properties of Poly(styrene-co-Acrylonitrile-co-Styrylisocyanate), 3445
Lin, C. C.
—; Chiu, W. Y.: Emulsion Polymerization Kinetics and its Reactor Design. II. The MWD Behavior in Isothermal Batch Operation, 2049
Lin, C.-C.
—; Chiu, W.-Y.; Wang, C. T.: Simulation Model for the Solution Copolymerization of Acrylonitrile and Styrene in Azeotropic Composition, 1203
Lin, S. C.
—; Pearce, E. M.: Epoxy Resins. I. The Stability of The Epoxy–Trimethoxyboroxine System, 3355
Lipko, J. D.
—; George, H. F.; Thomas, D. A.; Hargest, S. C.; Sperling, L. H.: Transparent Fluorocarbon-Based Semi-II IPN Elastomers by High-Energy Radiation Methods, 2739
Litvinov, I. A. See Kharas, G. B., 2989
Lloyd, D. R. See Narasimhan, V., 749
Lokhande, H. T. See Rao, K. N., 2133
—; Mody, N. R.; Rao, K. N.; Rao, M. H.: Grafting Onto Polyester Fibers. III. Electrokinetic Properties of Acrylic Acid and Acrylonitrile-Grafted Polyester Fibers In the Presence of Cationic Dyes, 2139
—; Bhattacharyya, N.: Kinetics of Hydrolysis, Acetylation, and Deamination Reactions on Polyamide Fibers in Homogeneous Medium, 275
Lomker, F. See Schwenk, U., 1589, 1595
Luba, M.
—; Pelt, T.; Griskey, R. G.: Correlating and Predicting Polymer Thermal Conductivities, 55
Lum, R. M.
MoO_3 Additives for PVC: A Study of the Molecular Interactions, 1247

McBride, J. S.
—; Massaro, T. A.; Cooper, S. L.: Diffusion of Gases Through Polyurethane Block Polymers, 201
McDonald, G. See Young, R. N., 1027
McDonald, G. M. See Randall, J. M., 727
MacGregor, J. F. See Garcia-Rubio, L. H., 1413; Kiparissides, C., 401
Machi, S. See Watanabe, T., 967
McHugh, A. J. See Silebi, C. A., 1699
McKay, G. See Poots, V. J. P., 1117
Maeda, M. See Sato, H., 1759
Mahalingam, R. See Teng, F. S., 101
Makarewicz, P. J.
—; Wilkes, G. L.: Morphology Studies of the Liquid-Induced Crystallization of Poly(ethylene Terephthalate): Effects of Polymer Blending, Nucleating Agents, and Molecular Weight, 1619
Makaruk, L.
—; Polanska, H.; Mizerski, T.: The Effect of Chemical Structure of Derivatives of 1.1-Bis(4-hydroxyphenyl)-2,2-propane on the Antiplasticization of Polycarbonate, 1935
Malhotra, H. C.
—; Kumar, V.: Kinetics and Mechanism of the Alkali-Catalyzed *p*-Cresol–Formaldehyde Reaction, 3575
Mansour, O. Y. See Nagaty, A., 3263
—; Nagaty, A.: Some Aspects of Graft Polymerization of Vinyl Monomers onto Cellulose by Use of Tetravalent Cerium. VI, 2425
Mantell, G. J. See Cheng, J. T., 1733
Marrs, W.
—; Peters, R. H.; Still, R. H.: Copolyester Studies. III. Melt-Spinning, Drawing, and Mechanical Properties of Tetramethylene Terephthalate–Tetramethylene Sebacate Copolymer Fibers, 1095

—; Peters, R. H.; Still, R. H.: Copolyester Studies. II. Melting and Crystallization Behavior of Tetramethylene Terephthalate–Tetramethylene Sebacate Copolymers, 1077
—; Peters, R. H.; Still, R. H.: Copolyester Studies. I. Preparation and Characterization of Tetramethylene Terephthalate–Tetramethylene Sebacate Copolymers, 1063
—; Peters, R. H.; Still, R. H.: Copolyester Studies. IV. Dyeing Behavior of Drawn and Undrawn Fibers Derived from Tetramethylene Terephthalate–Tetramethylene Sebacate Copolymers, 1105
Masar, B. See Raab, M., 1875
Masri, M. S. See Randall, J. M., 727
Massaro, T. A. See McBride, J. S., 201
Mathew, J.
—; Shen, M.; Schatzki, T. F.: Secondary Relaxation Behavior of Some Diene Polymers (Note), 299
Matlengiewicz, M.
—; Gibas, M.; Turska, E.: Kinetic Studies on Copolycondensation Processes. V. Investigations on Sequence Distribution of Fully Aromatic Copolyester by PMR Spectroscopy, 3255
Matsuda, H.
Adhesives from Divalent Metal Salts of Mono(hydroxyethyl)phthalate, Anhydrides, and Bisepoxides, 2603
Matsuda, K.
—; Ohmura, H.; Tanaka, Y.; Sakai, T.: Emulsion of Polyurethane Having Thermosetting Properties. I. Preparation, 141
—; Ohmura, H.; Sakai, T.: Emulsion of Polyurethane Having Thermosetting Properties. II. Relation Between the Mechanical Properties of Film and the Polyurethane Structure, 1461
Matsuo, T. See Minoura, Y., 1137
Matsuura, T. See Hsieh, F.-H., 561
Matsuzaki, K. See Nakamura, S., 1585
Matzinger, D. P. See Cooper, A. R., 419
Meier, J. F. See Mendelsohn, M. A., 325, 333, 341
Memory, J. D. See Fuller. R. T., 1871
Mendelsohn, M. A.
—; Meier, J. F.; Rudd, G. E.; Rosenblatt, G. B.: Effects of Composition and Processing Conditions on the Properties of a Series of Shock Mitigating Phenolic Foams, 341
—; Meier, J. F.; Rudd, G. E.; Rosenblatt, G. B.: Effects of Density and Structure on Load Bearing and Permeability Characteristics of a Family of Shock Mitigating Phenolic Foams, 333
—; Meier, J. F.; Rudd, G. E.; Rosenblatt, G. B.: Mechanical and Processing Requirements for a Shock Mitigating Phenolic Foam, 325
Mengoli, G.
—; Daolio, S.; Giulio, U.; Folonari, C.: Polymerization of Acrylamide Compounds onto Fe Plates: An Alternative Route for Applying Polymer Coatings, 2117
Mgeladze, B. M. See Korshak, V. V., 1915
Mihara, S. See Rokudai, M., 3289
Mijovic, J. S.
—; Koutsky, J. A.: The Effect of Postcure Time on the Fracture Properties and Nodular Morphology of an Epoxy Resin, 1037
Militky, J.
—; Rais, J.: A Simple Equation for Determining the Diffusion Coefficient from the Time of Half Sorption (Note), 631
Milkie, T. H. See Weir, N. A., 609
Minoura, N.
—; Nakagawa, T.: Permeability of Polyglutamic Acid Ester Membranes to Benzene Vapor, 815
—; Nakagawa, T.: The Effect of Casting Solvent on the Sorption and Diffusion of Water Vapor in Poly(γ-methyl nl-Glutamate), 2729
Minoura, Y.
—; Yamashita, S.; Okamoto, H.; Matsuo, T.; Izawa, M.; Kohmoto, S.-I.: Crosslinking and Mechanical Property of Liquid Rubber. III. Curative Effect of Aralkyl and Alicyclic Diols, 1137
Miwa, M. See Ohsawa, T., 1233
—; Ohsawa, T.; Tsuji, N.: Temperature Dependence of Impact Fracture Energies of Short Glass Fiber–Epoxy and Unsaturated Polyester Composites, 1679
—; Ohsawa, T.; Hosegawa, A.; Nakayama, A.: Temperature Dependence of the Tensile Strength of Glass Fiber–Epoxy and Glass Fiber–Unsaturated Polyester Composites, 2957
Mizerski, T. See Makaruk, L., 1935
Mizutani, Y. See Kagiyama, Y., 1309
Mody, N. R. See Lokhande, H. T., 2139; Rao, K. N., 2133
Moebus, G. A.
—; Crowther, J. A.; Bartick, E. G.; Johnson, J. F.: GPC: Use of Automatic Weighing to Determine Elution Volumes, 3501
Mohn, R. N.
—; Paul, D. R.; Barlow, J. W.; Cruz, C. A.: Polyester–Polycarbonate Blends. III. Polyesters Based on 1,4-Cyclohexanedimethanol/Terephthalic Acid/Isophthalic Acid, 575
Mollah, M. See Pillai, P. K. C., 621
Moloney, G. See Patel, P., 2335
Morel, G.
—; Jozefonvicz, J.; Aptel, P.: Pervaporation Membranes Prepared by Radiochemical Grafting of N-Vinylpyrrolidone onto Films, 2397
Morgan, R. J.
The Effect of Thermal History and Strain Rate on the Mechanical Properties of Diethylenetriamine-Cured Bisphenol-A-Diglycidyl Ether Epoxies, 2711
Morishita, N. See Ishigaki, I., 3383
Morita, Y. See Ishigaki, I., 3383
—; Ishigaki, I.; Kumakura, M.; Watanabe, Y.; Ito, A.: Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. VI. Studies on Copolymer Composition, 3395
—; Ishigaki, I.; Nishimura, K.; Ito, A.: Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal VII. Treatment of Copolymer after Polymerization, 3411
—; Ishigaki, I.; Watanabe, Y.; Aramaki, T.; Ito, A.: Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. VIII. Mechanical Properties of Copolymer, 3421
Morita, Z.
—; Kobayashi, R.; Motomura, H.; Kuchiki, K.: Fundamental Studies on Solvent Dyeing with Tetrachloroethylene. III. Effect of Water Added to the Solvent Dyebath on the Diffusion of Disperse Dyes in Poly(ethylene Terephthalate), 859
Morosoff, N. See Yasuda, H., 1003
—; Yasuda, H.; Brandt, E. S.; Reilley, C. N.: Plasma Polymerization of Tetrafluoroethylene. II. Capacitive Radio Frequency Discharge, 3449
—; Yasuda, H.; Brandt, E. S.; Reilley, C. N.: Plasma Polymerization of Tetrafluoroethylene. III. Capacitive Audio Frequency (10 kHz) and AC Discharge, 3471
Morsi, S. E. See Khalifa, W. M., 2225
Motomura, H. See Morita, Z., 859
Mumford, N. A.
—; Chatfield, D. A.; Einhorn, I. N.: The Analysis of Rigid Polyurethanes by Chemical Ionization Mass Spectrometry, 2099
Murayama, T.
The Measurement of Dynamic Flexile Properties of Fibers with a Rheovibron Viscoelastometer, 1647
Mustafa, A. B. See Nagaty, A., 3263

Nagashima, K. See Osawa, Z., 3583
Nagaty, A. See Mansour, O. Y., 2425
—; Mustafa, A. B.; Mansour, O. Y.: Lignocellulose–Polymer Composite. I, 3263
Nakagawa, T. See Minoura, N., 815, 2729
Nakajima, A. See Sato, H., 1759

Nakajima, K.
—; Bell, A. T.; Shen, M.: Plasma Polymerization of Tetrafluoroethylene, 2627
Nakamura, S.
—; Yamada, M.; Matsuzaki, K.: Graft Frequency of Graft Copolymers by Chain Transfer of Growing Polymer Radicals to Trunk Polymers Containing Nitro Groups (Erratum), 1585
Nakano, K. See Osawa, Z., 3583
Nakatsuka, T.
—; Kawasaki, H.; Itadani, K.; Yamashita, S.: Grafting Polystyrene onto Sorbate-Modified Titanium Dioxide (Note), 3139
Nakayama, A. See Miwa, M., 2957; Ohsawa, T., 1233
Nakayama, K.
—; Kanetsuna, H.: Hydrostatic Extrusion under Back Pressure of High-Density Polyethylene, 2543
Narasimhan, V.
—; Burns, C. M.; Lloyd, D. R.: Phase Equilibra of Polystyrene/Polybutadiene/Tetrahydrofuran Using Gel Permeation Chromatography, 749
Narkis, M.
Size Distribution of Suspension-Polymerized Unsaturated Polyester Beads, 2043
Nassar, T. R.
—; Paul, D. R.; Barlow, J. W.: Polyester–Polycarbonate Blends. II. Poly(ethylene Terephthalate), 85
Nayak, P. L.
—; Lenka, S.; Pati, N. C.: Grafting Vinyl Monomers onto Silk Fibers. II. Graft Copolymerization of Methyl Methacrylate onto Silk by Hexavalent Chromium Ion, 1345
Nechitailo, N. A. See Kharas, G. B., 2989
Nemas, M. See Kraus, M. A., 445
Ni, Y. C. See Duda, J. L., 947
Nicholas, D. See Weir, N. A., 609
Nicolais, L. See Kolarik, J., 1553
Nielsen, L. E. See Peiffer, D. G., 2253
Nierzwicki, W.
—; Szpilewicz, E.: Thermoelastic Properties of Urethane Elastomers, 2147
Nigam, K. D. P. See Singh, D., 3021
Nishimura, K. See Ishigaki, I., 3383; Morita, Y., 3411
Nolley, E.
—; Paul, D. R.; Barlow, J. W.: Examination of Some Miscible Polymer Blends for LCST Behavior (Note), 623
Nose, T. See Hirose, S., 3193
Nusbaum, H. J.
—; Rose, R. M.; Paul, I. L.; Crugnola, A. M.; Radin, E. L.: Wear Mechanisms for Ultrahigh Molecular Weight Polyethylene in the Total Hip Prosthesis, 777

O'Donnell, J. H. See Brown, J. R., 2763
Ogata, N. See Shimozato, Y., 827
Ogawa, T.
Compositional Variation as a Function of Elution Volume in Gel Permeation Chromatography of Copolymers and Physical Blends, 3515
—; Sakai, M.: Dilute Solution Viscosity of Polyacrylonitrile in N,N-Dimethylformamide (Note), 2817
Ogiwara, Y. See Kubota, H., 241, 2271
—; Umasaka, T.; Kubota, H.: Formation of Peroxide on Aldehyde Cellulose and Its Ability to Initiate Graft Copolymerization, 837
—; Hayase, K.; Kubota, H.: Radical Formation and Graft Copolymerization on Photo-irradiated Aldehyde Cellulose, 1
Ohmura, H. See Matsuda, K., 141, 1461
Ohsawa, T. See Miwa, M., 1679, 2957
—; Miwa, M.; Goto, N.; Nakayama, A.: A Study of Composite Foams for Diving Suits Subjected to High Hydrostatic Pressure, 1233
Okada, T.
—; Otsuru, M.: A Study of Sequence Distribution of Chloroprene and Methyl Methacrylate Copolymers by ^{1}H-NMR, 2215
Okamoto, H. See Minoura, Y., 1137
—; Iwai, T.: Heat Curing of Radiation-Induced Crosslinked Syndiotactic 1,2-Polybutadiene (Note), 1893
Okamoto, J. See Watanabe, T., 967
Onabe, F.
Interfacial Properties of Polyelectrolyte–Cellulose Systems. II. Electrokinetic Properties of Cellulose Fibers with Adsorbed Monolayers of Cationic Polyelectrolyte, 2909
Interfacial Properties of Polyelectrolyte–Cellulose Systems. III. Theoretical Model for the Electrokinetic Behavior of Cellulose Fibers with Adsorbed Monolayers of Cationic Polyelectrolyte, 2999
Onda, N.
—; Furusawa, K.; Yamaguchi, N.; Komuro, S.: Gel Permeation Chromatography Using Controlled-Porosity Glass. I. Polyacrylamide–Formamide Solution, 3631
Ontto, D. E. See Lai, Y.-Z., 3219
Oraby, W.
—; Walsh, W. K.: Elastomeric Electron Beam-Cured Coatings: Structure–Property Relationships. I. Oligomer Structure, 3227
—; Walsh, W. K.: Elastomeric Electron Beam-Cured Coatings: Structure–Property Relationships. II. Chain Transfer Agents, 3243
Orlando, C. M. See Kinson, P. L., 155
Osawa, Z.
—; Kurisu, N.; Nagashima, K.; Nakano, K.: The Effect of Transition Metal Stearates on the Photodegradation of Polyethylene, 3583
O'Shaughnessy, M. E. See Hammer, R. B., 485
Otey, F. H. See Abbott, T. P., 1223; Swanson, C. L., 743
Otsuru, M. See Okada, T., 2215
Oyanagi, Y.
—; White, J. L.: Basic Study of Extrusion of Polyethylene and Polystyrene Foams, 1013
Ozari, Y.
—; Chow, R. H.; Gillham, J. K.: A Water-Sensitive Thermomechanical Transition in a Polyimide, 1189
Ozawa, H. See Hosaka, S., 2089
Ozima, A. See Bakos, D., 2233

Palma, R. See Ghiradella, H., 1583
Papirer, E. See Berrod, G., 2579
Parkinson, W. W., Jr. See Kelly, M. J., 3033
Patel, P.
—; Rodriguez, F.; Moloney, G.: *N*-Methyl-2-Pyrrolidone as a Solvent for Poly(Vinyl Alcohol), 2335
Pati, N. C. See Nayak, P. L., 1345
Patil, A. S. See Shenai, V. A., 123
Patnaik, S. See Varma, I. K., 2933
Patterson, G. K. See Yu, J. F. S., 2493
Paul, D. R. See Cruz, C. A., 589; Mohn, R. N., 575; Nassar, T. R., 85; Nolley, E., 623
Paul, I. L. See Nusbaum, H. J., 777
Pearce, E. M. See Bordoloi, B. K., 2757; Lin, S. C., 3355
Peiffer, D. G.
—; Nielsen, L. E.: Preparation and Mechanical Properties of Thick Interlayer Composites, 2253
Pelezo, C. A. See Dobinson, F., 2189
Pelt, T. See Luba, M., 55
Penn, L.
—; Larsen, F.: Physicochemical Properties of Kevlar 49 Fiber, 59
Perego, G. See Greco, A., 1319
Peters, R. H. See Marrs, W., 1063, 1077, 1095, 1105
Petrak, K.
Permeability of Oxygen Through Polymers. I. A Novel Spectrophotochemical Method, 2365
Petrus, V. See Stamberg, J., 503
Pfeffer, A. See Bieber, O., 1043
Pietrzak, L. See Turska, E., 2409
Pillai, P. K. C.
—; Mollah, M.: Electric Current from Cotton Cellulose Sandwiched Between Metal Electrodes with Temperature Variation (Note), 621

Pimblott, J. G.
—; Scott, G.; Stuckey, J. E.: Bis(diisopropyl)thiophosphoryl Sulfides in Vulcanization Reactions, 3621
Pizzi, A.
Tannin-Based Neutral and Alkaline Phenolic-Type Foams (Note), 1901
Tannin-Based Polyurethane Adhesives (Note), 1889
The Chemistry and Development of Tannin/Urea–Formaldehyde Condensates for Exterior Wood Adhesives, 2777
Podkowka, J. See Izydorczyk, J., 2265
Pokorny, S. See Janca, J., 1811
Polanska, H. See Makaruk, L., 1935
Pollak, V.
—; Romanov, A.: Study of Elastic and Thermoelastic Properties of Ethylene–Propylene and Ethylene–Vinyl Acetate Copolymers. I. Elastic Properties, 985
—; Romanov, A.: Study of Elastic and Thermoelastic Properties of Ethylene–Propylene and Ethylene–Vinyl Acetate Copolymers. II. Thermoelastic Properties, 995
Pollock, D. See Jacovic, M. S., 517
Poots, V. J. P.
—; McKay, G.: The Specific Surfaces of Peat and Wood, 1117
Porter, R. S. See Jacovic, M. S., 517; Kulicke, W. M., 953
Prevorsek, D. C. See Kwon, Y. D., 3105
—; Sharma, R. K.: Fiber–Fiber Coefficient of Friction: Effects of Modulus and Tan δ, 173
Prochaska, K.
—; Wypych, J.: Basic Principles of Thermal Degradation and Thermal Stabilization of Poly(vinyl Chloride). Synergism of Stabilizer Action, 2031
Prud'homme, R. E. See Savard, S., 1943
Pusch, W. See Burghoff, H.-G., 473

Raab, M.
—; Masar, B.; Cefelin, P.: Additional Yield Peaks of Methylated Polyamide: Effect of Chain Length (Note), 1875
Rabek, J. F.
—; Ranby, B.: Studies on the Photo-Oxidative Mechanism of Polymers. VII. The Role of Singlet Oxygen in the Dye-Photosensitized Oxidation of *cis*-1,4- and 1,2-Polybutadienes and Butadiene–Styrene Copolymers, 2481
Radin, E. L. See Nusbaum, H. J., 777
Raghavendrachar, P. See Chanda, M., 755
Rahman, A.
—; Brown, C. W.: The Manganic Hydroxide–Hydrazine System as an Initiator of Vinyl Polymerization. III. The Emulsion Polymerization of Methyl Methacrylate, 2019
—; Brown, C. W.: The Manganic Hydroxide–Hydrazine System as an Initiator of Vinyl Polymerization. IV. The Emulsion Polymerization of Methyl Methacrylate, 3027
Rais, J. See Militky, J., 631
Ram, A.
—; Calahorra, A.: Flame Retardant Polyesters Based on Bromine Derivatives, 797
Ranby, B. See Rabek, J. F., 2481
Randall, J. M. See Young, R. N., 1027
—; Randall, V. G.; McDonald, G. M.; Young, R. N.; Masri, M. S.: Removal of Trace Quantities of Nickel From Solution, 727
Randall, V. G. See Randall, J. M., 727
Rao, K. N. See Lokhande, H. T., 2139
—; Rao, M. H.; Lokhande, H. T.; Mody, N. R.; Jog, A. G.: Grafting onto Polyester Fibers. II. Kinetics of Grafting of Acrylic Acid, Acrylonitrile, and Vinyl Acetate onto Polyester Fibers, 2133
Rao, M. H. See Lokhande, H. T., 2139; Rao, K. N., 2133
Ratho, S.
Fine Structure Investigation of *Sansevieria Roxburghi* Fiber by Small-Angle X-Ray Methods, 1671
Rayford, McC. J. See Kenyon, A. S., 717
Reilley, C. N. See Morosoff, N., 3449, 3471; Yasuda, H., 1003
Rigdahl, M. See Brathe, L., 2435
Riggin, M. T.
—; Sharp, A. R.; Kaiser, R.; Schneider, M. H.: Transverse NMR Relaxation of Water in Wood, 3147
Robertson, A. A. See Alince, B., 539
Robeson, L. M.
—; Furtek, A. B.: Miscible Blends of Poly(butylene terephthalate) and the Polyhydroxyether of Bisphenol A, 645
Rodriguez, F. See Anderson, C. C., 2453; Patel, P., 2335
Rojas, A. J.
—; Williams, R. J. J.: Novolacs From Paraformaldehyde, 2083
Rokudai, M.
Influence of Shearing History on the Rheological Properties and Processability of Branched Polymers. I, 463
—; Mihara, S.; Fujiki, T.: Influence of Shearing History on the Rheological Properties and Processability of Branched Polymers. II. Optical Properties of Low-Density Polyethylene Blown Films, 3289
—; Fujiki, T.: Influence of Shearing History on the Rheological Properties and Processability of Branched Polymers. III. An Amorphous Long-Chain Branched Polymer, 3295
Romanov, A. See Pollak, V., 985, 995
Rose, R. M. See Nusbaum, H. J., 777
Rosenblatt, G. B. See Mendelsohn, M. A., 325, 333, 341
Rowland, S. P. See Bertoniere, N. R., 2567
Rudd, G. E. See Mendelsohn, M. A., 325, 333, 341
Runge, M. L.
—; Dreyfuss, P.: Adhesion of Elastomers to Rigid Substrates—Three Substrates with Unexpectedly High Adhesion (Note), 1863
Russell, C. R. See Fanta, G. F., 229; Gugliemelli, L. A., 635
Rybicky, J.
Fast Determination of Fatty Acids in Oil-Utilizing Resins by NMR Spectroscopy, 25

Sacher, E.
—; Susko, J. R.: Water Permeation of Polymer Films. I. Polyimide, 2355
Sadhir, R. K. See Varma, D. S., 393
Saegusa, T.
—; Yamada, A.; Kobayashi, S.; Yamashita, S.: Polyethylenimine–Polyepichlorohydrin Interpolymer for Chelating Ion-Exchange Membrane, 2343
Sakai, M. See Ogawa, T., 2817
Sakai, T. See Matsuda, K., 141, 1461
Sakai, Y. See Bradbury, A. G. W., 3271; Shafizadeh, F., 3525
Sakurai, S. See Inagaki, N., 2023
Salwinski, J. See Izydorczyk, J., 2265
Salyer, I. O. See Kelly, M. J., 3033
—; Usmani, A. M.: Reaction Variables and a Proposed Mechanism of Open-Pore Urea/Formaldehyde Structure Formation, 381
Samay, G.
—; Kubin, M.: Peak Distortion in Gel Permeation Chromatography at High Sample Concentration (Note), 1879
Samsonov, G. V. See Shatayeva, L. K., 2245
Sando, K. See Yamashita, S., 1951, 1963
Sannan, T. See Kurita, K., 511
Santappa, M. See Sudhakar, D., 2923
Sanui, K. See Shimozato, Y., 827
Sarma, N. L. N. See Vasudevan, P., 1443
Sato, H.
—; Maeda, M.; Nakajima, A.: Mechanochemistry and Permeability of Polyelectrolyte Complex Membranes Composed of Poly(vinyl Alcohol) Derivatives, 1759
Sato, T.
Flocculation of Dispersions by Preferential Adsorption of Solvents from Polymer Solution, 1693

Flocculation of Dispersions by Preferential Adsorption of Solvents from Polymer Solution (Erratum), 3143
Saunders, J. H. See Bach, H. C., 2125; Dobinson, F., 2189
Savard, S.
—; Levesque, D.; Prud'homme, R. E.: Partial Miscibility of Cellulose–Polyacrylonitrile Blends, 1943
Savides, C.
—; Granzow, A.; Cannelongo, J. F.: Phosphine-Based Flame Retardants for Polypropylene, 2639
Schatz, M. See Vondracek, P., 2681
Schatzki, T. F. See Mathew, J., 299
Schmidt, L. R.
Viscoelastic Melt Behavior of Poly(2,6-dimethyl-1,4-phenylene Oxide), High-Impact Polystyrene, and A 35–65 Blend, 2463
Schnabel, W. See Altmann, O., 215
Schnecko, H. See Bieber, O., 1043
Schneider, B. See Stokr, J., 3553
Schneider, M. H. See Riggin, M. T., 3147
Scholl, J. P. See Shafizadeh, F., 3525
Schonhorn, H. See Vogel, S. L., 495; Wang, T. T., 887
Environmental Influence on the Fracture Strength of Coated Glass Fibers, 687
—; Torza, S.; Albarino, R. V.; Vazirani, H. N.; Wang, T. T.: Organic Polymeric Coatings for Silica Fibers. I. UV-curing Epoxy Acrylate (V1F), 75
Schroeder, J. A. See Carraher, C. E., Jr., 1501
Schuler, A. S. See Warthen, R., 3167
Schwenk, U.
—; Lomker, F.; Konig, I.; Streitberger, H.: Degradation of Poly(vinyl Chloride) to Small Molecules, 1595
—; Cavagna, F.; Lomker, F.; Konig, I.; Streitberger, H.: Elucidation of the Fine Structure of Poly(vinyl Chloride) by Hydrogenation and ^{13}C-NMR Analysis of Low Molecular Weight Fractions, 1589
Scott, G. See Pimblott, J. G., 3621
Sebastian, D. H.
—; Biesenberger, J. A.: Thermal Ignition Phenomena in Chain-Addition Copolymerizations, 661
Shafizadeh, F. See Bradbury, A. G. W., 3271
—; Furneaux, R. H.; Cochran, T. G.; Scholl, J. P.; Sakai, Y.: Production of Levoglucosan and Glucose from Pyrolysis of Cellulosic Materials, 3525
—; Bradbury, A. G. W.: Thermal Degradation of Cellulose in Air and Nitrogen at Low Temperatures, 1431
Shah, B. A.
—; Shen, M.; Akovali, G.: Dynamic Mechanical Properties of Solvent-Crazed Polystyrene (Note), 295
Shalaby, S. E. See Hebeish, A., 3051
Sharma, A. K. See Bajaj, P., 1541
Sharma, R. K. See Prevorsek, D. C., 173
Sharp, A. R. See Riggin, M. T., 3147
Shatayeva, L. K.
—; Samsonov, G. V.; Kopecek, J.; Vacik, J.; Kalal, J.: Permeability of Heterogeneous Membranes Based on Methacrylic Acid, 2245
Shawki, S. M.
—; Hamielec, A. E.: Estimation of the Reactivity Ratios in the Copolymerization of Acrylic Acid and Acrylamide from Composition–Conversion Measurements by an Improved Nonlinear Least-Squares Method, 3155
—; Hamielec, A. E.: Estimation of Transfer Constants in the Aqueous Solution Polymerization of Acrylamide with Potassium Persulfate Initiator, 3341
—; Hamielec, A. E.: The Effect of Shear Rate on the Molecular Weight Determination of Acrylamide Polymers from Intrinsic Viscosity Measurements, 3323
Shen, M. See Hinman, P. V., 3651; Mathew, J., 299; Nakajima, K., 2627; Shah, B. A., 295
Shenai, V. A.
—; Patil, A. S.: Studies in Chemically Modified Celluloses. XI. Hypochlorite Oxidation of Cellulose in the Presence of Chromium Oxide, 123
Shibayama, K. See Tanaka, T., 1131
Shikata, K. See Kagiyama, Y., 1309
Shimizu, A. See Hirose, S., 3193
Shimozato, Y.
—; Sanui, K.; Ogata, N.: Syntheses of Functional Condensation Polymers. II. A Polyamide Having Epoxy Groups and Its Ring-Opening Derivatives, 827
Sibilia, J. P. See Aharoni, S. M., 133
Signorelli, A. J. See Aharoni, S. M., 2653
Silebi, C. A.
—; McHugh, A. J.: The Determination of Particle Size Distributions by Hydrodynamic Chromatography. An Analysis of Dispersion and Methods for Improved Signal Resolution, 1699
Silver, F. M. See Baird, D. G., 941
Singh, D.
—; Nigam, K. D. P.: Diffusion Coefficient in Polymer Solutions, 3021
Sirkar, K. K. See Bagchi, A. K., 1653; Ghosh, A. K., 1291
Slaten, B. L.
—; Smith, B. F.: The Effects of Weathering and Atmospheric Pollutants on Cotton Fabric and Cotton Fabric Treated with Selected Flame Retardants. II. Spectroscopic Studies, 367
—; Spivak, S. M.; Smith, B. F.: The Effects of Weathering and Atmospheric Pollutants on Cotton Fabric and Cotton Fabric Treated with Selected Flame Retardants. I. Physical, Chemical, and Flammability Properties, 695
The Retention and Removal Behavior of Perchloroethylene and Dichloromethane in Polyester Fabric, 601
Slater, G. See Lenk, R. S., 2793
Smietanska, G. See Szymanski, W., 791
Smith, B. F. See Slaten, B. L., 367, 695
Smith, G. C. See Guise, G. B., 353
Smith, H. B. See Jones, G. D., 115
Smith, J. D. B.
Quaternary Phosphonium compounds as Latent Accelerators for Anhydride-Cured Epoxy Resins. I. Latency and Cure Characteristics, 1385
Soda, A. See Itoyama, K., 1723
Soni, P. L.
—; Geil, P. H.: Environmental Stress Cracking of Polyethylene: Temperature Effect, 1167
Sourirajan, S. See Hsieh, F.-H., 561
Spaulding, E. See DiGiacomo, G., 261
Spencer, H. G.
—; Barrie, J. A.: Transient Diffusion Through a Binary Laminate Separating Finite and Semiinfinite Volumes (Note), 2537
Sperling, L. H. See Lipko, J. D., 2739
Spivak, S. M. See Slaten, B. L., 695
Srinivasan, K. S. V. See Sudhakar, D., 2923
Stahel, E. P. See Tsai, J. T., 2701
Stamberg, J.
—; Petrus, V.; Gregor, H. P.: Chemical Transformations of Polymers. XI. Mercuration of Polystyrene, 503
Stannett, V. T. See Tsai, J. T., 2701; Williams, J. L., 1265
Starnes, W. H., Jr. See Graedel, T. E., 1769
Steiner, P. R. See Chow, S., 1973
Stenius, P. See Bergstrom, C., 3563
Stepaniak, R. F.
—; Garton, A.; Carlsson, D. J.; Wiles, D. M.: The Characterization of Nylon 6 Filaments by X-Ray Diffraction, 1747
Stevens, J. R. See Aardsma, G., 2533
Still, R. H. See Ellis, T. S., 2837, 2855, 2871, 2881; Marrs, W., 1063, 1077, 1095, 1105
Stokr, J.
—; Frydrychova, A.; Schneider, B.; Coupek, J.: Composition Analysis of Crosslinked Styrene–Ethylene Dimethacrylate and Styrene–Divinylbenzene Copolymers by Raman Spectroscopy, 3553

Stotskaya, L. L. See Kharas, G. B., 2989
Stoyanov, A. I.
Influence of Thermosetting and Drying on Shrinkage, Tenacity, and Elongation of Acrylic Fibers, 3123
Strauch, E. R. See Hammer, R. B., 485
Streitberger, H. See Schwenk, U., 1589, 1595
Stuckey, J. E. See Pimblott, J. G., 3621
Sudhakar, D.
—; Srinivasan, K. S. V.; Joseph, K. T.; Santappa, M.: Grafting of Methyl Methacrylate to Nitrocellulose by Ceric Ions, 2923
Sumita, O.
—; Fukuda, A.; Kuze, E.: Coagulation of Polymer–Cu^{2+} Complexes in Polymer Films and Its Application for Producing Semiconducting CuI Surface Layers, 2279
Sundberg, D. C.
A Quantitative Treatment of Particle Size Distributions in Emulsion Polymerization, 2197
Susko, J. R. See Sacher, E., 2355
Suwa, T. See Watanabe, T., 967
Suzuki, J.
—; Taumi, N.; Suzuki, S.: Ozone Treatment of Water-Soluble Polymers. IV. Ozone Degradability of Water-Soluble Polymers, 3281
Suzuki, S. See Suzuki, J., 3281
Swanson, C. L.
—; Buchanan, R. A.; Otey, F. H.: Molecular Weights of Natural Rubbers from Selected Temperate Zone Plants, 743
Szpilewicz, E. See Nierzwicki, W., 2147
Szymanski, W.
—; Smietanska, G.: Synergistic Effect in Gamma-Irradiated Poly(vinyl Chloride) Hard Foils Stabilized by Plasticizer–Stabilizer Systems, 791

Takahashi, F. See Kamiya, Y., 627
Takayanagi, M. See Haraguchi, K., 903, 915
Tamvakis, A. P. See Cabasso, I., 1509
Tanaka, T.
—; Fujimoto, T.; Shibayama, K.: Glass Transition Behavior of Emulsion-Polymerized Polymer Films Containing a Surface-Active Agent, 1131
Tanaka, Y. See Matsuda, K., 141
Tanzawa, H. See Hosaka, S., 2089
Taumi, N. See Suzuki, J., 3281
Taylor, N. W.
—; Bagley, E. B.: Stress Yield Value in Closely Packed Gel Suspensions (Note), 1897
Teng, F. S.
—; Mahalingam, R.: Mechanism and Evaluation in Electroinitiated Copolymerization Coatings of Acrylonitrile and Acrylic Acid, 101
Thomas, D. A. See Lipko, J. D., 2739
Thorshaug, N. P. See Kulas, F. R., 1781
Thurston, D. A. See Anderson, C. C., 2453
Torza, S. See Schonhorn, H., 75
Trainor, A. See Gilmour, I. W., 2813, 3129
—; Hay, J. N.: On the Thermoelastic Effect and Configurational Entropy in Rubber-Like Solids (Note), 2803
Tran, C. N. See Cabasso, I., 2967
Tsai, J. T.
—; Stahel, E. P.; Stannett, V. T.: The Radiation-Induced Emulsion Copolymerization of Vinyl Chloride with Vinyl Acetate in an Engineering Flow System, 2701
Tsuji, N. See Miwa, M., 1679
Turbak, A. F. See Hammer, R. B., 485
Turska, E. See Matlengiewicz, M., 3255
—; Pietrzak, L.; Jantas, R.: Kinetic Studies on Copolycondensation Processes. IV. Chemical Composition of Copolycondensation Products, 2409
—; Benecki, W.: Studies of Liquid-Induced Crystallization of Bisphenol A Polycarbonate, 3489

Udipi, K.
Epoxidation of Styrene–Butadiene Block Polymers. I, 3301
Epoxidation of Styrene–Butadiene Block Polymers. II, 3311
Uemura, Y.
—; Chikaishi, K.; Yamazaki, T.: Mie Scattering from Sphere Structures in Polymer Blends, 2695
Ulanski, J. See Kryszewski, M., 1271
Umasaka, T. See Ogiwara, Y., 837
Usmani, A. M. See Salyer, I. O., 381

Vacik, J. See Ilavsky, M., 2073; Shatayeva, L. K., 2245
Valaitis, J. K.
—; Kyker, G. S.: Thermal Stability of Phosphonitrilic Fluoroelastomers, 765
Van Der Hoff, B. M. E.
—; Chopra, V. K.: Cold Milling of Polyisobutylene—A Molecular Weight Distribution Study, 2373
Varma, D. S. See Goel, R. N., 3541
—; Sadhir, R. K.: Radiation-Induced Graft Copolymerization of Methyl Methacrylate on Natural and Modified Wool. II. Sorption Behavior, 393
Varma, I. K. See Goel, R. N., 3541
—; Patnaik, S.: Studies of 2-Hydroxyethyl Methacrylate and Ethyl Acrylate Copolymers as Negative Photoresists, 2933
Varshney, S. K. See Bajaj, P., 3505
Vasudevan, P.
—; Sarma, N. L. N.: Composite Cation Exchangers, 1443
Vazirani, H. N. See Schonhorn, H., 75; Wang, T. T., 887
Vernois, M.
—; Williams, H. L.: Copolymers of 3,3′,4,4′-Tetraaminobiphenyl and 1,2,4,5-Tetraaminobenzene with 1,1′-Bis(glyoxalyl)-ferrocene and 1,1′-Bis(phenylglyoxalyl)ferrocene, 1601
Vidal, A. See Berrod, G., 2579
Vijayendran, B. R.
Effect of Carboxylic Monomers on Acid Distribution in Carboxylated Polystyrene Latices, 893
Polymer Polarity and Surfactant Adsorption, 733
Vogel, S. L.
—; Schonhorn, H.: Adhesion of Evaporated Metallic Films onto Polyethylene and Poly(tetrafluoroethylene): Importance of Surface Crosslinking, 495
Volkova, L. D. See Kharas, G. B., 2989
Vondracek, P.
—; Schatz, M.: NH_3-Modified Swelling of Silica-Filled Silicone Rubber, 2681
von Meerwall, E.
—; Ferguson, R. D.: Diffusion of Hydrocarbons in Rubber, Measured by the Pulsed Gradient NMR Method, 3657
—; Ferguson, R. D.: Pulsed-Field Gradient NMR Measurements of Diffusion of Oil in Rubber, 877
Vrentas, J. S. See Duda, J. L., 947

Walsh, W. K. See Oraby, W., 3227, 3243
Waly, A. See Hebeish, A., 1803, 3061
Wang, C. T. See Lin, C.-C., 1203
Wang, T. T. See Schonhorn, H., 75
—; Vazirani, H. N.; Schonhorn, H.; Zupko, H. M.: Effects of Water and Moisture on Strengths of Optical Glass (Silica) Fibers Coated with a UV-Cured Epoxy Acrylate, 887
Ward, T. L.
—; Jung, H. Z.; Hinojosa, O.; Benerito, R. R.: Characterization and Use of Radio Frequency Plasma-Activated Natural Polymers, 1987
Warren, P. C. See Graedel, T. E., 1769
Warthen, R.
—; Schuler, A. S.; Lenz, R. W.: Quantitative Analysis of Copolyamides and Copolyesters by Gas Chromatography, 3167
Watanabe, T.
—; Suwa, T.; Okamoto, J.; Machi, S.: Emulsifier-Free Emulsion Polymerization of Tetrafluoroethylene by Radiation. IV. Effects of Additives on Polymer Molecular Weight, 967

Watanabe, Y. See Morita, Y., 3395, 3421
Weigelt, W. See Bieber, O., 1043
Weir, N. A.
—; Milkie, T. H.; Nicholas, D.: Photolysis of Poly(ERT–BUTYLSTYRENE(, 609
Weiss, N. See Ziderman, I., 1883
Weiss, R. A.
—; Lenz, R. W.: Properties of Polyethylene Modified with Phosphonate Side Groups. III. Hydration Characteristics and Water Permeability, 2443
White, J. L. See Aoki, H., 2293; Harwood, D., 2155; Oyanagi, Y., 1013
Wiles, D. M. See Stepaniak, R. F., 1747
Wilkes, G. L. See Makarewicz, P. J., 1619
Williams, H. L. See Vernois, M., 1601
Williams, J. G.
The Beta Relaxation in Epoxy Resin-Based Networks, 3433
Williams, J. L.
—; Stannett, V. T.: Highly Water-Absorptive Cellulose by Postdecrystallization (Note), 1265
Williams, R. J. J. See Rojas, A. J., 2083
Wirsen, A.
—; Flodin, P.: Partially Dehydrochlorinated PVC. II. Reactions With Dienophiles and Hydroxylating Agents, 2005
Woelk, W. K. See Carraher, C. E., Jr., 1501
Wydeven, T. See Donohoe, K. G., 2591
Wypych, J. See Prochaska, K., 2031
Mechanism of Action of PVC Thermal Stabilizers, 39
Wyzgoski, M. G. See Jacques, C. H. M., 1153

Yamada, A. See Saegusa, T., 2343
Yamada, M. See Nakamura, S., 1585
Yamaguchi, N. See Onda, N., 3631
Yamakita, H.
—; Hayakawa, K.: Preparation and Properties of Radiation-Grafted Membranes for Eliminating Sodium Alkylbenzenesulfonate from Water (Note), 303
Yamashita, S. See Minoura, Y., 1137; Nakatsuka, T., 3139; Saegusa, T., 2343
—; Sando, K.; Kohjiya, S.: 1-Chlorobutadiene–Butadiene Rubber. III. Determination of Hydroxyl Group Content, 1951
—; Sando, K.; Kohjiya, S.: 1-Chlorobutadiene–Butadiene Rubber. IV. Increasing the Hydroxyl Group Content in the Rubber, 1963
Yamazaki, T. See Uemura, Y., 2695
Yang, H. W. H.
—; Farris, R.; Chien, J. C. W.: Study of the Effect of Regrinding on the Cumulative Damage to the Mechanical Properties of Fiber-Reinforced Nylon 66, 3375
Yasuda, H. See Morosoff, N., 3449, 3471
—; Morosoff, N.; Brandt, E. S.; Reilley, C. N.: Plasma Polymerization of Tetrafluoroethylene. I. Inductive Radio Frequency Discharge, 1003
Yoshizawa, S. See Handa, T., 1527
Young, R. N. See Randall, J. M., 727
—; McDonald, G.; Randall, J. M.: Effect of Light Metal Ions on the Sorption of Heavy Metal Ions on Natural Polymers, 1027
Yu, A. J. See Kim, K.-S., 439
Yu, J. F. S.
—; Zakin, J. L.; Patterson, G. K.: Mechanical Degradation of High Molecular Weight Polymers in Dilute Solution, 2493

Zahir, S. A.
Studies in the Photodimerization of the Diglycidyl Ether of 4,4′-Dihydroxychalcone, 1355
Zakin, J. L. See Yu, J. F. S., 2493
Zeldin, A.
—; Kukacka, L. E.; Carciello, N.: Polymer Systems in Geothermal Applications, 3179
Zeronian, S. H. See Fujiwara, Y., 3601
Ziderman, I.
—; Belayche, J.: Effect of Chain-End-Initiated Depolymerization in Alkaline Solution (Peeling) on the Molecular Weights of Amylose and Hydroamylose (Amylodextrin) (Note), 3427
—; Weiss, N.: The Alkali-Catalyzed Depolymerization of Amyloses in Relation to Iodine-Complexing Properties (Note), 1883
Zoller, P.
Pressure–Volume–Temperature Relationships of Solid and Molten Polypropylene and Poly(butene-1), 1057
The Pressure–Volume–Temperature Properties of Three Well-Characterized Low-Density Polyethylenes, 1051
Zupko, H. M. See Wang, T. T., 887

SUBJECT INDEX TO VOLUME 23

ABS terpolymer blends containing, 1733
Accelerator, 1527
Accelerators, 1385
—, for curing epoxy resins, 1385
Acrylamide, compounds, polymerization on Fe plates, 2117
—, copolymer with acrylonitrile and styrene, 3179
—, reactivity ratio in copolymerization with acrylic acid, 3155
—, solution polymerization of, transfer constants in, 3341
Acrylate, epoxy, UV curable, 887
Acrylic acid, copolymers with acrylonitrile, 101, 1449
—, grafting on polyesters, 2133, 2139
—, reactivity ratio in copolymerization with acrylamide, 3155
Acrylic-coated glass filler–epoxy resin composites, 2253
Acrylic fibers, effect of thermosetting and drying on, 3123
—, properties of, 3123
Acrylonitrile, copolymer films, 1449
—, copolymers, 1203, 1223
—, copolymers containing, 3123
—, copolymers with acrylic acid, 101
—, copolymers with acrylic acid or dimethylaminoethyl methacrylate, 1449
—, copolymers with cinnamoyl azide and styrene, 3445
—, copolymers with isoprene, grafted on starch, 635
—, copolymers with vinylcyclohexane or α-methylvinylcyclohexane, 2989
—, copolymer with styrene, 1723
—, copolymer with styrene and acrylamide or methacrylamide, 3179
—, electron exchangers based on, 2945
—, grafting on polyesters, 2133, 2139
—, polymerization of, bulk, 1397, 1413
Acrylourethane polyester oligomers, 3227, 3243
Activation energies of diffusion, 2729
Additives, for PVC, 1247
Adhesion of elastomers to rigid substrates, 1863(N)
Adhesion of evaporated metallic films onto polyethylene and poly(tetrafluoroethylene), 495
Adhesives, based on anhydride containing, 2603
—, based on bisepoxide containing, 2603
—, based on mono(hydroxyethyl)phthalate, 2603
—, exterior wood, 2777
—, polyurethane, tannin-based, 1889(N)
Adsorption, contribution to GPC, 2233
—, nitrogen, 1117
—, polyacrylamide on zirconium dioxide, 1565
—, polyelectrolyte on cellulose, 2909, 2999
—, of solvents, from polymer solutions, preferential, flocculation by, 1693, 3143(E)
Aging, rubber, by UV, 2225
AIBN, acrylonitrile polymerization initiated by, 1397, 1413
Air drag, effect on melt spinning, 3105
Allylamine, plasma polymerization of, 3651
Ammonia-modified swelling of silica-filled silicone rubber, 2681
Amylose, depolymerization, alkaline, 3427(N)
—, hydro-, depolymerization, alkaline, 3427(N)
—, iodine-complexing by alkali catalyzed depolymerized, 1883(N)
Anion exchange resins, 2951
Anisotropic, optical, polymer solutions, 941(N)
Antiplasticization of polycarbonates, effect of bisphenol A derivatives on, 1935
Arrhenius parameters, *p*-cresol–HCHO reaction, 3575
Autooxidation, cellulose, 1431
Autoviscometer, 2817(N)
2,2′-Azobisisobutyronitrile, see AIBN, 1397

Bagasse, lignocellulose–polymer composites from, 3263
Balance, automatic, for GPC, 3501
Barrier, solvent, 1907
Batch, emulsion polymerization in, 2049
Beads, unsaturated polyester, 2043
Benzene vapor, permeability in polyglutamic acid ester membranes, 815
Benzoyl peroxide, initiation of graft polymerization by, 3051
Beta relaxation, in epoxy resin-based networks, 3433
Biaxially oriented PET films, 3205
Binary laminate, 2537(N)
Binding, counter ion, 2999
Binding of metal cations, by chitin, 511
Biodegradable polymers, 429
Biological degradation, of copolymers, 1449
Birefringence, 1541
—, of nitrocellulose fibers and pastes, 2661
Bis(diisopropyl)thiophosphoryl sulfides, in vulcanization reactions, 3621
Bisepoxides, adhesives based on, 2603
1,1′-Bis(glyoxalyl)ferrocene, copolymers with tetraamino aromatics, 1601
1,1-Bis(4-hydroxy-3,5-dibromophenyl)-2,2-propane diacetate, 1935
1,1-Bis(4-hydroxy-3,5-dichlorophenyl)-2,2-propane diacetate, 1935
1,1-Bis(4-hydroxy-3,5-dichlorophenyl)-2,2-propane dibenzoate, 1935
1,1-Bis(4-hydroxy-3,5-dichlorophenyl)-2,2-propane di-2,4-dichlorobenzoate, 1935
1,1-Bis(4-hydroxyphenyl)-2,2-propane, also see Bisphenol A, 1935
1,1-Bis(4-hydroxyphenyl)-2,2-propane diacetate, antiplasticization by, 1935
Bisphenol A, polyhydroxyether, blends with poly(butylene terephthalate), 645
Bisphenol A derivatives, antiplasticization of polycarbonate by, 1935
Bisphenol A diglycidyl ether, adhesives based on, 2603
Bisphenol-A-diglycidyl ether epoxies, amine cured, strain rate effect on, 2711
—, amine cured, thermal history effect on, 2711
—, diethylenetriamine cured, 2711
Bisphenol A polycarbonate, crystallization of, 3489
Bisphenols, poly(terephthalates) from, 2409
1,1′-Bis(phenylglyoxalyl)ferrocene, copolymers with tetraamino aromatics, 1601
BKZ theory, 2179
Blend, polycarbonate–polyester, 575
Blends, ABS terpolymer containing, 1733
—, atactic polystyrene containing, crystallization of, 1619
—, cellulose–polyacrylonitrile, 1943
—, polyacrylonitrile–cellulose, 1943
—, Polycarbonate containing, 1733

—, polycarbonate containing, crystallization of, 1619
—, polycarbonate–polyester, poly(ϵ-caprolactone) containing, 589
—, polyester–polycarbonate, 85
—, polyethylene, characterization by DSC, 3071
—, poly(ethylene terephthalate) containing, crystallization of, 1619
—, polymer, 623(N)
—, poly(methyl methacrylate)-polystyrene, scattering from spheres in, 2695
—, polystyrene–poly(methyl methacrylate), scattering from spheres in, 2695
—, PPO–high impact polystyrene, viscoelastic behavior of melts of, 2463
—, sphere structure in, scattering from, 2695
—, (vinyl chloride–co-propylene) containing, 1733
Blends of poly(butylene terephthalate) and the polyhydroxyether of bisphenol A, 645
Block copolymers, SBS, 2385, 2673, 2821(N)
Blocking agents for isocyanates, 353
Bonding, nonionic, 1565
Brabender Plasti-Corder, 3563
Branched polymers, 463
Branching, long in polyethylene by, 517
Brassylic acid, copolyamides from, 439
Breaking strength, cotton fabrics, 2555
Bromination, of high density polyethylene, 1473
Brownian diffusion, 2591
Bubble morphology in foam extrusion, 1013
Bulk polymerization, of acrylonitrile, 1397
Bulk polymerization of acrylonitrile, 1413
Butadiene, copolymers, 1223
Butadiene–1-chlorobutadiene rubbers, OH groups in, 1951, 1963
Butadiene–styrene copolymers, photo-oxidation of, 2481
Butadiene-styrene latex, quarternized amino, interaction with fibers, 549
Butadiene-styrene latexes, quarternized amino, interaction with fibers, 539
Butadiene–styrenesulfonic acid copolymer, 1223
Butadiene telechelics, determination of terminal OH in, 1043

Cab-O-Sil, 3505
Capillary flow, 3427(N)
Capillary rheometer, 517, 1653
ϵ-Caprolactam, and oligomers, crystallization on nylon 6 fibers, 3601
Carborane-containing polymers, 1915
Carboxylic acid monomer distribution in carboxylated polystyrene latices, 893
Carboxymethyl cellulose, graft polymerization on, 241
Carr–Purcell sequence, 3147
Catenapolymeric sulfur, base-catalyzed reaction with dithiol, 2757
Cation exchange resin, ferromagnetic, 2939
Cation exchange resins, 1443, 2327, 3017
Cationic dyes, effect on grafting on polyester fibers, 2139
Cationic latex interaction with pulp fibers, 539, 549
Cationic polyelectrolytes, 2909
Cellulose, 1
—, carboxymethyl-, graft polymerization on, 241
—, chemically modified, 123
—, chemically modified, dyeing of, 3061
—, fibers, polyelectrolyte adsorbed on, 2909, 2999
—, fibers, water absorbing, 1265(N)
—, film, crosslinked, swelling of, 2529(N)
—, graft copolymers with methyl methacrylate or styrene, 3591
—, grafting of 2-methyl-5-vinylpyridine on, 3061
—, grafting of vinyl monomers on, 2425
—, graft polymerization initiated on peroxidized aldehyde-, 837
—, graft polymerization on, 1
—, hydro-, depolymerization of, alkaline, 3219
—, hydro-, pyrolysis of, 3525
—, oxidized, effect of chlorous acid sodium borohydride on, 123
—, oxidized, peroxide formation on, 837
—, photo-irradiated, 1
—, pulp, mechanical degradation of, 1487
—, pulp, mechanoradicals in, 1487
—, pyrolysis of, 3271, 3525
—, thermal degradation, in air and N_2, 1431
Cellulose acetate, irradiation of, 2893
—, membranes, 1291
—, reverse osmosis membranes, 2893
Cellulose acetate membranes, 473
—, porous, 561
Cellulose acetate–poly(bromophenylene oxide phosphonate) membranes, 2967
Cellulose bearing aromatic amino groups, reaction with tetrakis(hydroxymethyl)phosphonium chloride, 1803
Cellulose cotton, modified, flame resistant, 1803
Cellulose fibers, spinning of, 485
Cellulose graft copolymers, photodegradation of, 3591
Cellulose II, structure of, 249
Cellulose-2-methyl-5-vinylpyridine graft polymers, dyeing of, 3061
—, epichlorohydrin treated, 3061
—, epichlorohydrin treated, dyeing of, 3061
Cellulose–polyacrylonitrile blends, 1943
Cellulose polyacrylonitrile graft copolymer, hydrolyzed, stress yield in, 1897(N)
Cellulosic materials, pyrolysis of, 3525
Cerium, tetravalent, in grafting on cellulose, 2425
Cerium IV ions, initiation of grafting by, 2923
Chain-addition copolymerizations, 661
Chain transfer, grafting on polymers containing nitro groups by, 1585(E)
Chain transfer agents, effect on electron beam-cured coatings, 3243
Chain transfer coefficients, of substituted olefins, 867
Charge-transfer complex, 1271
Charpy impact measurements, 3639
Chelating ion-exchange membrane, 2343
Chemical ionization mass spectrometry, 2099
Chemical modification, of nylon 6, 1541
Chemical modification of polymers, 503
Chitin, binding of metal cations by, 511
Chitosan, removal of nickel traces from solution by, 727
1-Chlorobutadiene–butadiene rubbers, OH groups in, 1951, 1963
Chloroprene–methyl methacrylate copolymers, 2215
Chromatography, hydrodynamic, 1699
Chromium oxide, effect of, on hypochlorite oxidation of cellulose, 123
Chromium(VI) ion, initiator for grafting, 1345
Chymotrypsin degradation of poly(ester-urea) containing phenylalanine, 429
Cinnamoyl azide, copolymers with acrylonitrile and styrene, 3445
Cinnamoyl chloride, 2933
^{13}C-NMR, 1589
Coagulation of polymer–Cu^{2+} complexes, 2279
Coatings, electron beam-cured, 3227, 3243
—, polyacrylamides on Fe, 2117
—, polymer, 2117
—, solvent-cast, internal stress in, 847
Coefficient of hygroscopic expansion, 3205
Coefficient of thermal expansion, 3205
Cold milling, polyisobutylene, 2373
Composite, filler–elastomer, 1223
—, flexural rigidity, 1233
—, foams, 1233
—, polysulfone fibers, 1509
—, thermal conductivity, 1233
Composite hollow fiber membranes, 1509
Composites, epoxy–glass fiber, 2957
—, epoxy resin-coated glass filler, 2253
—, epoxy resin–glass fiber, 1679
—, glass fiber–epoxy, 2957
—, glass fiber–unsaturated polyester, 2957
—, impact fracture energy of, 1679
—, interlayer, 2253
—, ion exchange resins, 1443
—, lignocellulose–poly(methyl methacrylate), 3263
—, metal-polymer-metal, 495
—, polyester–glass fiber, 1679, 2957

—, poly(methyl methacrylate)–lignocellulose, 3263
—, polyurethane rubber–crosslinked polymeric filler, 1553
Compressive stress, of phenolic foams, 325, 333, 341
Computer simulation, 661
Concrete, polymer, for geothermal applications, 3179
Condensation polymers, functional, 827
Conductivity, postirradiation, of polystyrene films, 3033
Conductivity of polymers, thermal, 55
Conductometric titration, 893
Constant strain rate behavior, of plasticized polyvinyl chloride, 2179
Controlled release of drugs from hydrogel matrices, 2089
Coordination catalysts, 1319, 1333
Copolyamides, analysis by gas chromatography, 3167
Copolycondensation, kinetic study of, 2409
Copolyesters, analysis by gas chromatography, 3167
Copolyester studies, 1063, 1077, 1095, 1105
Copolymer, acrylamide, acrylonitrile and styrene, 3179
—, acrylonitrile, styrene and acrylamide or methacrylamide, 3179
—, butadiene-vinylbenzylchloride, quarternized, 115
—, methacrylamide, acrylonitrile and styrene, 3179
—, styrene, acrylonitrile, and acrylamide or methacrylamide, 3179
—, vinyl acetate–vinyl chloride, 1811
—, vinylbenzylchloride-butadiene, quarternized, 115
—, vinyl chloride–vinyl acetate, 1811
Copolymerization of styrene–*m*-divinylbenzene, effect of poly(vinyl chloride) on, 1309
Copolymers, acrylic acid–acrylonitrile, 1449
—, acrylonitrile, 3123
—, acrylonitrile–acrylic acid, 101, 1449
—, acrylonitrile–butadiene, 1223
—, acrylonitrile–dimethylaminoethyl methacrylate, 1449
—, acrylonitrile–styrene, 1203, 1723
—, acrylonitrile, with cinnamoyl azide and styrene, 3445
—, butadiene–acrylonitrile, 1223
—, butadiene–styrene, 2481
—, chloroprene–methyl methacrylate, 2215
—, cinnamoyl azide with acrylonitrile and styrene, 3445
—, dimethylaminoethyl methacrylate–acrylonitrile, 1449
—, *m*-divinylbenzene–styrene, 1309
—, ethyl acrylate–2-HEMA, 2933
—, ethylene–propylene, 985, 995
—, ethylene–vinyl acetate, 985, 995, 1723
—, ferrocenes–tetraamino aromatics, 1601
—, 2-HEMA–ethyl acrylate, 2933
—, 2-HEMA–methacrylic acid, 2073
—, hydrazide, 2189
—, methacrylic acid–2-HEMA, 2073
—, methyl methacrylate, 3123
—, methyl methacrylate–chloroprene, 2215
—, modified by ethylene oxide, 1449
—, N-methyl hydrazide, 2125
—, *p*-phenylene oxadiazole, 2125
—, Propylene–ethylene, 985, 995
—, propylene–vinyl chloride, 1733
—, SAN, 1181
—, sodium vinylsulfonate, 3123
—, styrene–acrylonitrile, 1203, 1723
—, styrene–butadiene, 2481
—, styrene–divinylbenzene, 3553
—, styrene–*m*-divinylbenzene, 1309
—, styrene–ethylene dimethacrylate, 3553
—, styrenesulfonic acid–butadiene, 1223
—, styrene with acrylonitrile and cinnamoyl azide, 3445
—, tetraamino aromatics–ferrocenes, 1601
—, tetramethylene sebacate–tetramethylene terephthalate, 1063, 1077, 1095, 1105
—, tetramethylene terephthalate–tetramethylene sebacate, 1063, 1077, 1095, 1105
—, vinyl acetate–ethylene, 985, 995, 1723
—, vinyl chloride–propylene, 1733
Copolymers of *p*-decylstyrene, 311(N)
Cotton, 1803
—, crosslinked, 2529(N)
—, degradation, thermal, 453
—, durable-press, 2567
—, electric current from, sandwiched between metal electrodes, 621(N)
Cotton fabrics, flame resistant, 2555
—, flame retardant, effects of weathering and atmospheric pollutants on, 367
Cotton fibers, fibrillar measurements in, 2929
—, staining for fibrillar measurements in, 2929
Cotton hydrocellulose, 3525
Crack propagation, 1037
Crazing, 2435
—, polystyrene, 2315
Crease recovery, 2529(N)
Creep deformation, 2435
p-Cresol–formaldehyde reaction, alkali-catalyzed, 3575
Critical strain measure, 2435
Critical strains, 1153
Crosslinking and mechanical property of liquid rubber, 1137
Crystalline transitions, 133
Crystallinity, in polyethylene blends, 3071
Crystallization, liquid induced, 1619
Cyclohexylbenthiazyl-2-sulfenamide–sulfur, vulcanization by, 3621
Cyclooctameric sulfur, base-catalyzed reaction with dithiol, 2757

Damage energy at failure, of solid propellants, 2169
De-Acidite FF-IP, 2951
Decrystallization, post-, 1265(N)
Deformation, creep, 2435
—, plastic, polyamides, 1875(N)
Degradation, biological, of copolymers, 1449
—, mechanical, 2493
—, mechanical, of cellulose pulp, 1487
—, mechanical, of polyisobutylene, 2373
—, thermal, 2837, 2855, 2871, 2881
—, thermal, cellulose, 1431
—, thermal, PVC, 2031
Degradation of PVC, 1595
Delayed-cure durable-press treatment for wool, 353
Desalination, 1291
Design, 2049
Desorption, vapor, from polymer films, 1795
Dialkyldithiocarbamates, in rubber vulcanization, 2065
Dicalite, 3505
3,3′-Dichloro-4,4-diaminodiphenylmethane, polyurethanes based on, 2147
Dielectric relaxation of natural resin shellac, 529
Diene polymers, relaxation behavior of, 299(N)
Dies, tapered, pressure drop through, 1587(E)
Die swell ratio, 1723
Diethylaminoethyl acrylate, 3227
Differential refractometer, 1811
Differential refractometry, 2155
Differential scanning calorimetry, see DSC, 3071
Diffusion, hydrocarbons in rubber, 3657
—, monomers, 1309
—, transient, 2537(N)
—, water vapor, in PMLG membranes, 2729
Diffusion coefficient, in non-Newtonian fluids, 3021
Diffusion coefficient from the time of half sorption, 631(N)
Diffusion coefficients, 2729
Diffusion of gases through polyurethane block polymers, 201
Diffusion of hydrocarbons in rubber, 3657
Diffusion of oil in rubber, 877
Diffusion of toluene in polystyrene, 947(N)
Diffusivity and solubility of organic vapors in modified polyethylene films, 1819, 1833, 1851
Diglycidyl, 1355
Diglycidyl ether of biphenol A, 3355
4,4′-Dihydroxychalcone, diglycidyl ether of, 1355
Di(β-hydroxyethyl) ether, 2513
4,4′-Diisocyanatophenylmethane, polyisocyanurate from, 2719

Dimethylaminoethyl methacrylate, copolymers with acrylonitrile, 1449
Dimethyldian, copolyester with phenolphthalein, 3255
Dimethyloldihydroxyethyleneurea, treatment of cotton with, 2567
Dimethyl *p*-toluidine *p*-toluene sulfinic acid salt/benzoyl peroxide, 11
Dimorpholyl disulfide, in vulcanization, 3621
1,3-Dioxolane, copolymerization with tetraoxane, 3383, 3395, 3411, 3421
4,4′-Diphenylmethane diisocyanate, polyurethanes based on, 2147
Direct injection enthalpimetry (DIE), 1043
Direction of the uniplanar orientation of the hydrogen-bonded sheet, effect on mechanical properties, 903
Distributions, in emulsion polymerization, 2197
Dithiol, base-catalyzed reaction with sulfur, 2757
Divinylbenzene, copolymer with styrene, 3553
m-Divinylbenzene, copolymers with styrene, 1309
Dosimeter, polystyrene films in, 3033
Drugs, controlled release, 2089
DSC, 1077, 1607, 1973, 3395
Durable-press cotton, 2567
Durable-press finish for wool, 353
Dyeing, of cellulose, chemically modified, 3061
—, of poly(ethylene terephthalate), 859
Dyeing behavior of drawn and undrawn copolyester fibers, 1105
Dyeing properties, of poly(methyl vinyl pyridine)-PET graft copolymers, 3051
Dye-photosensitized singlet oxygen oxidation, 2481
Dyes, disperse, diffusion in poly(ethylene terephthalate), 859
Dynamic flexile mechanical properties of fibers, 1647
Dynamic mechanical measurements, 1943
Dynamic mechanical properties, EPDM rubbers, 1607
Dynamic mechanical properties of solvent-crazed polystyrene, 295(N)
Dynamic storage and loss, 2463
Dynamic viscoelasticity, 2385
Dynamic viscosity, 1279, 2293

Elastic and thermoelastic properties of copolymers, 985, 995
Elastic moduli, of glassy polymers, at low strains, 3129
Elastomers, urethane, 2147
Electrical resistivity, of poly(alkylbenzimidazoles) and derivatives, 2653
Electric current from cotton cellulose, 621(N)
Electrokinetic properties, cellulose fibers with adsorbed polyelectrolyte, 2909, 2999
—, grafted polyesters, 2139
Electrolytically initiated polymerization, 101
Electron beam, 1527
Electron beam-cured coatings, effect of chain transfer agents on, 3243
—, effect of oligomer structure on, 3227
Electron exchanger, based on HPFA, 2945
—, weak acid, 2945
Electron microscopy, 1733, 2567, 2929
Electron spectroscopy for chemical analysis, see ESCA, 2023
Elongation, of acrylic fibers, 3123
Emulsion polymerization, butadiene rubbers, 1951
—, 1-chlorobutadiene rubbers, 1951
—, kinetics, 2049
—, methyl methacrylate, 2019
—, of methyl methacrylate, 3027
—, particle size distribution in, 2197
—, radiation-induced, vinyl acetate with vinyl chloride, 2701, 2701
—, radiation-induced, vinyl chloride with vinyl acetate, 2701, 2701
—, styrene, 2049, 3033
—, of vinyl acetate, 401
Emulsion polymerization of carboxylated styrene systems, 893
Emulsion polymerization of polar monomers, 733
Emulsion polymerization of tetrafluoroethylene, 967
Entropy, configurational, in rubber-like solids, 2803(N)
Entropy of activation, *p*-cresol–HCHO reaction, 3575
EPDM rubber, carbon-black reinforced, 2899
—, crosslinked, 2899
—, dynamic mechanical properties of, 2899
—, oil extended, 2899
EPDM rubbers, thermal and dynamic mechanical properties, 1607
Epichlorohydrin, treatment of cellulose-2-methyl-5-vinylpyridine graft polymers by, 3061
Epoxidation of styrene–butadiene block polymers, 3301, 3311
Epoxy acrylate, UV curable, 887
—, UV cured, 75
Epoxy–glass fiber composites, tensile strength, 2957
Epoxy resin, composites, 1679
—, morphology of, 1037
—, networks based on, beta relaxation in, 3433
—, water absorption by, NMR study of, 1871(N)
Epoxy resin-coated glass filler composites, 2253
Epoxy resins, anhydride cured, accelerators for, 1385
Epoxy resin–trimethoxyboroxine system, stability of, 3355
cis-2,3-epoxysuccinyl chloride, 827
Errata, 1585, 1587, 2825, 3143
ESCA, 2023, 2627, 3449, 3471
ESCA spectra, 1003
ESCA studies, on poly(alkylbenzimidazoles) and derivatives, 2653
ESR, 3583
ESR spectra, 2279
ESR spectroscopy, 3591
Etch resistance, oxidative, 1453
Ether of 4,4′-dihydroxychalcone, photodimerization, 1355
Ethoxysilanes, modification of nylon 6 by, 1541
Ethyl acrylate, copolymer with 2-HEMA, 2933
Ethylene, copolymers with propylene, 985, 995
—, copolymers with vinyl acetate, 985, 995
—, copolymer with vinyl acetate, 1723
—, polymerization, coordination catalysts for, 1319, 1333
—, polymerization of, plasma, 2591
Ethylene dimethacrylate, copolymer with styrene, 3553
Ethylene oxide, modification of polymers by, 1449
Exchangers, anion, 2951
—, electron, 2945, 2951
—, weak acid, 2945
Exterior wood adhesives, 2777
Extrusion, solid state, of polymers, 133
—, unplasticized PVC powder, 1781
Extrusion die swell of carbon black-filled natural rubber, 1653
Extrusion of polyethylene and polystyrene foams, 1013
Extrusion shearing, 3289

Fan and Hwang analysis, 3021
Fatty acids in resins, 25
Ferrocene, copolymers, 1601
Ferromagnetic cation exchanger, styrene divinylbenzene based, 2939
Ferromagnetic polymers, 1601
Fibers, cellulose, grafted, 1265(N)
—, coated, 687
—, copolyester, 1105
—, dynamic flexile properties of, 1647
—, high modulus–high strength, 2125, 2189
—, high modulus, high strength, spinning of, 941(N)
—, high strength–high modulus, 2125, 2189
—, hydrazide, 2125, 2189
—, melt spinning of, 3105
Fiber spinning, 485
Fiber-to-fiber friction studies, 173
Fibrillar size, in cotton fibers, 2929
Fickian behavior, 1105

Filament elongation to break, 2293
Filler–polymer interaction, 2681
Films, blown, effect of shearing on, 3289
—, emulsion-polymerized polymer, 1131
—, thermosetting polyurethane, 141
Fine structure of *Sansevieria roxburghi* by small-angle x-ray methods, 1671
Fine structure of PVC, 1589
Flame resistance, 1803
—, cotton fabrics, 2555
Flame retardance, 1247
Flame retardant cotton fabrics, 367
Flame retardant polyesters based on bromine derivatives, compared to chlorine containing derivatives, 797
Flame retardant polymers, polyesters and polycarbonates, 155
Flame retardant polystyrene, 2023
Flame retardants, effects of weathering and atmospheric pollutants on, 695
—, for polypropylene, phosphine based, 2639
Flocculation, of dispersions, by preferential adsorption of solvents from polymer solution, 1693, 3143(E)
Flory–Huggins equation, 1153
Flory-Rehner equation, 2529(N)
Flow, 953
Flow characteristics, 2793
Flow properties, of saturated rubber-modified polymer melts, 1723
Flow reactor system for radiation-induced emulsion copolymerization of vinyl chloride with vinyl acetate, 2701
Fluctuation theory, 2315
Fluorocarbon based, transparent, semi-II IPN elastomers, 2739
Foams, effect of hydrostatic pressure on composites, 1233
Formaldehyde-*p*-cresol reaction, alkali catalyzed, 3575
Formaldehyde-treated peanut skins, 1027
Fourier analysis, 3639
Fractionation, temperature rising elution, 163
Fracture properties, epoxy resins effect of postcure on, 1037
Fracture strength of coated glass fibers, 687
Free volume of polymers above the glass transition, 223
Free volume parameters, 3657
Free volume theory, Fujita, 1819, 1833
Friction, coefficient of, 173
—, kinetic, 1875(N)
—, static, 1875(N)
Friction force, of motion, 1875(N)
Friction force at rest, 1875(N)
Friction properties, 1915
Fujita-Doolittle concentration dependence, 877
Fujita free volume theory, 1819, 1833
Fumed silica, 2579, 2681
Fungal properties, polyethyleneimine, modified, 1501
Fung equation, 2179
Furan resin, coating for polysulfone, 1509
Furfural-based cation-exchange resins, 2327

Gamma-irradiated poly(vinyl chloride), 791
Gas chromatography, 3167, 3395
Gas chromatography–mass spectrometry, 1589
Gas-phase chromatography, 2579
Gel permeation chromatography, 749
—, aqueous, effect of solvent ionic strength, 419
Gel permeation chromatography for rubbers, 743
Gel point, in a polyisocyanurate, 2719
Gels, methacrylic acid, 3017
—, poly(vinyl pyrrolidone), 2453
—, porous, 3017
Gel suspension, stress yield in, 1897(N)
Geothermal applications, use of polymers in, 3179
Glass, controlled and porosity, in GPC, 3631
Glass fiber–epoxy composites, tensile strength, 2957
Glass fiber–unsaturated polyester composites, tensile strength, 2957
Glass transition, 223
Glass transition behavior, of emulsion-polymerized, 1131
Glass-transition temperature, 1271
Glassy polymers, 2533(N)
—, elastic moduli of, 3129
GLC, 2837, 2871
Glucose, from pyrolized cellulosic materials, 3525
GPC, 765, 1181, 1373, 1397, 1577(N), 2005, 2023, 2233, 2493, 2817(N), 2821(N), 2855, 2881, 3501
—, blends, theoretical aspects, 3515
—, copolymers, theoretical aspects, 3515
—, in determination of molecular weight distribution, 1811
—, high sample concentration, effect on peak in, 1879(N)
—, NMR, 1063
—, peak distortion in, 1879(N)
—, using controlled porosity glass, 3631
Graft copolymer hydrolyzed cellulose polyacrylonitrile, 1897(N)
Graft copolymerization, 1
—, of methyl methacrylate onto silk, 1345
Graft copolymerization of isoprene (IP) and acrylonitrile (AN) onto starch (S), 635
Graft copolymerization of methyl methacrylate in wood, 1527
Graft copolymers, cellulose, photodegradation of, 3591
Graft copolymers by chain transfer, 1585(E)
Graft copolymers of methyl methacrylate, 393
Grafted cellulose fibers, 1265(N)
Grafting, in high-impact polystyrene, 1413
—, methyl methacrylate on poly(vinyl alcohol), 2271
—, N-vinylpyrrolidone on polybutene films, 2397
—, N-vinylpyrrolidone on poly(dimethylsiloxane) films, 2397
—, N-vinylpyrrolidone on polyethylene films, 2397
—, N-vinylpyrrolidone on PTFE films, 2397
—, vinyl monomers on cellulose, 2425
Grafting of poly(ethylene terephthalate) fibers (PET), 3051
Grafting onto polyester fibers, 2133, 2139
Graft polymerization, benzoyl peroxide initiated, 3051
—, Fe^{2+}-H_2O_2 initiated, 3061
—, methyl acrylate on nitrocellulose, 2923
—, methyl methacrylate on nitrocellulose, 2923
—, 2-methyl-5-vinylpyridine on cellulose, 3061
—, (2-methyl-5-vinylpyridine), on PET fibers, 3051
—, polystyrene onto sorbate-modified titanium dioxide, 3139(N)
—, radiation-induced, 3051
Graft polymerization of vinyl acetate onto starch, 229
Guayule, 743

Hand, cotton fabrics, 2555
HDPE, hydrostatic extrusion of, 2543
Heat deflection temperature, 1733
Heat transfer, in non-Newtonian fluids, 3077
Hevea, 743
Hexahydrophthalic acid diglycidyl ester, adhesives based on, 2603
Hexahydrophthalic anhydride, adhesives based on, 2603
High-density polyethylene, see HDPE, 2543
High-performance morphologies, 2419
High pressure liquid chromatography, also see HPLC, 2099
High-strength–high modulus fibers, of *p*-phenylene oxadiazole–n-methyl hydrazide copolymers, 2125
High-strength–high-modulus fibers from hydrazide polymers and copolymers, 2189
Higuchi's equation, 2089
^{1}H-NMR spectra, of poly(chloroprene-methyl methacrylate), 2215
Hollow fiber membranes, 1509
HPF, electron exchangers based on, 2945
HPFA, electron exchangers based on, 2945
HPLC, 2099
Huggins equation, 1639

Hydration, of phosphonated polyethylene, 2443
Hydraulic permeability, 2611, 2967
Hydrazide, polymers and copolymers, 2189
Hydrazine–manganic hydroxide, polymerization initiation by, 3027
Hydrazine–manganic hydroxide initiation system, 2019
Hydroamylose, depolymerization, alkaline, 3427(N)
Hydrocarbons, diffusion of, in rubber, 3657
Hydrocellulose, depolymerization of, alkaline, 3219
—, pyrolysis of, 3525
Hydrodynamic chromatography (HDC), 1699
Hydrogels, drug release from, controlled, 2089
—, ionic, deformation behavior of, 2073
—, ionic, potentiometric behavior of, 2073
—, ionic, swelling behavior of, 2073
Hydrogen peroxide–thiourea redox system, 1923
Hydrogen sulfide, interaction with stabilized PVC, 1769
Hydrolyzed cellulose polyacrylonitrile graft copolymer, stress yield in, 1897(N), 1897(N)
Hydroquinone, electron exchangers based on, 2945
—, phenol formaldehyde resins, see HPF, 2945
—, poly(vinyl alcohol), formaldehyde and acrylonitrile resins, see HPFA, 2945
Hydroquinone di(β-hydroxyethyl) ether, polyurethanes containing, 2513
Hydrostatic extrusion, polyethylene, 2543
Hydrostatic pressure, effect on composites, 1233
2-Hydroxyethyl methacrylate, copolymers with methacrylic acid, 2073
—, copolymer with ethyl acrylate, 2933
(Hydroxyethyl)phthalate, mono-, divalent salts, adhesives based on, 2603
Hydroxyl group, in butadiene rubbers, determination, 1951
—, in butadiene rubbers, increasing, 1963
—, in 1-chlorobutadiene rubbers, determination, 1951
—, in 1-chlorobutadiene rubbers, increasing, 1963
Hypochlorite oxidation of cellulose, 123
Hysteresis, mechanical, of SBS block copolymers, 2673
—, water sorption, in regenerated cellulose, 627(N)

Imaging, migration, polymers for, 311(N)
Impact fracture energy, of short glass fiber–epoxy and unsaturated polyester composites, 1679
Impact resistance and secondary transitions, 3639
Infrared dichroism of cellulose II, 249
Injection molded polypropylene, 2807(N)
Interaction parameter, χ, hydrophilic polymers, 2073
Interfacial properties, 2909, 2999
Internal reflectance infrared analysis, 367
Interpenetrating polymer networks, see IPN, 2739
Interpolymer ion exchange membranes, 2611
Intolan 255, 1607
Intolan 260, 1607
Inverse gas chromatography (IGC), 1043
Iodine-complexing, by depolymerized amyloses, 1883(N)
Iodine-initiated, solid-state copolymerization of tetraoxane with 1,3-dioxolane, 3383, 3395, 3411, 3421
Ion binding, cations by chitin, 511
Ion exchange, 727
Ion exchange membranes, chelating, 2343
—, interpolymer, 2611
Ion exchange resin, ferromagnetic, 2939
Ion exchange resins, anion, 2951
—, cation, 2327
—, cation, filled, 1443
—, sawdust filled, 1443
—, weak acid, 3017
Ionically bonded filler–elastomer composites, 1223
Ionic strength, solvent, effect on GPC, 419
IPN elastomers, semi-II, transparent, fluorocarbon based, 2739
IR, 2023, 2579
Irradiation, plasma, natural polymers, 1987
γ-Irradiation, see irradiation, γ-, 2893
IR spectra, 3583

Isocyanate-terminated prepolymers, 353
Isokinetic temperature, 3255
Isoprene, copolymers with acrylonitrile, grafted on starch, 635
Isotherms, nitrogen, 1117
—, solution, 1117

Kachanov damage law, 2435
Kapton, water permeation through, 2355
Keltan 778, 1607
Kevlar, rheological and optical properties of, 2293
Kevlar 49, water absorption, 59
Kevlar 49 fiber, physicochemical properties, 59
Knauer vapor osmometer, 3041
Kodar, blends containing, 575
Kodel, blends containing, 575
Kovats retention index, 2837, 2871
Kraton, 2821(N)

Laminate membranes, 2537(N)
Langmuir isotherm, 1189
Langmuir-type adsorption isotherm, 733
Langmuir-type isotherm, 1565
LDPE, degradation of, effect of processing on, 3563
Least-squares method, nonlinear, 3155
Levoglucosan, from pyrolized cellulosic materials, 3525
Lianis theory, 2179
Light scattering, Mie theory, 1699, 2695
—, Raleigh–Brillouin, 2533(N)
Light scattering photometry, 2155
Lignocellulose–polymer composite, 3263
Liquid-induced crystallization of polycarbonate, 3489
Lobry de Bruyn–Alberda van Ekenstein isomerization, 3427(N)
Loss modulus, 1279
Lubricating materials, self-, 1915
Luminescence spectra, 3583

Maleic anhydride, adhesives based on, 2603
—, membranes from blends containing copolymer with vinyl methyl ether, 2611
Manganic hydroxide–hydrazine initiation system, 2019
Manganic hydroxide–hydrazine system, polymerization initiation by, 3027
Manjikian-type casting solutions, 1291
Mark–Houwink constants, 1639
Mark-Houwink equation, for poly(vinyl alcohol), 2335
Mark–Houwink relationship, PVC–NMP, 1577(N)
Mass spectrometry, 2837, 2855, 2871, 2881
—, chemical ionization, 2099
Mass spectrometry–gas chromatography, 1589
Mechanical degradation, 1487
—, polymers in solution, 2493
Mechanical hysteresis, of SBS block copolymers, 2673
Mechanical properties, of formed polyacrylonitrile polymers and copolymers, 717
Mechanical properties of SBS block copolymers, 2673
Mechanical relaxation processes, in polyacrylonitrile, polymers and copolymers, 717
Mechanochemistry, of polyelectrolyte complex membranes, 1759
Mechanoradicals, in pulp cellulose, 1487
Mechrolab 302 vapor osmometer, 3041
Melts, polymer, rheological properties of, 1867(N)
—, rubber-modified polymer, flow properties, 1723
Melt-spinning, of copolyester fibers, 1095
Melt spinning of fibers, 3105
Melt viscosity, 1279
Membranes, alloy, 2967
—, from blends containing poly(vinylalcohol), 2611
—, from blends containing poly(vinyl methyl ether–*alt*–maleic anhydride), 2611
—, from blends containing sodium poly(styrene sulfonate), 2611
—, cellulose acetate, 473, 1291

—, cellulose acetate–poly(bromophenylene oxide phosphonate), 2967
—, cellulose acetate, reverse osmosis, 2893
—, ion exchange, chelating, 2343
—, laminate, 2537(N)
—, oxygen permeability through, 2365
—, pervaporation, from N-vinylpyrrolidone grafted films, 2397
—, PMLG, water vapor permeability in, 2729
—, poly(bromophenylene oxide phosphonate)–cellulose acetate, 2967
—, polyelectrolyte complexes, 1759
—, polyglutamic acid ester, 815
—, poly(methacrylic acid), crosslinked, 2245
—, porous, PVC, preparation and structure of, 3193
—, radiation grafted, 303(N)
—, reverse osmosis, 303(N), 445, 1291, 1509, 2967
—, reverse osmosis, cellulose acetate, 2893
—, reverse osmosis, polyallylamine, 3651
—, transport through, 1373
—, vapor permeability of, 2265
2-Mercaptobenzothiazole, 185
Mercuration of polystyrene, 503
Mercury, 927
Mercury porosimetry, 1117
Mesophase behavior, 2155
Metal ions, heavy, removal by polymers, 1027
Methacrylamide, copolymer with acrylonitrile and styrene, 3179
Methacrylic acid, copolymers with 2-HEMA, 2073
Methacrylic acid gels, 3017
Methyl acrylate, grafting on nitrocellulose, 2923
Methyl methacrylate, copolymers containing, 3123
—, emulsion polymerization of, 2019, 3027
—, grafted on cellulose, 3591
—, grafted on silk, 1345
—, grafting on nitrocellulose, 2923
—, grafting on poly(vinyl alcohol), 2271
—, graft polymerization in wood, 1527
—, graft polymerization on wool, 393
—, polymerization, H_2O_2–thiourea initiated, 1923
—, radiation induced telomerization of, 215
Methyl methacrylate–chloroprene, 2215
N-Methyl-2-pyrrolidone, solvent for poly(vinyl alcohol), 2335
α-Methylvinylcyclohexane, copolymers with acrylonitrile, 2989
2-Methyl-5-vinylpyridine, grafting, on cellulose, 3061
—, grafting, on PET fibers, 3051
MFH, 2951
Microscope, polarizing, 2661
Mie theory, 2695
—, of light scattering, 1699
Miscibility, polymer, 317, 319
Miscibility of cellulose–polyacrylonitrile blends, 1943
Modulus, 173, 1271, 1279, 1541
Moisture, effect on graft copolymerization, 1527
Moisture regain, 1541
Moisture sorption, 2529(N)
Molecular weight, M_n, determination by vapor pressure osmometry, 3041
Molecular weight distribution, in cold milled polyisobutylene, 2373
—, determination by GPC, 1811
Molecular weights of natural rubbers, 743
Molybdenum oxide additives, for PVC, 1247
Monolayers, polyelectrolyte, adsorbed on cellulose, 2909, 2999
Mooney scorch measurements, 2065
Morphology, high-performance, 2419
—, nodular, of epoxy resin, 1037
—, polypropylene, injection molded, 2807(N)
MWD behavior in isothermal batch operation, 2049

Natural rubber, carbon black filled, extrusion die swell of, 1653
N-dimethylaminoethylmethacrylamide, 115
Negative photoresists, 2-HEMA–ethyl acrylate copolymers as, 2933
Nickel, removal of traces by chitosan, 727
Nitrocellulose, birefringence of fibers and pastes of, 2661
—, fibers, birefringence of, 2661
—, grafting methyl acrylate on, 2923
—, grafting methyl methacrylate on, 2923
—, pastes, birefringence of, 2661
Nitrocellulose-poly(ε-caprolactone), 623(N)
Nitrocellulose-poly(vinyl acetate) blends, 623(N)
Nitrogen adsorption, 1117
N-Methylhydrazide, copolymers with *p*-phenylene oxadiazole, 2125
N-Methylolacrylamide, polymerization with vinyl phosphonate oligomer on cotton, 2555
N-Methylolpolyethyleneurea D.P. 2, treatment of cotton with, 2567
NMR, ^{13}C, 1589
—, high-resolution, 3147, 3395
—, proton, 1871(N), 2989, 3255
—, pulsed field gradient, 877
—, pulsed gradient, 3657
—, study of water absorbed by epoxy resin, 1871(N)
NMR relaxation, transverse, water in wood, 3147
NMR spectra, ^1H, 2215
NMR spectroscopy, 25
Nomex, rheological and optical properties of, 2293
Non-Newtonian effects, 3341
Non-Newtonian flow, 953
Non-Newtonian fluids, 3077
—, diffusion coefficient in, 3021
—, heat transfer in, 3077
Nordel, see EPDM rubber, 2899
Nordel 1560, 1607
Novolacs, phenol–formaldehyde, cure of, 1973
—, phenol-formaldehyde, from paraformaldehyde, 2083
Novolak-like materials, 2777
Nusselt number, 3077
Nylon 6, chemical modification, 1541
—, filaments, characterization by x-ray diffraction, 1747
—, thermal stability, 1541
Nylon 66, fiber reinforced, regrinding effect on, 3375
—, rheological and optical properties of, 2293
Nylon 6,13, 439
Nylon 6 fibers, crystallization of oligomers on, 3601

Octamethyltetracyclosiloxane, adsorption on silica, 2579
Oil, diffusion of, in rubber, 877
Oil resistant SBS block copolymers, 3301, 3311
Oil-utilizing resins, 25
One-component polyurethane system, 2513
Open-pore structure, of urea/formaldehyde resins, 381
Optical fibers, coated, 75, 887
Optical properties, of low-density polyethylene blown films, 3289
—, polyamides, 2293
Organoacetoxysilanes, modification of nylon 6 by, 1541
Organotin halides, 1501
Oriented, biaxially, PET films, 3205
Osmium–sorbyl chloride staining, of cotton fibers, 2929
Osmium tetroxide, 1583(N)
Osmium tetroxide staining of polymers, 1583(N)
Osmometer, vapor, 3041
Osmometry, vapor pressure, 633(N)
Osmosis, reverse, 2967
—, reverse, cellulose acetate membranes for, 2893
—, reverse, hollow fiber membranes, 1509
—, reverse, membranes for, 3651
Oxalicdihydrazide, 2189
Oxidation, photosensitized, butadiene polymers and copolymers, 2481
—, photosensitized, styrene–butadiene copolymers, 2481
Oxygen, permeability through polymer membranes, 2365
Oxygen index, comparison of bromine and chlorine containing polyesters, 797
Ozone degradability, of water-soluble polymers, 3281

Particle morphology, PVC powder, 1781
Particle size, , 2197
Particle size determination of latexes, 733
Particle size distribution, determination by hydrodynamic chromatography, 1699
Partition, contribution to GPC, 2233
PC, also see polycarbonate, 1619
Peat, 1117
Peclet number, 3077
Permeability, oxygen, through polymers, measurement of, 2365
—, of phenolic foams, 325, 333, 341
—, of polyelectrolyte complex membranes, 1759
—, vapor, membranes, 2265
—, water, of phosphonated polyethylene, 2443
—, water, through polyimides, 2355
—, water vapor, films treated with OsO_4, 1583(N)
—, water vapor in PMLG, 2729
Permeability and solubility of sulfur in poly(dimethylsiloxane), 261
Permeability coefficients, 2265
Permeability of heterogeneous membranes, 2245
Peroxides, formation on poly(vinyl alcohol), 2271
Peroxyformic acid, 3301, 3311
Pervaporation membranes, 2397
PET, also see poly(ethylene terephthalate), 1619
Phase equilibria, polystyrene/polybutadiene, use of GPC in determining, 749
Phenol-formaldehyde, novolacs, 2083
Phenol–formaldehyde resins, novolacs and resols, 1973
—, sulfonated, 1443
Phenolic foam, shock mitigating, 325
Phenolic foams, shock mitigating, 333, 341
Phenolic-type foams, tannin based, 1901(N)
Phenolphthalein, copolyester with dimethyldian, 3255
p-Phenylene oxadiazole, copolymers with N-methyl hydrazide, 2125
Phenyl glyceric ether methacrylate, polymerization of, 11
Phosphine-based flame retardants for polypropylene, 2639
Phosphonate side group, modification of polyethylene by, 2443
Phosphonitrilic fluoroelastomers, thermal stability of, 765
Phosphonium, quaternary compounds, 1385
Photocrosslinking, of epoxide resins, 1355
Photocurable elastomer, 115
Photodegradation, of cellulose graft copolymers, 3591
—, of HDPE, 3583
—, of poly(*p-tert*-butylstyrene), 609
Photodimerization, 1355
Photoresists, negative, 2933
Photosensitized oxidation of butadiene polymers and copolymers, 2481
Photosensitized oxidation of styrene–butadiene copolymers, 2481
Plasma irradiation, natural polymers, 1987
Plasma polymerization, of allylamine, 3651
—, of ethylene, 2591
—, of tetrafluoroethylene, 1003, 2627, 3449, 3471
PMR spectroscopy, 3255
Poisson's ratio, 3129
Polarizing microscope, 2661
Polyacrylamide, adsorption on ZrO, 1565
—,characterization by GPC, 3631
—, Cu^{2+} complexes, semiconducting, 2279
—, ozone degradability of, 3281
—, solutions, flow of, 953
Polyacrylamides, effect of shear rate on rheology of, 3323
Polyacrylate, sodium, ozone degradability of, 3281
Polyacrylonitrile, polymers and copolymers, 717
—, viscosity of solutions in DMF, 2817(N)
Polyacrylonitrile–cellulose blends, 1943
Polyacrylonitrile cellulose graft copolymer, hydrolyzed, stress yield in, 1897(N)
Poly(alkylbenzimidazoles) and derivatives, electrical resistivity of, 2653
—, ESCA studies on, 2653
Polyamic acid fibers, 3541
Polyamide fibers, 275
—, chemical reactions on, 275
—, hydrolysis, acetylation or deamination of, 275
Polyamide having epoxy groups and its ring-opening derivatives, 827
Polyamide membranes, aromatic, effect of additives on, 445
Polyamides, carborane containing, 1915
—, co-, from brassylic acid, 439
—, methylated, yield peaks, 1875(N)
—, rheological and optical properties of, 2293
Poly(γ-benzyl-nl-glutamate), rheological and optical properties of, 2293
Poly(bromophenylene oxide phosphonate)–cellulose acetate membranes, 2967
Polybutadiene, OH terminated, 1043
—, OH terminated, liquid, 1137
—, relaxation behavior of, 299(N)
1,2-Polybutadiene, photo-oxidation of, 2481
—, syndiotactic, radiation crosslinked, 1893(N)
1,4-Polybutadiene, photo-oxidation of, 2481
Polybutadiene/polystyrene, use of GPC in determining phase equilibria in, 749
Polybutene, grafting of N-vinylpyrrolidone on, 2397
Poly(butene-1), PVT properties of, 1057
Poly(butylene terephthalate), blends with bisphenol A polyhydroxyether, 645
Poly(*p-tert*-butylstyrene), photolysis of, 609
Polycarbonate, adhesion of elastomers to, 1863(N)
—, antiplasticized, 1271
—, blends containing, 1619, 1733
—, elastic modulus of, 3129
—, impact resistance of, 3639
—, liquid-induced, 3489
—, stress cracking of, 1153
Polycarbonate–polyester blends, 85, 575
—, poly(ε-caprolactone) containing, 589
Polycarbonates, flame retardant, 155
Polycondensation, co-, kinetic study of, 2409
Poly(*p,p'*-diaminodiphenylmethanepyromellitamic acid), fibers of, 3541
Poly(dimethyldian-phenolphthalein)terephthalate, sequence distribution in, 3255
Poly(2,6-dimethyl-1,4-phenylene oxide) also see PPO resin, 2463
Poly(dimethylsiloxane), grafting of N-vinylpyrrolidone on, 2397
—, interaction with silica, 2579
—, permeability and solubility of sulfur in, 261
Poly(dimethylsiloxane diol), preparation and properties of, 3505
Polyelectrolyte, cationic, adsorption on cellulose fibers, 2909
Polyelectrolyte complex membranes, from poly(vinyl alcohol) derivatives, 1759
Polyelectrolytes, 2155
Polyepichlorohydrin–polyethyleneimine interpolymer, ion exchange membrane from, 2343
Polyester, 1063, 1077
—, co-, aromatic, sequence distribution in, 3255
—, fibers, 1095, 1105
Polyester acrylourethane oligomers, 3227
Polyester beads, unsaturated, 2043
Polyester diacrylourethane oligomer, 3243
Polyester fabric, solvent retention by and removal from, 601
Polyester–glass fiber composites, tensile strength, 2957
Polyester–polycarbonate blends, 85, 575
—, poly(ε-caprolactone) containing, 589
Polyester resin, composites, 1679
Polyesters, carborane containing, 1915
—, flame retardant, 155, 797
—, grafting on, 2133, 2139
Poly(ester-urea), phenylalanine containing, degradation by chymotrypsin, 429
Polyester urethanes, 201
Polyether urethanes, 201
Polyethylene, adhesion of metallic films on, 495
—, blends, characterization by DSC, 3071
—, crystallinity of, 3071

—, films, sorption of organic vapors in, 1819
—, fluorinated, 1907
—, foams, extrusion of, 1013
—, grafting of N-vinylpyrrolidone on, 2397
—, high density, 1319, 1333
—, high density, bromination of, 1473
—, high-density photodegradation of, 3583
—, high-density, see HDPE, 2543
—, low density, see LDPE, 3289
—, low density, structure of, 163
—, low density, viscoelastic properties of, 463
—, phosphonate modified, 2443
—, pressure–volume–temperature properties of, 1051
—, stress cracking of, 1167
—, ultrahigh molecular weight in the total hip prosthesis, 777
Poly(ethylene adipate), polyurethanes based on, 2147
Polyethylene blends, viscoelastic properties of, 517
Polyethylene films, sorption of organic vapors in, 1833, 1851
Polyethylene glycol, ozone degradability of, 3281
Polyethylene glycols, reverse osmosis separations of, 561
Polyethyleneimine, crosslinked, coating for polysulfone, 1509
—, hydrophobic, 1501
—, modified with, 1501
Polyethylene melts, high density, rheological properties, 1279
—, rheological properties, 1867(N)
Poly(ethylene oxide), crystallization of, voltage effect, 2813(N)
—, melting of, voltage effect, 2813(N)
Polyethylene oxide/polypropylene oxide block copolymer, 381
Poly(ethylene terephthalate), 85
—, dyeing of, effect of water in bath on, 859
—, dyeing of graft copolymers of, 3051
—, grafting of 2-methyl-5-vinylpyridine on, 3051
Poly(ethylene terephthalate films, biaxially oriented, 3205
Poly(ethylene terephthalate) (PET), blends, crystallization of, 1619
—, crystallization of, 1619
Polyethylenimine–polyepichlorohydrin interpolymer, ion exchange membranes from, 2343
Polyglutamic acid ester membranes, permeability to benzene vapor, 815
Polyhydrazides, 2189
Polyimide, water vapor effect on, 1189
Polyimide fibers, structure and morphology, 3541
Polyimide film, permeation of water through, 2355
Polyisobutene, mechanical degradation of, 2493
Polyisobutylene, cold milling of, degradation in, 2373
Poly(isobutyl methacrylate), coatings, solvent-cast, internal stress in, 847
Polyisocyanurate, extent of reaction at gel point, 2719
—, gel point, 2719
cis-1,4-Polyisoprene, vulcanization of, 3621
Polymer alloy membrane, 2967
Polymer concrete, chemically stable, 3179
—, for geothermal applications, 3179
Polymer–filler interaction, 2681
Polymer films, 1131
Polymeric dyes, purification of, 1373
Polymerization, bulk, of acrylonitrile, 1397, 1413
—, emulsion, butadiene rubbers, 1951
—, emulsion, 1-chlorobutadiene rubbers, 1951
—, emulsion, methyl methacrylate, 2019, 3027
—, emulsion, particle size distribution in, 2197
—, emulsion, radiation-induced, VAc with VCl, 2701, 2701
—, emulsion, styrene, 2049, 3033
—, plasma, 3651
—, plasma, of ethylene, 2591
—, plasma, TFE, 3449, 3471
—, suspension, 2043
Polymer melts, 1279
Polymer miscibility, 317, 319, 623(N)
Polymers, block, polyurethane, 201
—, branched, viscoelastic properties, 463
—, modification of, chemical, 503
Polymers for migration imaging, 311(N)
Polymers with pendant isocyanate groups, 3445
Poly(methacrylic acid), crosslinked, membranes from, 2245
Poly(methyl methacrylate), blends containing, scattering from spheres in, 2695
—, elastic modulus of, 3129
—, emulsion-polymerized, 1131
Poly(methyl methacrylate)–lignocellulose composites, 3263
Poly(γ-methyl-nl-glutamate), diffusion of water vapor in, 2729
—, sorption of water vapor in, 2729
Poly(*m*-N,N-dimethylaminostyrene), pyrolysis of, 2837, 2855, 2871, 2881
Polyoctenamer, relaxation behavior of, 299(N)
Poly(4,4′-oxydiphenyl pyromellitimide), see Kapton, 2355
Poly(oxy-1,4-phenylenesulfonyl-1,4-phenylene), effect of γ-radiation on, 2763
Poly(oxy-1,4-phenylenesulfonyl-1,4-phenyleneoxy-1,4-phenyleneisopropylidene-1,4-phenylene), effect of γ-radiation on, 2763
Polypentenamer, relaxation behavior of, 299(N)
Poly(phenolphthalein-dimethyldian)terephthalate, 3255
Poly(*m*-phenyleneisophthalamide), solution and rheological properties of, 2155
Poly(*p*-phenylene-1,3,4-oxadiazole), 941(N)
Poly(*p*-phenylene terephthalamide) (PPTA), crystal uniplanar orientation of, 903
—, films effect of coagulation conditions on crystal modification, 915
Poly(*p*-phenylene terephthalamide)-see Kevlar 49, 59
Polypropylene, flame retardants for, phosphine based, 2639
—, injection molded, skin/core morphology, 2807(N)
—, injection molded, tensile impact strength, 2807(N)
—, PVT properties of, 1057
Polystyrene, amorphous, crazing in, 2315
—, atactic, blends containing, 1619
—, blends containing, scattering from spheres in, 2695
—, coatings, solvent-cast, internal stress in, 847
—, crazed, solvent, 295(N)
—, diffusion of toluene in, 947(N)
—, elastic modulus of, 3129
—, by emulsion polymerization, 3033
—, emulsion-polymerized, 1131
—, films, conductivity, postirradiation, 3033
—, films, for ion chamber dosimeters, 3033
—, films, sorption and desorption characteristics of, 1795
—, flame retardant, 2023
—, foams, extrusion of, 1013
—, GPC of, 2233
—, high impact, blends containing, 2463
—, high-impact, grafting on rubber-phase, 1453
—, high impact, viscoelastic behavior of melts of, 2463
—, mechanical degradation of, 2493
—, mercuration of, 503
—, solubility in SO_2 liquid, 2829
Poly(styrene–*b*–butadiene), see SBS block copolymers, 2385
Poly(styrene-co-acrylonitrile-co-styrylisocyanate), 3445
Polystyrene latices, carboxylated, 893
Polystyrene melts, rheological properties, 1279, 1867(N)
Polystyrene/polybutadiene, use of GPC in determining phase equilibria in, 749
Poly(styrene sulfonate), membranes from blends containing, 2611
Polysulfone, adhesion of elastomers to, 1863(N)
—, fibers, hollow, 1509
Polysulfones, aromatic, effect of γ-radiation on, 2763
Poly(terephthalates), from bisphenols, 2409

Poly(tetrafluoroethylene), adhesion of metallic films on, 495
—, grafting of N-vinylpyrrolidone on, 2397
—, plasma polymerized, 1003
—, radiation induced preparation, 967
Poly(tetramethylene terephthalate), 1077
—, blends containing, 1619
Polyurethane, adhesives, based on tannin, 1889(N)
—, structure, relation of film properties to, 1461
Polyurethane block copolymers, 201
Polyurethane elastomers, 1137
Polyurethane emulsion, thermosetting, 1461
Polyurethane rubber, composites, 1553
Polyurethanes, analysis by chemical ionization mass spectrometry, 2099
—, thermosetting, 2513
Poly(vinyl alcohol), Cu^{2+} complexes, semiconducting, 2279
—, derivatives, polyelectrolyte complexes from, 1759
—, electron exchangers based on, 2945
—, grafting of methyl methacrylate on, 2271
—, membranes from blends containing, 2611
—, *N*-methyl-2-pyrrolidone as solvent for, 2335
—, molecular weight–viscosity relationship, 2335
—, peroxide formation on, 2271
Poly(vinyl alcohol) ozone degradability of, 3281
Poly(4-vinylbiphenyl), viscosity of solutions of, 1639
Poly(*N*-vinylcarbazole), cation exchange resins from, 2327
Poly(vinyl chloride), γ-irradiated, synergistic effect of plasticizer–stabilizer systems on, 791
—, molecular weight, effect of substituted olefins on, 867
—, see PVC, 1589
—, stabilized, interaction of hydrogen sulfide with, 1769
Poly(vinyl chloride) (PVC)–N-methylpyrrolidone (NMP), 1577(N)
Poly(vinyl formals), thermal degradation of, 755
Poly(1-vinylnaphthalene), viscosity of solutions of, 1639
Poly(2-vinylnaphthalene), viscosity of solutions of, 1639
Poly(vinyl pyrrolidone), crosslinking of, in solution, 2453
—, ozone degradability of, 3281
Pore size distribution, studies of, 927
Porisimetry, mercury, 1117
Porosimetry, 927
Porous membranes, PVC, preparation and structure of, 3193
Porous polymer gels, 3017
Postcure, effect on fracture properties of epoxy resin, 1037
Postdecrystallization, 1265(N)
Postirradiation conductivity in polystyrene films, 3033
Potassium persulfate initiated polymerization, 3341
Potentiometric behavior, ionic gels, 2073
Power-law liquids, 2793
PPO, adhesion of elastomers to, 1863(N)
—, also see poly(2,6-dimethyl-1,4-phenylene oxide), 1863(N)
—, blends containing, 2463
—, viscoelastic behavior of melts of, 2463
Pressure drop through tapered dies, 1587(E)
Pressure osmometry, determination of M_n by, 3041
Pressure–volume–temperature (PVT) properties of polyethylenes, 1051
Pressure–volume–temperature relationships of polyolefins, 1057
Primary normal stress difference, 2463
Principal normal stress difference, 2293
Processing index, 3289
Propellants, solid failure of, damage energy in, 2169
Propylene, copolymers with ethylene, 985, 995
—, copolymers with vinyl chloride, blends containing, 1733
Proteins, permeability through poly(methacrylic acid) membranes, 2245
Proton NMR, 1871(N)
PS, viscosity of solutions of, 1639
PSC, 1063
Pulsed discharge, atmospheric pressure, 2591
Pulsed-field gradient NMR, 877
Pulsed gradient NMR, 3657
Purification of light scattering solutions, 2533(N)
Purification of polymeric dyes by ultrafiltration, 1373
PVC, additives for, 1247
—, degradation, alkaline, 1595
—, dehydrochlorinated, reactions with dienophiles, 2005
—, dehydrochlorinated, reactions with hydroxylating agents, 2005
—, fine structure, 1589
—, hydrogenation, 1589
—, N-methylpyrrolidone solutions, viscosity–molecular weight relationships, 1577(N)
—, plasticized, viscoelastic behavior of, 2179
—, porous membranes, preparation and structure of, 3193
—, thermal degradation and thermal stabilization of, 2031
—, thermal stabilization of, mechanism, 39
—, viscosity of solutions of, 1639
PVC powder extrusion, 1781
PVC-TP, 2951
PVT see pressure–volume–temperature, 1051
Pyroelectric effect on thin films, 2813(N)
Pyrolysis, of cellulose, 3271
—, of cellulosic materials, 3525
—, of poly(*p*-N,N-diethylaminostyrene), 2871, 2881
—, of poly(*m*-N,N-dimethylaminostyrene), 2837, 2855
Pyropolycarboranes, 1915
Pyrovatex 3805, 367, 695

Quartz spring balance, 947(N)
Quaternary phosphonium compounds, 1385

Radial block polymers, 3311
Radiation, γ-, effect on aromatic polysulfones, 2763
—, high energy, IPN elastomers prepared by, 2739
—, induction of TFE polymerization by, 967
—, γ-, initiation of graft polymerization by, 3051
γ-Radiation, see radiation, γ-, 2763
Radiation crosslinked polybutadiene, 1893(N)
Radiation-induced graft copolymerization, 393
Radiation induced grafting, N-vinylpyrrolidone on films, 2397
Radiation induced grafting on polyesters, 2133, 2139
Radiation induced graft polymerization on carboxymethyl cellulose, 241
Radiation induced polymerization, vinyl phosphonate oligomer and N-methylolacrylamide on cotton, 2555
γ-Radiation-induced telomerization of vinyl acetate, styrene, and methyl methacrylate, 215
Radio frequency plasma-activated natural polymers, 1987
γ Radiolysis, γ-, of cellulose acetate, 2893
Raman spectra, styrene–divinylbenzene, 3553
—, styrene–ethylene dimethacrylate copolymers, 3553
Random-coil conformations, 2729
Rayleigh–Brillouin light scattering, 2533(N)
Rayon, crosslinked, 2529(N)
Reactivity ratios, 1309
—, acrylamide–acrylic acid copolymerization, 3155
—, acrylic acid–acrylamide copolymerization, 3155
Reactor, 2049
Red maple bark, So. Wisconsin, 1027
Redox initiation, polymerization, 1923
Refractive index sequential differential in GPC, 749
Regenerated cellulose, gas transport in, 627(N)
Relaxation, beta, epoxy resin based networks, 3433
—, dielectric, of natural resin shellac, 529
Relaxation behavior of diene polymers, 299(N)
Resistance, oil, SBS block copolymers, 3301, 3311
Resistivity, electrical, of poly(alkylbenzimidazoles) and derivatives, 2653
Resols, phenol–formaldehyde, cure of, 1973
Reverse osmosis, 303(N), 1291
—, membranes for, 3651

—, see osmosis reverse, 2893
—, separation of polyethylene glycols by, 561
Reverse osmosis membranes, 445
Reversible liquid-liquid-type phase separation, 589
Rheological behavior, of polymer melts, 1867(N)
Rheological properties, effect of shearing history on, 3289, 3295
—, in foam extrusion, 1013
—, of polyacrylamides, effect of shear rate on, 3323
—, polyamides, 2293
—, polyethylene melts, 1279
—, of poly(*m*-phenyleneisophthalamide), 2155
—, polystyrene melts, 1279
Rheometer, capillary, 1653, 1723
Rheometry, cone and plate, 953
Rheovibron, 717
Rheovibron techniques, 1607
Rheovibron viscoelastometer, 1647
Room temperature-vulcanized silicone elastomer, see RTV, 3505
Royalene 1812, 1607
RTV, effect of curing conditions on properties, 3505
—, effect of filler on properties, 3505
Rubber, diffusion of hydrocarbons in, 3657
—, diffusion of oil in, 877
—, natural, extrusion die swell of C black filled, 1653
—, natural, UV aged, 2225
—, natural, vulcanization of, 185, 2065
Rubber friction and wear, 173
Rubber-like solids, thermoelastic effect and configurational entropy in, 2803(N)
Rubbers, natural, molecular weights of, 743

Saint Venant's element, 1875(N)
Salicylanilide, anilino-substituted, in rubber aging, 2225
SAN copolymer, 1181
SAN see styrene–acrylonitrile, 1181
Sansevieria roxburghi, fine structure of, by small-angle x-ray, 1671
Sawdust, sulfonated, ion exchange resins filled with, 1443
SBS, block copolymers, casting of, solvent, 2673
SBS block copolymers, epoxidation of, 3301, 3311
—, fractionated, stress–strain behavior in, 2821(N)
—, mechanical properties of, 2385
—, properties of, 2673
Scanning-electron microscopy, 927, 1509
—, also see SEM, 1781
Scattering, light, 2533(N)
—, light Mie theory, 1699, 2695
Self-extinguishing time, comparison of bromine and chlorine containing polyesters, 797
SEM, 2279, 2967, 3541
—, study of wear surfaces by, 777
Semiconductivity, polymer–Cu^{2+} complexes in, 2279
Sequence distribution, determination by PMR, 3255
Sequence distribution of chloroprene and methyl methacrylate copolymers by ^{1}H-NMR, 2215
Shearing, effect on rheological properties, 3289, 3295
Shear modulus, 985, 995, 2453
Shear viscosity, 2293
Sheet properties, modified by quarternized styrene-butadiene latexes, 549
Shellac, natural resin, dielectric relaxation of, 529
Shish kebab morphology, 2419
Shock mitigation, 325
—, by phenolic foams, 333, 341
Shrinkage, of acrylic fibers, 3123
Silica, interaction with poly(dimethylsiloxane), 2579
—, reinforcement of siloxane elastomers by, 2579
Silica fibers, coated, 75
Silica-filled silicone rubber, ammonia modified swelling of, 2681
Silicone resins, permeability and solubility of sulfur in, 261
Silicone rubber, silica-filled, ammonia modified swelling of, 2681
Silk fibers, grafting vinyl monomers onto, 1345
Siloxane elastomers, reinforcement by silica, 2579
Simulation model for the solution copolymerization, 1203
Single crystal deformation, 1167
Size distribution, 2043
Small-angle x-ray, 1671
Smoke suppression, 1247
Solid state copolymerization, 1,3-dioxolane with tetraoxane, 3383, 3395, 3411, 3421
—, tetraoxane with 1,3-dioxolane, 3383, 3395, 3411, 3421
Solid-state extrusion of polymers, 133
Solubility, of organic vapors in polymer films, 1851
—, polystyrene in liquid SO_2, 2829
—, of vapors in polymer films, 1819, 1833
Solubility parameter, 1153
Solute-polymers interactions, 2825(E)
Solution and rheological properties of poly(*m*-phenyleneisophthalamide) in dimethylacetamide/LiCl, 2155
Solution polymerization, of acrylamide, 3341
Solvent barrier, Fluorinated polyethylene, 1907
Solvent-cast thermoplastic coatings, residual internal stress in, 847
Sonification, 635
Sorbate-modified TiO_2, grafting styrene on, 3139(N)
Sorbyl chloride–Os staining, of cotton fibers, 2929
Sorption, apparatus for study of, 947(N)
—, moisture, by cellulose, crosslinked, 2529(N)
—, organic vapors, in PE, 1819, 1833, 1851
—, vapor, by polymer films, 1795
—, water vapor, in PMLG membranes, 2729
Sorption of heavy metal ions on natural polymers, 1027
Spin echo amplitudes, 3147
Spinning, of cellulose fibers, 485
—, melt, of fibers, 3105
—, wet, polyimide fibers, 3541
Spinning from optically anisotropic polymer solutions, 941(N)
Stabilization, thermal, PVC, 2031
Stabilizers, thermal, 39
Starch, graft copolymerization of isoprene and acrylonitrile on, 635
—, graft polymerization of vinyl acetate on, 229
Starch–*g*–poly(vinyl alcohol), 229
Steady shear viscosity, 2463
Stearates, transition metal, effect on photodegradation of HDPE, 3583
Storage modulus, 2293
Strain gauge, bidirectional, 3129
Streaming current, 2909
Stress cracking, environmental, of polycarbonate, 1153
—, environmental, of polyethylene, 1167
Stress–strain behavior of a fractionated cariflex SBS rubber, 2821(N)
Stress–strain properties, of SBS block copolymers, 2673
Stress yield value in closely packed gel suspensions, 1897(N)
Strong acid ion exchange resin, 2939
Styrene, copolymers, 1203
—, copolymers with acrylonitrile and cinnamoyl azide, 3445
—, copolymers with *m*-divinylbenzene, 1309
—, copolymer with acrylonitrile, 1723
—, copolymer with acrylonitrile and acrylamide or methacrylamide, 3179
—, copolymer with divinylbenzene or ethylene dimethacrylate, 3553
—, emulsion polymerization, 2049
—, grafted on cellulose. 3591
—, graft polymerization of, on sorbate-modified TiO_2, 3139(N)
—, radiation induced telomerization of, 215
Styrene–butadiene, copolymers, photo-oxidation of, 2481
Styrene-butadiene latex, quaternized amino, interaction with fibers, 539, 549
Styrene divinylbenzene-based strong acid ion exchange resin, 2939
Styrene divinyl benzene copolymers, texture of macroporous copolymers, 927
Styrenesulfonic acid, copolymers, 1223
Styrylisocyanate, 3445

Sulfonated phenol formaldehyde, 1443
Sulfur, catenapolymeric and cyclooctameric, base-catalyzed reaction with dithiol, 2757
Sulfur dioxide, polystyrene solubility in liquid, 2829
Surface area measurement, 1117
Surface charge density, 2139
Surface conductivity, 2139
Surface mean diameter, 2043
Surfaces, specific of peat and wood, 1117
Surfactant adsorption, effect of polymer polarity on, 733
Suspension polymerization, 1181, 2043
Swelling, of crosslinked cellulose film in water, 2529(N)
Swelling behavior, ionic gels, 2073
Syndiotactic 1,2-polybutadiene, radiation crosslinked, 1893(N)

Tait equation, 1057
Tan δ, 173
Tannin based condensates, adhesives based on, 2777
Tannin-based neutral and alkaline phenolic-type foams, 1901(N)
Tannin-based polyurethane adhesives, 1889(N)
Tapered die, flow through, 2793
Tapered dies, pressure drop through, 1587(E)
Telechelic oligomers, of OH terminated butadienes, 1043
Temperature resistant polymers, 2189
Tenacity, of acrylic fibers, 3123
Tensile impact strength of injection-molded polypropylene, 2807(N)
Tensile tests, solid propellants, 2169
Terephthaldihydrazide, 2189
Terephthaloyl chloride, condensation with bisphenols, 2409
Terminal OH determination, 1043
Ternary laminate, 2537(N)
1,2,4,5-Tetraaminobenzene, copolymers with ferrocenes, 1601
3,3′,4,4′-tetraaminobiphenyl, copolymers with ferrocenes, 1601
2,2′,6,6′-Tetrabromo-3,3′,5,5′-tetramethyl-4,4′-biphenol, flame retardant, polymers from, 155
Tetracyanoethylene-*t*-stilbene complex, 1271
Tetrafluoroethylene, emulsion polymerization of, 967
—, plasma polymerization of, 1003, 3449, 3471
—, polymerization of, plasma, 2627
—, radiation induced polymerization of, 967
Tetrakis(hydroxymethyl)phosphonium chloride, reaction with aminated cotton cellulose, 1803
Tetramethylene sebacate, copolymers with tetramethylene terephthalate, 1063, 1077, 1095, 1105
Tetramethylene terephthalate, copolymers with tetramethylene sebacate, 1063, 1077, 1095, 1105
Tetramethylthiuram disulfide, 185, 3621
—, complexes, in vulcanization, 2065
Tetraoxane, copolymerization with 1,3-dioxolane, 3383, 3395, 3411, 3421
TGA, 765, 2023, 2757, 3355
Thermal analysis, 1431
Thermal and dynamic mechanical behavior of EPDM rubbers, 1607
Thermal conductivities, 55
Thermal degradation, of polymers, 2837, 2855, 2871, 2881
—, of poly(vinyl formals), 755
Thermal degradation of cotton, 453
Thermal degradation,of PVC, 2031
Thermal depolarization current, 1131
Thermal ignition phenomena, 661
Thermal properties, EPDM rubbers, 1607
Thermal stability, of nylon 6, 1541
—, of phosphonitrilic fluoroelastomers, 765
Thermal stabilization, PVC, 2031
Thermodynamics, solute-polymer interactions, 2825(E)
Thermoelastic effect and configurational entropy in rubber-like solids, 2803(N)
Thermoelastic properties, of urethane elastomers, 2147
Thermomechanical spectra, of SBS block copolymers, 2385
Thermomechanical transition in a polyimide, water-sensitive, 1189
Thermoset polyurethanes containing hydroquinone, 2513
Thermosetting polyester beads, 2043
Thermosetting polyurethane films, 141
Thin-layer chromatography, 2821(N)
Thiourea–H_2O_2 redox system, 1923
THPC, see also tetrakis(hydroxymethyl)phosphonium chloride, 1803
$TiCl_3$, novel binary chlorides containing, 1319, 1333
Time–temperature superpositioning, 2463
Tire cord, 2189
Titanium dioxide, 3505
—, sorbate-modified, grafting styrene on, 3139(N)
TMA, 1607
2,4-Toluene diisocyanate, polyisocyanurate from, 2719
Torsional braid analysis, 2855
Torsion pendulum, 1189, 2453, 3433
Transfer constants, in acrylamide polymerization, 3341
Transient diffusion, 2537(N)
Transition metal stearates, effect on photodegradation of polyethylene, 3583
Transparency of extrudates, 133
Transverse NMR relaxation of water in wood, 3147
2,2,2-Trifluoroethanol/2,2,3,3,4,4,5,5-octafluoropentanol, 765
Trimethoxyboroxine, curing of DGEBA by, 3355
Trimethylsilylation, analysis of copolyamides and copolyesters through, 3167
Tris(2,3-dibromopropyl) phosphate, flame retardance by, 2023

Ultimate elongation, 3205
Ultimate strength, 3205
Ultrafiltration, 1373, 2611
Ultrathin films, vapor sorption in, 1795
Ultraviolet, see UV, 2225
Urea/formaldehyde resins, open-pore structure, 381
Urea–HCHO condensates, adhesives based on, 2777
Urethane elastomers, 2147
Urethane emulsion, thermosetting, 141
UV, aging of rubber by, 2225
UV-cured epoxy acrylate, 887
UV spectra, 3583
UV spectrophotometry, 2005

Vapor, 3041
Vapor permeability of membranes, 2265
Vapor pressure osmometer, 633(N)
Vinyl acetate, copolymerization with vinyl chloride, radiation induced emulsion, 2701, 2701
—, copolymers with ethylene, 985, 995
—, copolymer with ethylene, 1723
—, copolymer with vinyl chloride, 1811
—, grafting on polyesters, 2133
—, graft polymerization on starch, 229
—, radiation induced telomerization of, 215
Vinyl acetate polymerization, emulsion, 401
N-Vinylcarbazole, cation exchange resins from, 2327
Vinyl chloride, copolymerization with vinyl acetate, radiation induced emulsion, 2701, 2701
—, copolymers with propylene, blends containing, 1733
—, copolymer with vinyl acetate, 1811
—, polymerization, effect of substituted olefins on, 867
Vinylcyclohexane, copolymers with acrylonitrile, 2989
Vinyl(methyl ether), membranes from blends containing copolymer with maleic anhydride, 2611
Vinyl monomers, grafting on cellulose, 2429
Vinyl phosphonate oligomer, polymerization with N-methylolacrylamide on cotton, 2555
Vinyl polymerization, manganic hydroxide–hydrazine initiation of, 2019

Vinylsulfonic acid, sodium salt, copolymers containing, 3123
Viscoelastic melt behavior, high impact polystyrene and blends, 2463
—, PPO and blends, 2463
Viscoelastic properties of branched polymers, 463
Viscoelastometer, 1733
—, Rheovibron, 1647
Viscometer, high-shear concentric cylinder, 2493
Viscometry, 2155
Viscometry of polymer solutions, 1639
Viscosity, evaluation, for polymer solution, 1639
—, polyacrylonitrile in DMF, 2817(N)
Viscosity–molecular weight relation, PVC–N-methylpyrrolidone solutions, 1577(N)
Vistolan 3708, 1607
Vulcanization, 3621
—, of *cis*-1,4-polyisoprene, 3621
—, sulfur, of natural rubber, acceleration, 185
Vulcanization of natural rubber, 2065
Vuremo curometer, 2065

Warfield method, 3129
Water, permeation through polyimide film, 2355
Water absorption, in wood, NMR relaxation of, 3147
Water permeability, of phosphonated polyethylene, 2443
Water-soluble polymers, ozonation of, 3281
Water sorption hysteresis, in regenerated cellulose, 627(N)
Water structure in cellulose acetate membranes, 473
Water vapor, diffusion and sorption in PMLG membranes, 2729
Water vapor permeability of polymer films treated with , 1583(N)
Wear, mechanisms for, in ultrahigh molecular weight polyethylene total hip prosthesis, 777
Weissenberg rheogoniometer, 517
Wetting, effect on fracture strength, 687
White ash bark, 1027
Wide-angle x-ray diffraction, 1747
Williams-Landel-Ferry shift procedures, 2169
WLF equation, 2463
WLF temperature dependence, 877
Wood, 1117
—, graft polymerization of methyl methacrylate in, 1527
—, water absorption in, NMR relaxation of, 3147
Wool, durable-press finish for, 353
—, graft polymerization of methyl methacrylate on, 393

X-ray, 3541
—, small-angle, of fibers, 1671
—, wide-angle, 1747
X-ray studies of cellulose II, 249

Yield stress, 3205
Young's modulus, 3129, 3205

Zeta potential, 2139, 2909, 2999
Zimm plots, 2155
Zirconium dioxide, adsorption on, 1565

Journal of Applied Polymer Science

Volume 23, 1979

Editorial Board: H. MARK • A. LEDWITH • M. MORTON
B. RANBY • P. WEISS

Advisory Board:

J. C. ARTHUR, JR.
New Orleans, La.

H. BARTL
Leverkusan, Germany

F. VAN BERKEL
Velp, Holland

R. F. BOYER
Midland, Mich.

J. H. BRADBURY
Canberra, Australia

E. CERNIA
Rome, Italy

H. CHERDRON
Frankfurt, Germany

S. L. COOPER
Madison, Wisc.

W. COOPER
Birmingham, England

H. W. COOVER, JR.
Kingsport, Tenn.

N. S. ENIKOLOPIAN
Moscow, USSR

H. P. FRANK
Linz, Austria

Z. G. GARDLUND
Warren, Mich.

T. W. GEORGE
Raleigh, N.C.

J. K. GILLHAM
Princeton, N.J.

M. A. GOLUB
Moffet Field, Calif.

H. B. HOPFENBERG
Raleigh, N.C.

F. E. KARASZ
Amherst, Mass.

J. L. KARDOS
St. Louis, Mo.

H. KRAESSIG
Lenzing-Oberosterreich, Austria

M. KRYSZEWSKI
Lodz, Poland

J. LE BRAS
Paris, France

M. LEWIN
Jerusalem, Israel

C. W. MACOSKO
Minneapolis, Minn.

D. J. METZ
Upton, N.Y.

S. MORIMOTO
Osaka, Japan

N. OGATA
Tokyo, Japan

J. A. PARKER
Moffet Field, Calif.

N. A. PEPPAS
West Lafayette, Ind.

R. H. PETERS
Manchester, England

H. POHLEMANN
Ludwigshafen, Germany

L. REBENFELD
Princeton, N.J.

F. RODRIGUEZ
Ithaca, N.Y.

H. TSCHAMLER
Vienna, Austria

L. VALTASAARI
Otaniemi, Finland

J. L. WHITE
Knoxville, Tenn.

H. L. WILLIAMS
Toronto, Ontario

E. L. WITTBECKER
Wilmington, Del.

N. WOODING
London, England

An Interscience® Publication
Published by JOHN WILEY & SONS

Copyright © 1979, by John Wiley & Sons, Inc.

The *Journal of Applied Polymer Science* is published in two sections as follows: *Journal of Applied Polymer Science*, semimonthly; *Applied Polymer Symposia*, irregularly. Published semimonthly, two volumes per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016. Second-class postage paid at New York, New York, and at additional mailing offices.

Copyright © 1979 by John Wiley & Sons, Inc. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright law without the permission of the copyright owner is unlawful.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price: $500.00 (two volumes). Postage and handling outside U.S.A.: $30.00. Please allow four weeks for change of address. Back volumes, microfilm, and microfiche available for previous years.

Claims for undelivered copies must be made no later than three months following month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Journal of Applied Polymer Science

Contents

Volume 23, 1979

ISSUE NO. 1, 1 JANUARY

Radical Formation and Graft Copolymerization on Photo-irradiated Aldehyde Cellulose
Y. Ogiwara, K. Hayase, and H. Kubota 1

Polymérisation des Méthacrylates d'Ethers Glycériques par le Peroxyde de Benzoyle: Accélération de la Polymérisation par les Sulfinates d'Amines Tertiaires
D. Ades and M. Fontanille 11

Fast Determination of Fatty Acids in Oil-Utilizing Resins by NMR Spectroscopy
J. Rybicky 25

Mechanism of Action of PVC Thermal Stabilizers
J. Wypych 39

Correlating and Predicting Polymer Thermal Conductivities
M. Luba, T. Pelt, and R. G. Griskey 55

Physicochemical Properties of Kevlar 49 Fiber
L. Penn and F. Larsen 59

Organic Polymeric Coatings for Silica Fibers. I. UV-curing Epoxy Acrylate (V1F)
H. Schonhorn, S. Torza, R. V. Albarino, H. N. Vazirani, and T. T. Wang 75

Polyester-Polycarbonate Blends. II. Poly(ethylene Terephthalate)
T. R. Nassar, D. R. Paul, and J. W. Barlow 85

Mechanism and Evaluation in Electroinitiated Copolymerization Coatings of Acrylonitrile and Acrylic Acid
F. S. Teng and R. Mahalingam 101

Water-Soluble Photocurable Elastomer
G. D. Jones, C. W. Hoornstra, D. E. Leonard, and H. B. Smith 115

Studies in Chemically Modified Celluloses. XI. Hypochlorite Oxidation of Cellulose in the Presence of Chromium Oxide
V. A. Shenai and A. S. Patil 123

Crystalline Transitions and the Solid-State Extrusion of Polymers
S. M. Aharoni and J. P. Sibilia 133

Emulsion of Polyurethane Having Thermosetting Properties. I. Preparation
K. Matsuda, H. Ohmura, Y. Tanaka, and T. Sakai 141

2,2′,6,6′-Tetrabromo-3,3′,5,5′-tetramethyl-4,4′-biphenol (TTB)-Flame Retardant Copolycarbonates and Copolyesters
P. L. Kinson and C. M. Orlando 155

Investigation of the Composite Molecular Structure of LDPE by Using Temperature Rising Elution Fractionation
C. Bergström and E. Avela 163

Fiber-Fiber Coefficient of Friction: Effects of Modulus and Tanδ
D. C. Prevorsek and R. K. Sharma 173

Sulfur Vulcanization of Natural Rubber Accelerated with 2-Mercaptobenzothiazole plus Tetramethylthiuram Disulfide
P. K. Bandyopadhyay and S. Banerjee 185

Diffusion of Gases Through Polyurethane Block Polymers
J. S. McBride, T. A. Massaro, and S. L. Cooper 201

γ-Radiation-Induced Telomerization of Vinyl Acetate, Styrene, and Methyl Methacrylate
O. Altmann, U. Fehrmann, and W. Schnabel 215

On Free Volume of Polymers Above the Glass Transition
S. M. Aharoni 223

Graft Polymerization of Vinyl Acetate onto Starch. Saponification to Starch-*g*-Poly-(vinyl Alcohol)
G. F. Fanta, R. C. Burr, W. M. Doane, and C. R. Russell 229

Decomposition of Peroxide on Carboxymethyl Cellulose and Its Ability to Initiate Graft Copolymerization
H. Kubota and Y. Ogiwara 241

Structure of Cellulose II
R. E. Hunter and N. E. Dweltz 249

A Method for Determining the Permeability and Solubility of Sulfur in Poly(dimethylsiloxane) (RTV)
G. DiGiacomo and E. Spaulding 261

Kinetics of Hydrolysis, Acetylation, and Deamination Reactions on Polyamide Fibers in Homogeneous Medium
H. T. Lokhande and N. Bhattacharyya 275

NOTES

Dynamic Mechanical Properties of Solvent-Crazed Polystyrene
B. A. Shah, M. Shen, and G. Akovali 295

Secondary Relaxation Behavior of Some Diene Polymers
J. Mathew, M. Shen, and T. F. Schatzki 299

Preparation and Properties of Radiation-Grafted Membranes for Eliminating Sodium Alkylbenzenesulfonate from Water
H. Yamakita and K. Hayakawa 303

Designs of Polymers for Migration Imaging Applications. I. Copolymerization of p-Decylstyrene
D. A. Buckley and P. P. Augostini 311

Information for Contributors 315

ISSUE NO. 2, 15 JANUARY

Applicability of the Two-Dimensional Approach to Polymer Miscibility in Pure and Mixed Organic Liquids
S.-A. Chen and W.-J. Lai 317

Polymer Miscibility in Mixed Organic Liquids Having Acid-Base Interaction—A Modified Two-Dimensional Approach
S.-A. Chen and W.-J. Lai 319

Mechanical and Processing Requirements for a Shock Mitigating Phenolic Foam
M. A. Mendelsohn, J. F. Meier, G. E. Rudd, and G. B. Rosenblatt 325

Effects of Density and Structure on Load Bearing and Permeability Characteristics of a Family of Shock Mitigating Phenolic Foams
M. A. Mendelsohn, J. F. Meier, G. E. Rudd, and G. B. Rosenblatt 333

Effects of Composition and Processing Conditions on the Properties of a Series of Shock Mitigating Phenolic Foams
M. A. Mendelsohn, J. F. Meier, G. E. Rudd, and G. B. Rosenblatt 341

Blocked Isocyanate-Terminated Prepolymers in a Delayed-Cure Durable-Press Finish for Wool. Influence of Isocyanate and Blocking Group Structure on Reactivity
G. B. Guise, G. N. Freeland, and G. C. Smith 353

The Effects of Weathering and Atmospheric Pollutants on Cotton Fabric and Cotton Fabric Treated with Selected Flame Retardants. II. Spectroscopic Studies
B. L. Slaten and B. F. Smith 367

Reaction Variables and a Proposed Mechanism of Open-Pore Urea/Formaldehyde Structure Formation
I. O. Salyer and A. M. Usmani 381

Radiation-Induced Graft Copolymerization of Methyl Methacrylate on Natural and Modified Wool. II. Sorption Behavior
D. S. Varma and R. K. Sadhir 393

Continuous Emulsion Polymerization. Modeling Oscillations in Vinyl Acetate Polymerization
C. Kiparissides, J. F. MacGregor, and A. E. Hamielec 401

Aqueous Gel Permeation Chromatography: The Effect of Solvent Ionic Strength
A. R. Cooper and D. P. Matzinger 419

Biodegradable Polymers: Chymotrypsin Degradation of a Low Molecular Weight Poly(ester-Urea) Containing Phenylalanine
S. J. Huang, D. A. Bansleben, and J. R. Knox 429

Copolyamides Derived from Brassylic Acid
K.-S. Kim and A. J. Yu 439

The Effect of Low Molecular Weight Additives on the Properties of Aromatic Polyamide Membranes
M. A. Kraus, M. Nemas, and M. A. Frommer 445

Effect of Short Thermal Treatment on Cotton Degradation
A. Hebeish, A. T. El-Aref, E. A. El-Alfi, and M. H. El-Rafie 453

Influence of Shearing History on the Rheological Properties and Processability of Branched Polymers. I
M. Rokudai 463

Characterization of Water Structure in Cellulose Acetate Membranes by Calorimetric Measurements
H. G. Burghoff and W. Pusch 473

Process and Fiber Spinning Studies for the Cellulose/Paraformaldehyde/Dimethyl Sulfoxide System
R. B. Hammer, M. E. O'Shaughnessy, E. R. Strauch, and A. F. Turbak 485

Adhesion of Evaporated Metallic Films onto Polyethylene and Poly(tetrafluoroethylene): Importance of Surface Crosslinking
S. L. Vogel and H. Schonhorn 495

Chemical Transformations of Polymers. XI. Mercuration of Polystyrene
J. Šťamberg, V. Petrus, and H. P. Gregor 503

Studies on Chitin. VI. Binding of Metal Cations
K. Kurita, T. Sannan, and Y. Iwakura 511

A Rheological Study of Long Branching in Polyethylene by Blending
M. S. Jaćović, D. Pollack, and R. S. Porter 517

The Dielectric Behavior of Natural Resin Shellac
D. N. Goswami 529

Cationic Latex Interaction with Pulp Fibers. I. Deposition of Styrene-Butadiene Latex Having Quaternized Amino Groups
B. Alince, M. Inoue, and A. A. Robertson 539

Cationic Latex Interaction with Pulp Fibers. II. Modification of Sheet Properties by Styrene-Butadiene Latex with Quaternized Amino Groups
B. Alince 549

Reverse Osmosis Separations of Polyethylene Glycols in Dilute Aqueous Solutions Using Porous Cellulose Acetate Membranes
F.-H. Hsieh, T. Matsuura, and S. Sourirajan 561

Polyester-Polycarbonate Blends. III. Polyesters Based on 1,4-Cyclohexanedimethanol/Terephthalic Acid/Isophthalic Acid
R. N. Mohn, D. R. Paul, J. W. Barlow, and C. A. Cruz 575

Polyester-Polycarbonate Blends. IV. Poly(ε-caprolactone)
C. A. Cruz, D. R. Paul, and J. W. Barlow 589

The Retention and Removal Behavior of Perchloroethylene and Dichloromethane in Polyester Fabric
B. L. Slaten 601

Photolysis of Poly(*p*-*tert*-butylstyrene)
N. A. Weir, T. H. Milkie, and D. Nicholas 609

NOTES

Electric Current from Cotton Cellulose Sandwiched Between Metal Electrodes with Temperature Variation
P. K. C. Pillai and M. Mollah 621

Examination of Some Miscible Polymer Blends for LCST Behavior
E. Nolley, D. R. Paul, and J. W. Barlow 623

Effect of Water Sorption Hysteresis on Gas Transport in a Regenerated Cellulose
Y. Kamiya and F. Takahashi 627

A Simple Equation for Determining the Diffusion Coefficient from the Time of Half Sorption
J. Militký and J. Rais 631

A Proposed Experimental Procedure for the Vapor Pressure Osmometer to Minimize the Solute Dependence of the Calibration Constant
B. H. Bersted 633

ISSUE NO. 3, 1 FEBRUARY

Preparation of Soapless Latexes by Sonification of Starch-Based Poly(isoprene-*co*-acrylonitrile) Graft Reaction Mixtures
L. A. Gugliemelli, W. M. Doane, and C. R. Russell 635

Miscible Blends of Poly(butylene Terephthalate) and the Polyhydroxyether of Bisphenol A
L. M. Robeson and A. B. Furtek 645

Thermal Ignition Phenomena in Chain-Addition Copolymerizations
D. H. Sebastian and J. A. Biesenberger 661

Environmental Influence on the Fracture Strength of Coated Glass Fibers
H. Schonhorn 687

The Effects of Weathering and Atmospheric Pollutants on Cotton Fabric and Cotton Fabric Treated with Selected Flame Retardants. I. Physical, Chemical, and Flammability Properties
B. L. Slaten, S. M. Spivak, and B. F. Smith 695

Mechanical Relaxation Processes in Polyacrylonitrile Polymers and Copolymers
A. S. Kenyon and McC. J. Rayford 717

Removal of Trace Quantities of Nickel From Solution
J. M. Randall, V. G. Randall, G. M. McDonald, R. N. Young, and M. S. Masri . 727

Polymer Polarity and Surfactant Adsorption
B. R. Vijayendran 733

Molecular Weights of Natural Rubbers from Selected Temperate Zone Plants
C. L. Swanson, R. A. Buchanan, and F. H. Otey 743

Phase Equilibra of Polystyrene/Polybutadiene/Tetrahydrofuran Using Gel Permeation Chromatography
V. Narasimhan, D. R. Lloyd, and C. M. Burns 749

A Kinetic Investigation of Thermal Degradation of Poly(vinyl Formals)
M. Chanda, W. S. J. Kumar, and P. Raghavendrachar 755

Thermal Stability of Phosphonitrilic Fluoroelastomers
J. K. Valaitis and G. S. Kyker 765

Wear Mechanisms for Ultrahigh Molecular Weight Polyethylene in the Total Hip Prosthesis
H. J. Nusbaum, R. M. Rose, I. L. Paul, A. M. Crugnola, and E. L. Radin 777

Synergistic Effect in Gamma-Irradiated Poly(vinyl Chloride) Hard Foils Stabilized by Plasticizer-Stabilizer Systems
W. Szymański and G. Śmietańska 791

Flame Retardant Polyesters Based on Bromine Derivatives
A. Ram and A. Calahorra 797

Permeability of Polyglutamic Acid Ester Membranes to Benzene Vapor
N. Minoura and T. Nakagawa 815

Syntheses of Functional Condensation Polymers. II. A Polyamide Having Epoxy Groups and Its Ring-Opening Derivatives
Y. Shimozato, K. Sanui, and N. Ogata 827

Formation of Peroxide on Aldehyde Cellulose and Its Ability to Initiate Graft Copolymerization
Y. Ogiwara, T. Umasaka, and H. Kubota 837

The Origin of Residual Internal Stress in Solvent-Cast Thermoplastic Coatings
S. G. Croll 847

Fundamental Studies on Solvent Dyeing with Tetrachloroethylene. III. Effect of Water Added to the Solvent Dyebath on the Diffusion of Disperse Dyes in Poly(ethylene Terephthalate)
Z. Morita, K. Kuchiki, R. Kobayashi, and H. Motomura 859

Polymerization of Vinyl Chloride in Presence of Substituted Olefins: Effects on Molecular Weight and Melt Rheology
M. Langsam 867

Pulsed-Field Gradient NMR Measurements of Diffusion of Oil in Rubber
E. von Meerwall and R. D. Ferguson 877

Effects of Water and Moisture on Strengths of Optical Glass (Silica) Fibers Coated with a UV-Cured Epoxy Acrylate
T. T. Wang, H. N. Vazirani, H. Schonhorn, and H. M. Zupko 887

Effect of Carboxylic Monomers on Acid Distribution in Carboxylated Polystyrene Latices
B. R. Vijayendran 893

Uniplanar Orientation of Poly(*p*-phenylene Terephthalamide) Crystal in Thin Film and Its Effect on Mechanical Properties
K. Haraguchi, T. Kajiyama, and M. Takayanagi 903

Effect of Coagulation Conditions on Crystal Modification of Poly(*p*-phenylene Terephthalamide)
K. Haraguchi, T. Kajiyama, and M. Takayanagi 915

Styrene Divinyl Benzene Copolymers. I. Texture of Macroporous Copolymers with Ethyl-2-Hexanoic Acid in Diluent
H. Jacobelli, M. Bartholin, and A. Guyot 927

NOTES

Concentrated Solutions of Poly(*p*-phenylene-1,3,4-oxadiazole) in Sulfuric Acid
D. G. Baird and F. M. Silver 941

Toluene Diffusion in Molten Polystyrene
J. L. Duda, Y. C. Ni, and J. S. Vrentas 947

ISSUE NO. 4, 15 FEBRUARY

Irregularities in Steady Flow for Non-Newtonian Fluids Between Cone and Plate
W. M. Kulicke and R. S. Porter 953

Emulsifier-Free Emulsion Polymerization of Tetrafluorethylene by Radiation. IV. Effects of Additives on Polymer Molecular Weight
T. Watanabe, T. Suwa, J. Okamoto, and S. Machi 967

Study of Elastic and Thermoelastic Properties of Ethylene-Propylene and Ethylene-Vinyl Acetate Copolymers. I. Elastic Properties
V. Pollák and A. Romanov 985

Study of Elastic and Thermoelastic Properties of Ethylene-Propylene and Ethylene-Vinyl Acetate Copolymers. II. Thermoelastic Properties
V. Pollák and A. Romanov 995

Plasma Polymerization of Tetrafluoroethylene. I. Inductive Radio Frequency Discharge
H. Yasuda and N. Morosoff 1003

Basic Study of Extrusion of Polyethylene and Polystyrene Foams
Y. Oyanagi and J. L. White 1013

Effect of Light Metal Ions on the Sorption of Heavy Metal Ions on Natural Polymers
R. N. Young, G. McDonald, and J. M. Randall 1027

The Effect of Postcure Time on the Fracture Properties and Nodular Morphology of an Epoxy Resin
J. S. Mijovic and J. A. Koutsky 1037

Determination of Terminal OH Groups in Butadiene Telechelics by Calorimetry and by Inverse Gas Chromatography
O. Bieber, G. Degler, A. Pfeffer, H. Schnecko, and W. Weigelt 1043

The Pressure-Volume-Temperature Properties of Three Well-Characterized Low-Density Polyethylenes
P. Zoller 1051

Pressure-Volume-Temperature Relationships of Solid and Molten Polypropylene and Poly(butene-1)
P. Zoller 1057

Copolyester Studies. I. Preparation and Characterization of Tetramethylene Terephthalate-Tetramethylene Sebacate Copolymers
W. Marrs, R. H. Peters, and R. H. Still 1063

Copolyester Studies. II. Melting and Crystallization Behavior of Tetramethylene Terephthalate-Tetramethylene Sebacate Copolymers
W. Marrs, R. H. Peters, and R. H. Still 1077

Copolyester Studies. III. Melt-Spinning, Drawing, and Mechanical Properties of Tetramethylene Terephthalate-Tetramethylene Sebacate Copolymer Fibers
W. Marrs, R. H. Peters, and R. H. Still 1095

Copolyester Studies. IV. Dyeing Behavior of Drawn and Undrawn Fibers Derived from Tetramethylene Terephthalate-Tetramethylene Sebacate Copolymers
W. Marrs, R. H. Peters, and R. H. Still 1105

The Specific Surfaces of Peat and Wood
V. J. P. Poots and G. McKay 1117

Glass Transition Behavior of Emulsion-Polymerized Polymer Films Containing a Surface-Active Agent
T. Tanaka, T. Fujimoto, and K. Shibayama 1131

Crosslinking and Mechanical Property of Liquid Rubber. III. Curative Effect of Aralkyl and Alicyclic Diols
Y. Minoura, S. Yamashita, H. Okamoto, T. Matsuo, M. Izawa, and S.-I. Kohmoto 1137

Prediction of Environmental Stress Cracking of Polycarbonate from Solubility Considerations
C. H. M. Jacques and M. G. Wyzgoski 1153

Environmental Stress Cracking of Polyethylene: Temperature Effect
P. L. Soni and P. H. Geil 1167

SAN Copolymer by Suspension Polymerization. II. Bead Size Distribution and Molecular Weight
G. S. Bhargava, H. U. Khan, and K. K. Bhattacharyya 1181

A Water-Sensitive Thermomechanical Transition in a Polyimide
Y. Ozari, R. H. Chow, and J. K. Gillham 1189

Simulation Model for the Solution Copolymerization of Acrylonitrile and Styrene in Azeotropic Composition
C.-C. Lin, W.-Y. Chiu, and C. T. Wang 1203

Ionically Bonded Filler-Elastomer Composites
T. P. Abbott, C. James, and F. H. Otey 1223

A Study of Composite Foams for Diving Suits Subjected to High Hydrostatic Pressure
T. Ohsawa, M. Miwa, N. Goto, and A. Nakayama 1233

MoO_3 Additives for PVC: A Study of the Molecular Interactions
R. M. Lum 1247

NOTES

Highly Water-Absorptive Cellulose by Postdecrystallization
J. L. Williams and V. T. Stannett 1265

Information for Contributors 1269

ISSUE NO. 5, 1 MARCH

Mechanical Properties of Polycarbonate Antiplasticized with a Charge-Transfer Complex
M. Kryszewski, J. Ulanski, and A. Galęski 1271

Prediction of Dynamic and Transient Rheological Properties of Polystyrene and High-Density Polyethylene Melts from the Molecular Weight Distribution
B. H. Bersted 1279

Low-Pressure Reverse Osmosis Desalination with Improved Cellulose Acetate Membranes
A. K. Ghosh and K. K. Sirkar 1291

Copolymerization of Styrene-*m*-Divinylbenzene in the Presence of Poly(vinyl Chloride)
Y. Kagiyama, K. Shikata, and Y. Mizutani 1309

Novel Binary Chlorides Containing $TiCl_3$ as Components of Coordination Catalysts for Ethylene Polymerization. I. Synthesis and Characterization of the Solid Solutions Obtained
A. Greco, G. Perego, M. Cesari, and S. Cesca 1319

Novel Binary Chlorides Containing $TiCl_3$ as Components of Coordination Catalysts for Ethylene Polymerization. II. Behavior of the Resulting Catalyst Systems
A. Greco, G. Bertolini, M. Bruzzone, and S. Cesca 1333

Grafting Vinyl Monomers onto Silk Fibers. II. Graft Copolymerization of Methyl Methacrylate onto Silk by Hexavalent Chromium Ion
P. L. Nayak, S. Lenka, and N. C. Pati 1345

Studies in the Photodimerization of the Diglycidyl Ether of 4,4′-Dihydroxychalcone
S. A. Zahir 1355

Purification of Polymeric Dyes by Ultrafiltration
A. R. Cooper and R. G. Booth 1373

Quaternary Phosphonium Compounds as Latent Accelerators for Anhydride-Cured Epoxy Resins. I. Latency and Cure Characteristics
J. D. B. Smith 1385

Bulk Polymerization of Acrylonitrile. I. An Experimental Investigation of the Kinetics of the Bulk Polymerization of Acrylonitrile
L. H. Garcia-Rubio and A. E. Hamielec 1397

Bulk Polymerization of Acrylonitrile. II. Model Development
L. H. Garcia-Rubio, A. E. Hamielec, and J. F. MacGregor 1413

Thermal Degradation of Cellulose in Air and Nitrogen at Low Temperatures
F. Shafizadeh and A. G. W. Bradbury 1431

Composite Cation Exchangers
P. Vasudevan and N. L. N. Sarma 1443

Acrylonitrile Copolymer Films: Influence of Modification by Reaction with Ethylene Oxide on Biological Degradation
J. M. Courtney, R. G. Hood, and J. M. Ewart 1449

The Effect of Grafting on Rubber-Phase Oxidative Etch Resistance in High-Impact Polystyrene
R. A. Hall and P. Jacoby 1453

Emulsion of Polyurethane Having Thermosetting Properties. II. Relation Between the Mechanical Properties of Film and the Polyurethane Structure
K. Matsuda, H. Ohmura, and T. Sakai 1461

Suspension Bromination of High-Density Polyethylene
N. A. Arroyo and A. Hiltner 1473

Formation and Behavior of Mechanoradicals in Pulp Cellulose
D. N.-S. Hon 1487

Characterization of Polyethyleneimine Modified with Organotin Halides. Thermal, Solubility, and Fungal Properties
C. E. Carraher, D. J. Giron, W. K. Woelk, J. A. Schroeder, and M. F. Feddersen 1501

Composite Hollow Fiber Membranes
I. Cabasso and A. P. Tamvakis 1509

The Effect of Moisture Presoaking on Graft Copolymerization of Methyl Methacrylate in Wood Under Mutual Irradiation by Electron Beam Accelerator
T. Handa, S. Yoshizawa, and K. Hatakeyama 1527

Chemical Modification of Nylon 6 by Organoacetoxy- and Ethoxysilanes
P. Bajaj and A. K. Sharma 1541

Temperature Dependence of Reinforcement in the Composites Polyurethane Rubber–Crosslinked Polymeric Filler
J. Kolařík, S. Hudeček, F. Lednický, and L. Nicolais 1553

Adsorption of Polyacrylamide on Zirconium Dioxide
P. Chong and G. Curthoys 1565

NOTES

Mark—Houwink Relationship of the System PVC/N—Methylpyrrolidone (NMP)
A. H. Abdel-Alim 1577

Change in Water Vapor Permeability of Polymer Films Treated with Osmium Tetroxide
H. Ghiradella, J. Cifaretti, R. Palma, and H. L. Frisch 1583

ERRATA

Graft Frequency of Graft Copolymers by Chain Transfer of Growing Polymer Radicals to Trunk Polymers Containing Nitro Groups
S. Nakamura, M. Yamada, and K. Matsuzaki 1585

Pressure Drop Through Tapered Dies
R. S. Lenk 1587

ISSUE NO. 6, 15 MARCH

Elucidation of the Fine Structure of Poly(vinyl Chloride) by Hydrogenation and ^{13}C-NMR Analysis of Low Molecular Weight Fractions
U. Schwenk, F. Cavagna, F. Lömker, I. König, and H. Streitberger 1589

Degradation of Poly(vinyl Chloride) to Small Molecules
U. Schwenk, F. Lömker, I. König, and H. Streitberger 1595

Copolymers of 3,3′,4,4′-Tetraaminobiphenyl and 1,2,4,5-Tetraaminobenzene with 1,1′-Bis(glyoxalyl)-ferrocene and 1,1′-Bis(phenylglyoxalyl)ferrocene
M. Vernois and H. L. Williams 1601

Aspects of the Thermal and Dynamic Mechanical Behavior of EPDM Rubbers
L. F. Byrne and D. J. Hourston 1607

Morphology Studies of the Liquid-Induced Crystallization of Poly(ethylene Terephthalate): Effects of Polymer Blending, Nucleating Agents, and Molecular Weight
P. J. Makarewicz and G. L. Wilkes 1619

A Novel Approach to Viscometric Parameters of Polymer Solutions
K. K. Chee 1639

The Measurement of Dynamic Flexile Properties of Fibers with a Rheovibron Viscoelastometer
T. Murayama 1647

Extrusion Die Swell of Carbon Black-Filled Natural Rubber
A. K. Bagchi and K. K. Sirkar 1653

Fine Structure Investigation of *Sansevieria Roxburghi* Fiber by Small-Angle X-Ray Methods
S. Ratho 1671

Temperature Dependence of Impact Fracture Energies of Short Glass Fiber-Epoxy and Unsaturated Polyester Composites
M. Miwa, T. Ohsawa, and N. Tsuji 1679

Flocculation of Dispersions by Preferential Adsorption of Solvents from Polymer Solution
T. Sato 1693

The Determination of Particle Size Distributions by Hydrodynamic Chromatography. An Analysis of Dispersion and Methods for Improved Signal Resolution
C. A. Silebi and A. J. McHugh 1699

Flow Properties of Saturated Rubber-Modified Polymer Melts
K. Itoyama and A. Soda 1723

Polyblends Based on Vinyl Chloride/Propylene Copolymer
J. T. Cheng and G. J. Mantell 1733

The Characterization of Nylon 6 Filaments by X-Ray Diffraction
R. F. Stepaniak, A. Garton, D. J. Carlsson, and D. M. Wiles 1747

Mechanochemistry and Permeability of Polyelectrolyte Complex Membranes Composed of Poly(vinyl Alcohol) Derivatives
H. Sato, M. Maeda, and A. Nakajima 1759

The Interaction of Hydrogen Sulfide with Lead- and Barium–Cadmium–Zinc-Stabilized Poly(vinyl Chloride)
T. E. Graedel, J. P. Franey, W. H. Starnes, D. C. Hische, and P. C. Warren .. 1769

PVC Powder Extrusion. Melting Properties and Particle Morphology
F. R. Kulas and N. P. Thorshaug 1781

Measurements of Vapor Sorption/Desorption Properties of Ultrathin Polymeric Films
F. G. Belli and D. A. Buckley 1795

Durable Flame Resistance Via Reaction of Cotton Cellulose Bearing Aromatic Amino Groups with Tetrakis(Hydroxymethyl)phosphonium Chloride
A. Hebeish, A. Waly, and M. A. El-Kashouti 1803

Gel Permeation Chromatography in the Study of the Molecular Weight Distribution Vinyl Chloride–Vinyl Acetate Copolymer. III. Influence of the Incompatibility of Polymers and Some Problems of Interpretation of Experimental Data
J. Janča, S. Pokorný, and M. Kolínský 1811

Diffusivity and Solubility of Organic Vapors in Modified Polyethylene Films. I. Technique and Analysis of Results
O. T. Aboul-Nasr and R. Y. M. Huang 1819

Diffusivity and Solubility of Organic Vapors in Modified Polyethylene Films. II. Diffusivity Studies
O. T. Aboul-Nasr and R. Y. M. Huang 1833

Diffusivity and Solubility of Organic Vapors in Modified Polyethylene Films. III. Solubility Studies
O. T. Aboul-Nasr and R. Y. M. Huang 1851

NOTES

Adhesion of Elastomers to Rigid Substrates—Three Substrates with Unexpectedly High Adhesion
M. L. Runge and P. Dreyfuss 1863

Modification of a Model Relating Rheological Behavior of Polymer Melts to the Molecular Weight Distribution
B. H. Bersted 1867

NMR Study of Water Absorbed by Epoxy Resin
R. T. Fuller, R. E. Fornes, and J. D. Memory 1871

Additional Yield Peaks of Methylated Polyamide: Effect of Chain Length
M. Raab, B. Masař, and P. Čefelín 1875

Peak Distortion in Gel Permeation Chromatography at High Sample Concentration
G. Samay and M. Kubin 1879

The Alkali-Catalyzed Depolymerization of Amyloses in Relation to Iodine-Complexing Properties
I. Ziderman and N. Weiss 1883

Tannin-Based Polyurethane Adhesives
A. Pizzi 1889

Heat Curing of Radiation-Induced Crosslinked Syndiotactic 1,2-Polybutadiene
H. Okamoto and T. Iwai 1893

Stress Yield Value in Closely Packed Gel Suspensions
N. W. Taylor and E. B. Bagley 1897

Tannin-Based Neutral and Alkaline Phenolic-Type Foams
A. Pizzi 1901

Issue No. 7, 1 April

Solvent Barrier Property for Fluorinated Polyethylene
L. J. Hayes and D. D. Dixon 1907

Pyropolycarboranes: The Base for Self-Lubricating Materials with Gas Lubricant
V. V. Korshak, I. A. Gribova, A. N. Chumaievskaya, and B. M. Mgeladze 1915

Polymerization of Methyl Methacrylate With H_2O_2-Thiourea Redox Initiator System
P. Ghosh and M. S. Banerjee 1923

The Effect of Chemical Structure of Derivatives of 1,1-Bis(4-hydroxyphenyl)-2,2,-propane on the Antiplasticization of Polycarbonate
L. Makaruk, H. Polańska, and T. Mizerski 1935

Partial Miscibility of Cellulose-Polyacrylonitrile Blends
S. Savard, D. Lévesque, and R. E. Prud'homme 1943

1-Chlorobutadiene-Butadiene Rubber. III. Determination of Hydroxyl Group Content
S. Yamashita, K. Sando, and S. Kohjiya 1951

1-Chlorobutadiene-Butadiene Rubber. IV. Increasing the Hydroxyl Group Content in the Rubber
S. Yamashita, K. Sando, and S. Kohjiya 1963

Comparisons of the Cure of Phenol-Formaldehyde Novolac and Resol Systems by Differential Scanning Calorimetry
S. Chow and P. R. Steiner 1973

Characterization and Use of Radio Frequency Plasma-Activated Natural Polymers
T. L. Ward, H. Z. Jung, O. Hinojosa, and R. R. Benerito 1987

Partially Dehydrochlorinated PVC. II. Reactions With Dienophiles and Hydroxylating Agents
A. Wirsén and P. Flodin 2005

The Manganic Hydroxide-Hydrazine System as an Initiator of Vinyl Polymerization. III. The Emulsion Polymerization of Methyl Methacrylate
A. Rahman and C. W. Brown 2019

Flame-Retardant Effect of Tris(2,3-dibromopropyl) Phosphate on Polystyrene
N. Inagaki, S. Sakurai, and K. Katsuura 2023

Basic Principles of Thermal Degradation and Thermal Stabilization of Poly(vinyl Chloride). Synergism of Stabilizer Action
K. Prochaska and J. Wypych 2031

Size Distribution of Suspension-Polymerized Unsaturated Polyester Beads
M. Narkis 2043

Emulsion Polymerization Kinetics and its Reactor Design. II. The MWD Behavior in Isothermal Batch Operation
C. C. Lin and W. Y. Chiu 2049

Complexes of Tetramethylthiuram Disulfide with Zinc Dialkyldithiocarbamates and Their Role in the Sulfur Vulcanization of Natural Rubber
V. Ducháček and R. Frenkel 2065

Deformational, Swelling, and Potentiometric Behavior of Ionized Gels of 2-Hydroxyethyl Methacrylate-Methacrylic Acid Copolymers
M. Ilavský, K. Dušek, J. Vacík, and J. Kopeček 2073

Novolacs From Paraformaldehyde
A. J. Rojas and R. J. J. Williams 2083

Controlled Release of Drugs from Hydrogel Matrices
S. Hosaka, H. Ozawa, and H. Tanzawa 2089

The Analysis of Rigid Polyurethanes by Chemical Ionization Mass Spectrometry
N. A. Mumford, D. A. Chatfield, and I. N. Einhorn 2099

High-Strength/High-Modulus Fibers of *p*-Phenylene Oxadiazole/N-Methyl Hydrazide Copolymers—A New Class of High-Performance Organic Materials
H. C. Bach, F. Dobinson, K. R. Lea, and J. H. Saunders 2125

Polymerization of Acrylamide Compounds onto Fe Plates: An Alternative Route for Applying Polymer Coatings
G. Mengoli, . Daolio, U. Giulio, and C. Folonari 2117

Grafting onto Polyester Fibers. II. Kinetics of Grafting of Acrylic Acid, Acrylonitrile, and Vinyl Acetate onto Polyester Fibers
K. N. Rao, M. H. Rao, H. T. Lokhande, N. R. Mody, and A. G. Jog 2133

Grafting Onto Polyester Fibers. III. Electrokinetic Properties of Acrylic Acid and Acrylonitrile-Grafted Polyester Fibers In the Presence of Cationic Dyes
H. T. Lokhande, N. R. Mody, K. N. Rao, and M. H. Rao 2139

Thermoelastic Properties of Urethane Elastomers
W. Nierzwicki and E. Szpilewicz 2147

Solution and Rheological Properties of Poly(*m*-phenyleneisophthalamide) in Dimethylacetamide/LiCl
D. Harwood, H. Aoki, Y.-D. Lee, J. F. Fellers, and J. L. White 2155

Energy Balances and Uniaxial Failure of Solid Propellants
A. H. Lepie and A. Adicoff 2169

Application of the Fung Equation to the Constant Strain Rate Behavior of Plasticized Polyvinyl Chloride
P. H. Dehoff 2179

High-Strength, High-Modulus Fibers from Hydrazide Polymers and Copolymers
F. Dobinson, C. A. Pelezo, W. B. Black, K. R. Lea, and J. H. Saunders 2189

A Quantitative Treatment of Particle Size Distributions in Emulsion Polymerization
D. C. Sundberg 2197

A Study of Sequence Distribution of Chloroprene and Methyl Methacrylate Copolymers by ^{1}H-NMR
T. Okada and M. Otsuru 2215

Information for Contributors 2223

ISSUE NO. 8, 15 APRIL

The Influence of Anilino-Substituted Salicylanilide on the Physicomechanical Properties of Ultraviolet-Aged Natural Rubber
W. M. Khalifa, M. A. El-Azmerly, S. E. Morsi, and S. Barsoum 2225

Contribution of Adsorption and Partition to the Separation Mechanism in Gel Chromatography on Inorganic Carriers
D. Bakoš, T. Bleha, A. Ozimá, and D. Berek 2233

Permeability of Heterogeneous Membranes Based on Methacrylic Acid
L. K. Shatayeva, G. V. Samsonov, J. Vacík, J. Kopeček, and J. Kálal 2245

Preparation and Mechanical Properties of Thick Interlayer Composites
D. G. Peiffer and L. E. Nielsen 2253

Evaluation of Results of Simplified Determination Methods of Polymer Membrane Permeability to Vapors
J. Izydorczyk, J. Podkówka, and J. Salwiński 2265

Formation of Peroxide on Poly(vinyl Alcohol) and Its Characteristics
H. Kubota and Y. Ogiwara 2271

Coagulation of Polymer–Cu^{2+} Complexes in Polymer Films and Its Application for Producing Semiconducting CuI Surface Layers
O. Sumita, A. Fukuda, and E. Kuze 2279

A Rheological and Optical Properties Investigation of Aliphatic (Nylon 66, PγBLG) and Aromatic (Kevlar, Nomex) Polyamide Solutions
H. Aoki, J. L. White, and J. F. Fellers 2293

Crazing Studies of Polystyrene. II. Application of Fluctuation Theory
J. F. Fellers and D. C. Huang 2315

Furfural-Based Cation-Exchange Resins from *N*-Vinylcarbazole and Its Polymer
M. Biswas and K. J. John 2327

N-Methyl-2-Pyrrolidone as a Solvent for Poly(Vinyl Alcohol)
P. Patel, F. Rodriguez, and G. Moloney 2335

Polyethylenimine–Polyepichlorohydrin Interpolymer for Chelating Ion-Exchange Membrane
T. Saegusa, A. Yamada, S. Kobayashi, and S. Yamashita 2343

Water Permeation of Polymer Films. I. Polyimide
E. Sacher and J. R. Susko 2355

Permeability of Oxygen Through Polymers. I. A Novel Spectrophotochemical Method
K. Petrak 2365

Cold Milling of Polyisobutylene—A Molecular Weight Distribution Study
B. M. E. Van der Hoff and V. K. Chopra 2373

Mechanical Properties of SBS Block Copolymers. I. Effect of Structure and Selective Solvent Casting on Dynamic Viscoelasticity
N. K. Kalfoglou 2385

Pervaporation Membranes Prepared by Radiochemical Grafting of N-Vinylpyrrolidone onto Films
G. Morel, J. Jozefonvicz, and P. Aptel 2397

Kinetic Studies on Copolycondensation Processes. IV. Chemical Composition of Copolycondensation Products
E. Turska, L. Pietrzak, and R. Jantas 2409

Shish Kebab and High-Performance Morphologies
A. S. Abhiraman 2419

Some Aspects of Graft Polymerization of Vinyl Monomers onto Cellulose by Use of Tetravalent Cerium. VI
O. Y. Mansour and A. Nagaty 2425

An Interpretation of the Critical Strain Measure for Polymers
L. Brathe and M. Rigdahl 2435

Properties of Polyethylene Modified with Phosphonate Side Groups. III. Hydration Characteristics and Water Permeability
R. A. Weiss and R. W. Lenz 2443

Crosslinking Aqueous Poly(vinyl pyrrolidone) Solutions by Persulfate
C. C. Anderson, F. Rodriguez, and D. A. Thurston 2453

Viscoelastic Melt Behavior of Poly(2,6-dimethyl-1,4-phenylene Oxide), High-Impact Polystyrene, and A 35-65 Blend
L. R. Schmidt 2463

Studies on the Photo-Oxidative Mechanism of Polymers. VII. The Role of Singlet Oxygen in the Dye-Photosensitized Oxidation of *cis*-1,4- and 1,2-Polybutadienes and Butadiene–Styrene Copolymers
J. F. Rabek and B. Ranby 2481

Mechanical Degradation of High Molecular Weight Polymers in Dilute Solution
J. F. S. Yu, J. L. Zakin, and G. K. Patterson 2493

Thermoset Polyurethanes Containing Hydroquinone Di(β-hydroxyethyl) Ether
S. A. Iobst and H. W. Cox 2513

NOTES

Swelling of Crosslinked Cellulose Film in Water
E. C. Ibe and S. N. Ibe. 2529

Preparation of Clean Polymers for Rayleigh–Brillouin Light Scattering Studies
G. Aardsma and J. R. Stevens 2533

Transient Diffusion Through a Binary Laminate Separating Finite and Semiinfinite Volumes
H. G. Spencer and J. A. Barrie 2537

Information for Contributors 2541

ISSUE NO. 9, 1 MAY

Hydrostatic Extrusion under Back Pressure of High-Density Polyethylene
K. Nakayama and H. Kanetsuna 2543

Flame Resistant Cotton Fabrics Prepared by Radiation-Initiated Polymerization with Vinyl Phosphonate Oligomer and N-Methylolacrylamide
J. A. Harris, J. C. Arthur, and W. R. Goynes 2555

Durable-Press Cotton with Improved Retentions of Strength and Abrasion Resistance via N-Methylolpolyethyleneurea D.P. 2
N. R. Bertoniere and S. P. Rowland 2567

Reinforcement of Siloxane Elastomers by Silica. Interactions Between an Oligomer of Poly(Dimethylsiloxane) and a Fumed Silica
G. Berrod, A. Vidal, E. Papirer, and J. B. Donnet 2579

Plasma Polymerization of Ethylene in an Atmospheric Pressure-Pulsed Discharge
K. G. Donohoe and T. Wydeven 2591

Adhesives from Divalent Metal Salts of Mono(hydroxyethyl)phthalate, Anhydrides, and Bisepoxides
H. Matsuda 2603

Hydrophilic Interpolymer Membranes from Crosslinked Blends of Poly(vinylalcohol), Poly(styrene sodium sulfonate), and Poly(vinyl methyl ether-*alt*-maleic anhydride)
C. C. Gryte, J. Chen, V. Kevorkian, and H. P. Gregor 2611

Plasma Polymerization of Tetrafluoroethylene
K. Nakajima, A. T. Bell, M. Shen, and M. M. Millard 2627

Phosphine-Based Flame Retardants for Polypropylene
C. Savides, A. Granzow, and J. F. Cannelongo 2639

Electrical Resistivity and ESCA Studies on Neutral Poly(alkylbenzimidazoles), Their Salts, and Complexes
S. M. Aharoni and A. J. Signorelli 2653

The Birefringence of Nitrocellulose Fibers and Pastes
T. J. Lewis 2661

Mechanical Properties of SBS Block Copolymers. II. Effect of Structure and Selective Solvent Casting on Stress–Strain Properties and Mechanical Hysteresis
N. K. Kalfoglou 2673

NH_3-Modified Swelling of Silica-Filled Silicone Rubber
P. Vondráček and M. Schätz 2681

Mie Scattering from Sphere Structures in Polymer Blends
Y. Uemura, K. Chikaishi, and T. Yamazaki 2695

The Radiation-Induced Emulsion Copolymerization of Vinyl Chloride with Vinyl Acetate in an Engineering Flow System
J. T. Tsai, E. P. Stahel, and V. T. Stannett 2701

The Effect of Thermal History and Strain Rate on the Mechanical Properties of Diethylenetriamine-Cured Bisphenol-A-Diglycidyl Ether Epoxies
R. J. Morgan 2711

Experimental Confirmation of Extent of Reaction at the Gel Point in a Polyisocyanurate
L. M. Alberino 2719

The Effect of Casting Solvent on the Sorption and Diffusion of Water Vapor in Poly(γ-methyl L-Glutamate)
N. Minoura and T. Nakagawa 2729

Transparent Fluorocarbon-Based Semi-II IPN Elastomers by High-Energy Radiation Methods
J. D. Lipko, H. F. George, D. A. Thomas, S. C. Hargest, and L. H. Sperling .. 2739

Kinetics of the Base-Catalyzed Reactions of Cyclo-octameric and Catenapolymeric Sulfur with Dithiol
B. K. Bordoloi and E. M. Pearce 2757

Effects of Gamma Radiation on Two Aromatic Polysulfones. II. A Comparison of Irradiation at Various Temperatures in Air-Vacuum Environments
J. R. Brown and J. H. O'Donnell 2763

The Chemistry and Development of Tannin/Urea–Formaldehyde Condensates for Exterior Wood Adhesives
A. Pizzi 2777

Pressure Drop Through a Tapered Die with Optimized Flow Characteristics
R. S. Lenk and G. Slater 2793

NOTES

On the Thermoelastic Effect and Configurational Entropy in Rubber-Like Solids
A. Trainor and J. N. Hay 2803

Skin/Core Morphology and Tensile Impact Strength of Injection-Molded Polypropylene
M. Fujiyama and K. Azuma 2807

An Anomolous Voltage Effect Observed During Melting and Crystallization of Poly(ethylene Oxide)
I. W. Gilmour, J. N. Hay, and A. Trainor 2813

Dilute Solution Viscosity of Polyacrylonitrile in *N,N*-Dimethylformamide
T. Ogawa and M. Sakai 2817

Stress–Strain Behavior of a Fractionated Cariflex SBS Rubber
M. E. Enyiegbulam and D. J. Hourston 2821

ERRATUM

Thermodynamic Interpretation of Solute–Polymers Interactions at Infinite Dilution
K. A. Karim and D. C. Bonner 2825

Information for Contributors 2827

ISSUE NO. 10, 15 MAY

Solubility of Polystyrene in Liquid Sulfur Dioxide
P. Albihn, K. Hedman, and J. Kubât 2829

Thermal Degradation of Polymers. XXI. Vacuum Pyrolysis of Poly(*m*-N,N-dimethylaminostyrene); the Products Volatile at Pyrolysis Temperature, Liquid at Room Temperature
T. S. Ellis and R. H. Still 2837

Thermal Degradation of Polymers. XXII. Vacuum Pyrolysis of Poly(*m*-N,N-dimethylaminostyrene); the Residue and the Fraction Volatile at Pyrolysis Temperature, Involatile at Room Temperature
T. S. Ellis and R. H. Still 2855

Thermal Degradation of Polymers. XXIII. Vacuum Pyrolysis of Poly(*p*-N,N-diethylaminostyrene); the Products Volatile at Pyrolysis Temperature, Liquid or Gaseous at Room Temperature
T. S. Ellis and R. H. Still 2871

Thermal Degradation of Polymers. XXIV. Vacuum Pyrolysis of Poly(*p*-N,N-diethylaminostyrene); the Residue and the Fraction Volatile at Pyrolysis Temperature, Involatile at Room Temperature
T. S. Ellis and R. H. Still 2881

γ Radiolysis of Cellulose Acetate
S. M. Ali and P. G. Clay 2893

The Dynamic Mechanical Properties of Oil-Extended, Carbon Black-Reinforced, and Peroxide-Crosslinked EPDM Rubber
L. F. Byrne and D. J. Hourston 2899

Interfacial Properties of Polyelectrolyte-Cellulose Systems. II. Electrokinetic Properties of Cellulose Fibers with Adsorbed Monolayers of Cationic Polyelectrolyte
F. Onabe 2909

Grafting of Methyl Methacrylate to Nitrocellulose by Ceric Ions
D. Sudhakar, K. S. V. Srinivasan, K. T. Joseph, and M. Santappa 2923

Use of Sorbyl Chloride–Osmium Staining for Fibrillar Measurements in Cotton Fibers
J. J. Hebert, T. P. Hensarling, T. J. Jacks, and R. J. Berni 2929

Studies of 2-Hydroxyethyl Methacrylate and Ethyl Acrylate Copolymers as Negative Photoresists
I. K. Varma and S. Patnaik 2933

Styrene Divinylbenzene-Based Strong Acid Ferromagnetic Cation Exchanger
H. K. Acharya and N. Krishnaswamy 2939

Hydroquinone, Polyvinyl Alcohol, Formaldehyde, and Acrylonitrile (HPFA)-Based Weak Acid Electron Exchangers
H. K. Acharya, N. Krishnaswamy, and B. D. Dasare 2945

Modification of a Few Anion Exchangers to Electron Exchangers
H. K. Acharya, N. Krishnaswamy, and B. D. Dasare 2951

Temperature Dependence of the Tensile Strength of Glass Fiber–Epoxy and Glass Fiber–Unsaturated Polyester Composites
M. Miwa, A. Nakayama, T. Ohsawa, and A. Hasegawa 2957

Polymer Alloy Membrane. I. Cellulose Acetate–Poly(Bromophenylene Oxide Phosphonate) Dense and Asymmetric Membranes
I. Cabasso and C. N. Tran 2967

Structure and Properties of Copolymers of Vinylcyclohexane and α-Methylvinylcyclohexane with Acrylonitrile
G. B. Kharas, V. I. Kleiner, L. L. Stotskaya, G. P. Karpacheva, B. A. Krentsel, M. A. Dzyubina, N. A. Nechitailo, S. D. Artamonova, I. A. Litvinov, V. F. Chirkova, and L. D. Volkova 2989

Interfacial Properties of Polyelectrolyte-Cellulose Systems. III. Theoretical Model for the Electrokinetic Behavior of Cellulose Fibers with Adsorbed Monolayers of Cationic Polyelectrolyte
F. Onabe 2999

Studies of Porous Polymer Gels. I. One-Step Suspension Technique for Preparation of Moderately Crosslinked Methacrylic Acid Gels
H. Galina and B. N. Kolarz 3017

Diffusion Coefficient in Polymer Solutions
D. Singh and K. D. P. Nigam 3021

The Manganic Hydroxide–Hydrazine System as an Initiator of Vinyl Polymerization. IV. The Emulsion Polymerization of Methyl Methacrylate
A. Rahman and C. W. Brown 3027

Identification of the Active Species in the Suppression of Postirradiation Conductivity in Polystyrene Films for Dosimeter Application
M. J. Kelly, W. W. Parkinson, and I. O. Salyer 3033

Some Aspects of the Estimation of $\overline{M}_n$ by Vapor Pressure Osmometry
I. Kuchařiková 3041

Dyeing Properties of Poly(Methyl Vinyl Pyridine)-Poly(Ethylene Terephthalate) Graft Copolymers
A. Hebeish, S. E. Shalaby, and A. M. Bayazeed 3051

Behavior of Chemically Modified Cellulose Towards Dyeing. IV. Dyeability of Poly(Methyl Vinyl Pyridine)-Cellulose Graft Copolymers Before and After Treatment with Epichlorohydrin
A. Hebeish, E. M. Khalil, A. Waly, and M. H. El-Rafie 3061

Characterization of Multicomponent Polyethylene Blends by Differential Scanning Calorimetry
A. A. Donatelli 3071

Low Peclet Number Heat Transfer for Power Law Non-Newtonian Fluid With Heat Generation
V.-D. Dang 3077

Melt Spinning of Fibers: Effect of Air Drag
Y. D. Kwon and D. C. Prevorsek 3105

Influence of Thermosetting and Drying on Shrinkage, Tenacity, and Elongation of Acrylic Fibers
A. I. Stoyanov 3123

Elastic Moduli of Glassy Polymers at Low Strains
I. W. Gilmour, A. Trainor, and R. N. Haward 3129

NOTES

Grafting Polystyrene onto Sorbate-Modified Titanium Dioxide
T. Nakatsuka, H. Kawasaki, K. Itadani, and S. Yamashita 3139

ERRATUM

Flocculation of Dispersions by Preferential Adsorption of Solvents from Polymer Solution
T. Sato 3143

Information for Contributors 3145

Issue No. 11, 1 June

Transverse NMR Relaxation of Water in Wood
M. T. Riggin, A. R. Sharp, R. Kaiser, and M. H. Schneider 3147

Estimation of the Reactivity Ratios in the Copolymerization of Acrylic Acid and Acrylamide from Composition–Conversion Measurements by an Improved Nonlinear Least-Squares Method
S. M. Shawki and A. E. Hamielec 3155

Quantitative Analysis of Copolyamides and Copolyesters by Gas Chromatography
R. Warthen, A. S. Schuler, and R. W. Lenz 3167

Polymer Systems in Geothermal Applications
A. Zeldin, L. E. Kukacka, and N. Carciello 3179

Preparation and Structures of the Poly(vinyl chloride) Porous Membranes
S. Hirose, A. Shimizu, and T. Nose 3193

Anisotropy and Dimensional Stability of Biaxially Oriented Poly(ethylene Terephthalate) Films
B. F. Blumentritt 3205

Effects of Alkalinity on Endwise Depolymerization of Hydrocellulose
Y.-Z. Lai and D. E. Ontto 3219

Elastomeric Electron Beam-Cured Coatings: Structure–Property Relationships. I. Oligomer Structure
W. Oraby and W. K. Walsh 3227

Elastomeric Electron Beam-Cured Coatings: Structure–Property Relationships. II. Chain Transfer Agents
W. Oraby and W. K. Walsh 3243

Kinetic Studies on Copolycondensation Processes. V. Investigations on Sequence Distribution of Fully Aromatic Copolyester by PMR Spectroscopy
M. Matlengiewicz, M. Gibas, and E. Turska 3255

Lignocellulose–Polymer Composite. I
A. Nagaty, A. B. Mustafa, and O. Y. Mansour 3263

A Kinetic Model for Pyrolysis of Cellulose
A. G. W. Bradbury, Y. Sakai, and F. Shafizadeh 3271

Ozone Treatment of Water-Soluble Polymers. IV. Ozone Degradability of Water-Soluble Polymers
J. Suzuki, N. Taumi, S. Suzuki 3281

Influence of Shearing History on the Rheological Properties and Processability of Branched Polymers. II. Optical Properties of Low-Density Polyethylene Blown Films
M. Rokudai, S. Mihara, and T. Fujiki 3289

Influence of Shearing History on the Rheological Properties and Processability of Branched Polymers. III. An Amorphous Long-Chain Branched Polymer
M. Rokudai and T. Fujiki 3295

Epoxidation of Styrene–Butadiene Block Polymers. I
K. Udipi 3301

Epoxidation of Styrene–Butadiene Block Polymers. II
K. Udipi 3311

The Effect of Shear Rate on the Molecular Weight Determination of Acrylamide Polymers from Intrinsic Viscosity Measurements
S. M. Shawki and A. E. Hamielec 3323

Estimation of Transfer Constants in the Aqueous Solution Polymerization of Acrylamide with Potassium Persulfate Initiator
S. M. Shawki and A. E. Hamielec 3341

Epoxy Resins. I. The Stability of the Epoxy–Trimethoxyboroxine System
S. C. Lin and E. M. Pearce 3355

Study of the Effect of Regrinding on the Cumulative Damage to the Mechanical Properties of Fiber-Reinforced Nylon 66
H. W. H. Yang, R. Farris, and J. C. W. Chien 3375

Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. V. Studies on Molecular Weight Distribution of Copolymer
I. Ishigaki, Y. Morita, K. Nishimura, N. Morishita, and A. Ito 3383

Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. VI. Studies on Copolymer Composition
Y. Morita, I. Ishigaki, M. Kumakura, Y. Watanabe, and A. Ito 3395

Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. VII. Treatment of Copolymer after Polymerization
Y. Morita, I. Ishigaki, K. Nishimura, and A. Ito 3411

Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. VIII. Mechanical Properties of Copolymer
Y. Morita, I. Ishigaki, Y. Watanabe, T. Aramaki, and A. Ito 3421

NOTES

Effect of Chain-End-Initiated Depolymerization in Alkaline Solution (Peeling) on the Molecular Weights of Amylose and Hydroamylose (Amylodextrin)
I. Ziderman and J. Belayche 3427

Information for Contributors 3431

ISSUE NO. 12, 15 JUNE

The Beta Relaxation in Epoxy Resin-Based Networks
J. G. Williams 3433

Polymers with Pendant Isocyanate Groups. III. Synthesis and Properties of Poly(styrene-co-Acrylonitrile-co-Styrylisocyanate)
A. Liebersohn and D. H. Kohn 3445

Plasma Polymerization of Tetrafluorethylene. II. Capacitive Radio Frequency Discharge
N. Morosoff, H. Yasuda, E. S. Brandt, and C. N. Reilley 3449

Plasma Polymerization of Tetrafluoroethylene. III. Capacitive Audio Frequency (10 kHz) and AC Discharge
N. Morosoff, H. Yasuda, E. S. Brandt, and C. N. Rielley 3471

Studies of Liquid-Induced Crystallization of Bisphenol A Polycarbonate
E. Turska and W. Benecki 3489

GPC: Use of Automatic Weighing to Determine Elution Volumes
G. A. Moebus, J. A. Crowther, E. G. Bartick, and J. F. Johnson 3501

Room Temperature-Vulcanized Silicone Elastomer: Effect of Curing Conditions and the Nature of Filler on Mechanical and Thermal Properties
P. Bajaj, G. N. Babu, D. N. Khanna, and S. K. Varshney 3505

Compositional Variation as a Function of Elution Volume in Gel Permeation Chromatography of Copolymers and Physical Blends
T. Ogawa 3515

Production of Levoglucosan and Glucose from Pyrolysis of Cellulosic Materials
F. Shafizadeh, R. H. Furneaux, T. G. Cochran, J. P. Scholl, and Y. Sakai 3525

Polyimide Fibers: Structure and Morphology
R. N. Goel, A. Hepworth, B. L. Deopura, I. K. Varma, and D. S. Varma 3541

Composition Analysis of Crosslinked Styrene–Ethylene Dimethacrylate and Styrene–Divinylbenzene Copolymers by Raman Spectroscopy
J. Štokr, B. Schneider, A. Frydrychová, and J. Čoupek 3553

The Influence of Reactor Conditions, Antioxidant, and Processing on the Degradation of LDPE
C. Bergström, J. Brenner, and P. Stenius 3563

Kinetics and Mechanism of the Alkali-Catalyzed *p*-Cresol–Formaldehyde Reaction
H. C. Malhotra and V. Kumar 3575

The Effect of Transition Metal Stearates on the Photodegradation of Polyethylene
Z. Osawa, N. Kurisu, K. Nagashima, and K. Nakano 3583

ESR Studies of the Photodegradation of Cellulose Graft Copolymers
D.N.-S. Hon 3591

Crystallization of Cyclic Oligomers on the Surface of Nylon 6 Fibers
Y. Fujiwara and S. H. Zeronian 3601

Bis(diisopropyl)thiophosphoryl Sulfides in Vulcanization Reactions
J. G. Pimblott, G. Scott, and J. E. Stuckey 3621

Gel Permeation Chromatography Using Controlled-Porosity Glass. I. Polyacrylamide–Formamide Solution
N. Onda, K. Furusawa, N. Yamaguchi, and S. Komuro 3631

Impact Resistance and Secondary Transitions
B. Hartmann and G. F. Lee 3639

Composite Reverse Osmosis Membranes Prepared by Plasma Polymerization of Allylamine. Evaluation of Membrane Performance for the Treatment of Washwater and Its Components
P. V. Hinman, A. T. Bell, and M. Shen 3651

Diffusion of Hydrocarbons in Rubber, Measured by the Pulsed Gradient NMR Method
E. von Meerwall and R. D. Ferguson 3657

Author Index 3671

Subject Index 3683

Volume Title Page i

Volume Contents iii

Author Index to Volume 24

Ai, B. See Sar, C. 503
Akimoto, N. See Ohya, H., 663
Alexandru, L. See Novotny, V., 1321
Alvino, W. M.
Polybutadiene Adhesive Compositions, 735
Ando, T. See Tokiwa, Y., 1701
Apte, S. M. See Han, C. D., 61
Arai, Y. See Tai, K., 211
Araki, K. See Omichi, H., 2311
Arnold, F. E. See Hedberg, F. L., 763
Arthur, J. C., Jr. See Harris, J. A., 201, 1767; Reinhardt, R. M., 147, 1691, 1739
Asano, M. See Omichi, H., 2311
Asanuma, Y. See Kunugi, T., 923
Ayare, D. S. See Venkataraman, A., 601

Baalbaki, Z.
—; Prud'homme, R. E.: Properties of Polyacrylonitrile–Cellulose Blends (Note), 887
Badran, A. S. See Rabie, A. M., 417
Bagley, E. B. See Baker, E. C., 135, 1775
Baker, E. C.
—; Moosemiller, M. D.; Mustakas, G. C.: Computer Optimization of Reverse Osmosis Processing of Soy Whey with Cellulose Acetate Modules, 749
—; Mustakas, G. C.; Moosemiller, M. D.; Bagley, E. B.: Water and Solute Transport Across Cellulose Acetate Membranes in the Treatment of Soybean Whey by Reverse Osmosis, 135
—; Mustakas, G. C.; Moosemiller, M. D.; Bagley, E. B.: Water and Solute Transport Across Cellulose Acetate Membranes in the Treatment of Soybean Whey by Reverse Osmosis (Erratum), 1775
Ballman, R. L. See Southern, J. H., 693
Banerjee, B.
—; Chakravarty, S. N.; Kamath, B. V.; Biswas, A. B.: Thiuram Vulcanization of Natural Rubber in the Presence of Hydrofuramide and Ethanolamines, 683
Barkakaty, B. C.
—; Robson, A.: Polymer Deposition in Sisal Fibers: A Structural Investigation, 269
Barlow, J. W. See Cruz, C. A., 2101, 2399
Barrera, A. See Belmares, H., 1531
Barrie, J. A. See Spencer, H. G., 1391
Bayer, R. G. See Sacher, E., 1503
Beard, C. D. See Stewart, D. D., 115
Beggiato, G. See Bortolus, P., 285
Belfer, S.
—; Glozman, R.: Anion Exchange Resins Prepared from Polystyrene Crosslinked Via a Friedel–Crafts Reaction, 2147
Belmares, H.
—; Barrera, A.: Polymerization Studies of Creosote Bush (*Larrea tridentata*) Phenolic Resin with Formaldehyde, 1531
Beret, S.
—; Hager, S. L.: Ethylene Solubility and Diffusion in Low-Density Polyethylene and Ethylene Copolymers, 1787
Bersted, B. H.
Effect of Molecular Weight Distribution on Elongational Viscosity of Undiluted Polymer Fluids, 671
Entanglement Network Model Relating Tensile Impact Strength and the Ductile-Brittle Transition to Molecular Structure in Amorphous Polymers, 37
Billingham, N. C. See Calvert, P. D., 357
Biswas, A. B. See Banerjee, B., 683
Bohan, J. J. See Stewart, D. D., 115
Bonner, W. H.
—; Fish, F. H., Jr.; Webb, M. Q.: Pneumacel: Basic Technology and Applications, 89
Bortolus, P.
—; Minto, F.; Beggiato, G.; Lora, S.: Photochemical Behavior of Poly(Organophosphazenes). I. Poly[Bis(*p*-Tolylamino)]Phosphazene, 285
Boudreaux, E., Jr.
—; Cuculo, J. A.: Flow Visualization of Cellulose Acetate–Acetone Solutions, 475
Bowmer, T. N.
—; Cowen, L. K.; O'Donnell, J. H.; Winzor, D. J.: Degradation of Polystyrene by Gamma Irradiation: Effect of Air on the Radiation-Induced Changes in Mechanical and Molecular Properties, 425
Brito, H. See Springer, J., 329
Brodman, B. W.
—; Schwartz, S.; Devine, M. P.: Benzoates as Deterrents for Small Arms Propellants, 2025
Brody, H.
Tensile Properties of Drawn Polyethylene Terephthalate Fibers Compared with Fibers Spun at High Windup Speeds (Note), 301
Brookstein, D.
On the Mechanics of Draw Texturing (Erratum), 311
Bryant, Y. G.
—; Murayama, T.: Relation Between Dynamic Mechanical Properties and Dye Diffusion Behavior in Acrylic Fibers from Polymer Blends, 2389
Burge, D. E.
Calibration of Vapor Pressure Osmometers for Molecular Weight Measurement, 293
Burghoff, H.-G.
—; Pusch, W.: A Model of Physical Adsorption of Gases, 1479
Burns, C. M. See Habert, A. C., 489, 801
Burr, R. C. See Fanta, G. F., 2015
—; Fanta, G. F.; Doane, W. M.: Graft Polymerization of Starch with Mixtures of Acrylonitrile and 2-Acrylamido-2-Methylpropanesulfonic Acid (Note), 1387

Calvert, P. D.
—; Billingham, N. C.: Loss of Additives from Polymers: A Theoretical Model, 357
Campbell, G. A.
Compressive Creep of Flexible Polyurethane Foam, 709
Capka, M. See Vondracek, P., 1619
Carciello, N. See Zeldin, A., 1759
Carciello, N. R. See Zeldin, A. N., 455
—; Zeldin, A. N.; Kukacka, L. E.: An Alternate Method of Preparing Polymer Concrete From Mixtures of Liquid and Solid Monomers (Note), 2191
Caspary, R.
—; Heske, J.: "Dry Latex." A New Method for the Preparation of Rubber-Filler Powders, 345
Castonguay, J. See Gilbert, R., 125
Chakravarty, S. N. See Banerjee, B., 683
Chan, A. H.
—; Paul, D. R.: Influence of History on the Gas Sorption, Thermal, and Mechanical Properties of Glassy Polycarbonate, 1539

Chang, E. P.
—; Kirsten, R.; Salovey, R.: The Effect of Additives on Impact Poly(Vinyl Chloride), 827
Chang, S-P.
—; Miwa, T. K.: Allyl Esters of Crambe-Derived Long-Chain Fatty Acids and Their Polymers, 441
Chanzy, H. See Goring, D. A. I., 931
Chaudhuri, M. See Swaminathan, T., 1581
Chaudhuri, N. K.
—; Singh, L. P.: Effect of Prior High-Pressure Treatment on Nylon 6 Films: Swelling and Other Studies, 2243
Chen, R.
—; Kokta, B. V.; Valade, J. L.: Graft Copolymerization of Lignosulfonate and Styrene, 1609
Cheung, P-S. R.
—; Roberts, C. W.; Wagener, K. B.: Synthesis, Photodegradation, and Energy Transfer in a Series of Poly(ethylene Terephthalate–*co*–2,6-Naphthalenedicarboxylate) Copolymers, 1809
Chew, C. H. See Gan, L. M., 371
Chiang, A. S. T.
—; Thompson, R. W.: Stability of Continuous Emulsion Polymer Reactors, 1935
Chou, L-P. H. See Piirma, I., 2051
Conde, A. See Devia, N., 569
Cowen, L. K. See Bowmer, T. N., 425
Critchfield, F. E. See Zdrahala, R. J., 2041
Cruz, C. A.
—; Paul, D. R.; Barlow, J. W.: Polyester–Polycarbonate Blends. V. Linear Aliphatic Polyesters, 2101
—; Barlow, J. W.; Paul, D. R.: Polyester–Polycarbonate Blends. VI. Branched Aliphatic Polyesters, 2399
Cuculo, J. A. See Boudreaux, E., Jr., 475

Devia, N.
—; Manson, J. A.; Sperling, L. H.; Conde, A.: Simultaneous Interpenetrating Networks Based on Castor Oil Elastomers and Polystyrene. V. Behavioral Trends and Analysis, 569
Devine, M. P. See Brodman, B. W., 2025
Dickson, J. M.
—; Lloyd, D. R.; Huang, R. Y. M.: Ionically Crosslinked Poly(acrylic Acid) Membranes. III. Reverse Osmosis Results for Dry Cast Membranes, 1341
Dill, T. J. See Saam, J. C., 187
Ditter, J. F. See Kesting, R. E., 1439
Doane, W. M. See Burr, R. C. , 1387; Fanta, G. F., 2015; Rayford, W. E., 105; Stout, E. I., 153
Dogra, R. See Misra, B. N., 1595
Doolittle, A. K.
A *VSE* Equation of State for Liquids. V. Poly(tetrafluoroethylene), 600–725 K, 1329
Dougasaki, S. See Ogata, N., 837
Doyle, J. F.
Mechanical and Optical Characterization of a Photoviscoplastic Material, 1295
Durbin, D. P.
—; El-Aasser, M. S.; Poehlein, G. W.; Vanderhoff, J. W.: Influence of Monomer Preemulsification on Formation of Particles from Monomer Drops in Emulsion Polymerization, 703
Dusek, K. See Rosovizky, V. F., 1007
Dutta, A.
—; Ryan, M. E.: Effect of Fillers on Kinetics of Epoxy Cure, 635
Dweltz, N. E. See Patel, N. C., 547

Efendiev, A. A. See Kabanov, V. A., 259
Eisenberg, A. See Takamatsu, T., 2199, 2221
Eisenberg, W. See Giori, C., 2323
El-Aasser, M. S. See Durbin, D. P., 703
El-Aref, A. T. See Hebeish, A., 2071
El-Azmirly, M. A. See Zahran, A. H., 1723, 1875
Ellison, M. S. See Zeronian, S. H., 1497
El-Rafie, M. H. See Hebeish, A., 385, 2071
Elsabee, M. Z. See Zahran, A. H., 1723, 1875
Engel, P. A. See Sacher, E., 1503
England, G. J. See Noren, G. K., 2369

Falender, J. R. See Saam, J. C., 187
Fang, P. See Wilson, W. W., 2195
Fanta, G. F. See Burr, R. C. , 1387
—; Burr, R. C.; Doane, W. M.: Graft Polymerization of Acrylamide and 2-Acrylamido-2-methylpropanesulfonic Acid onto Starch, 2015
Fanter, D. L. See Levy, R. L., 1643
Ferreira, D. See Pizzi, A., 1571
Fish, F. H., Jr. See Bonner, W. H., 89
Flodin, P. See Rabek, J. F., 2407
Foksova, A. See Mandik, L., 395
Foltyn, J. See Mandik, L., 395
Fontana, J. J. See Zeldin, A. N., 455
Fornes, R. E. See Fuller, R. T., 1383
Franklin, W. E.
—; Rowland, S. P.: Effects of Phosphorus-Containing Flame Retardants on Pyrolysis of Cotton Cellulose, 1281
Fricke, A. L. See Pusatcioglu, S. Y., 937, 947
Fujimura, T. See Iwakura, K., 975
Fujiwara, Y. See Minoura, N., 965
Fuller, R. T.
—; Sherrow, S.; Fornes, R. E.; Memory, J. D.: Hydrogen Exchange Between Water and Epoxy Resin (Note), 1383
Fuzes, L.
Statistical Methods for Comparing GPC Curves, 405

Gabrielyan, G. A. See Shalabi, S. E., 19
Galina, H.
—; Kolarz, B. N.: Studies of Porous Polymer Gels. III. Swelling Behavior of Porous Poly(Methacrylic Acid) Gels, 901
—; Kolarz, B. N.: Studies of Porous Polymer Gels. II. Structure and Porosity of Moderately Crosslinked Poly(Methacrylic Acid) Gels, 891
Gan, L. M.
—; Chew, C. H.: Vulcanization of Butyl Rubber by *p*–Quinone Dioxime Dibenzoate, 371
Gancet, C. See Goring, D. A. I., 931
Gandhi, K. S. See Ravindranath, K., 1115
Gardner, R. J.
—; Martin, J. R.: Humid Aging of Plastics: Effect of Molecular Weight on Mechanical Properties and Fracture Morphology of Polycarbonate, 1269
Garrett, R. W.
—; O'Donnell, J. H.; Pomery, P. J.; Shum, E. C.: Radiation Degradation of Polystyrene/Poly(methyl Methacrylate) Blends (Note), 2415
Gehr, T. W. B. See Peppas, N. A., 2159
Gerkin, R. M. See Zdrahala, R. J., 2041
Gilbert, R.
—; Castonguay, J.; Theoret, A.: Degradation of Polymers Subjected to Radio-Frequency Discharges in SF_6, 125
Gildert, G. R.
—; Matsuura, T.; Sourirajan, S.: Effect of Different Alcohol-Water Mixtures as Gelation Mediums during Formation of Cellulose Acetate Reverse Osmosis Membranes (Note), 305
Giori, C.
—; Eisenberg, W.; Yamauchi, T.; Shelfo, S.; Solomon, I.: Synthesis of Thermosetting Polymers from the By-products of Coal Conversion Processes, 2323
Glozman, R. See Belfer, S., 2147
Goel, R. N.
—; Varma, I. K.; Varma, D. S.: Preparation and Properties of Polyimide Fibers, 1061
Gonzalez-Gonzalez, V.
A Study of PVC Stabilization with Epoxides Using Dynamic pH Determinations, 1777
Goring, D. A. I.
—; Vuong, R.; Gancet, C.; Chanzy, H.: The Flatness of Lignosulfonate Macromolecules as Demonstrated by Electron Microscopy, 931

Goswami, D. N.
Dielectric Behavior of the Constituents of the Natural Resin Shellac, 1977
Goto, K. See Iida, T., 1917
Goynes, W. R. See Harris, J. A., 201

Habert, A. C.
—; Huang, R. Y. M.; Burns, C. M.: Ionically Crosslinked Poly(acrylic Acid) Membranes. I. Wet Technique, 489
—; Burns, C. M.; Huang, R. Y. M.: Ionically Crosslinked Poly(acrylic Acid) Membranes. II. Dry Technique, 801
Hager, S. L. See Beret, S., 1787; Zdrahala, R. J., 2041
Hagiwara, M. See Omichi, H., 2311
Halary, J. L.
—; Noel, C.; Monnerie, L.: Analysis of Transport Phenomena in Cellulose Diacetate Membranes. I. Relation Between Dialysis Coefficients and Membrane Morphology and Hydration, 985
Han, C. D.
—; Rao, D. A.: Measurement of the Rheological Properties of Thermoplastic Elastomers, 225
—; Apte, S. M.: Studies on Melt Spinning. VIII. The Effects of Molecular Structure and Cooling Conditions on the Severity of Draw Resonance, 61
Harada, H. See Suzuki, J., 999
Harris, J. A.
—; Arthur, J. C., Jr.; Goynes, W. R.: Flame Resistant Cotton by Photoinitiated Graft Copolymerization, 201
—; Arthur, J. C., Jr.: Photoinitiated Polymeric Encapsulation of Cotton Fibers (Note), 1767
Hashimoto, M. See Kishimoto, Y., 465; Kunugi, T., 923, 1039
Hashiyama, M. See Takamatsu, T., 2199
Hassler, J. C. See Pusatcioglu, S. Y., 937, 947
Hayashi, T. See Kishimoto, Y., 465
Hayashi, Y. See Shiraishi, N., 2347
Hearle, J. W. S.
—; Sparrow, J. T.: Mechanics of the Extension of Cotton Fibers. I. Experimental Studies of the Effect of Convolutions, 1465
—; Sparrow, J. T.: Mechanics of the Extension of Cotton Fibers II. Theoretical Modeling, 1857
Hebeish, A.
—; Moursi, A. Z.; Waly, A.; El-Rafie, M. H.: Dyeing of Chemically Modified Cellulose. IV. Dyeing of Oxidized Celluloses with Some Reactive and Direct Dyes, 385
—; El-Rafie, M. H.; Kamel, M. M.; El-Aref, A. T.: Improving Soil-Release Properties of Easy-Care Cotton via Chemical Modification (Note), 2071
Hedaya, E. See Stewart, D. D., 115
Hedberg, F. L.
—; Arnold, F. E.: New Acetylene-Terminated Phenylquinoxaline Oligomers, 763
Heilmann, S. M.
—; Smith, H. K., II: Acrylic-Functional Aminocarboxylic Acids and Derivatives as Components of Pressure-Sensitive Adhesives, 1551
Heske, J. See Caspary, R., 345
Hinachi, C. See Takehisa, M., 853
Hinch, J. C.
—; Stevens, M. P.: Reaction of Maleimidomethylated Polystyrene with Hexachlorocyclopentadiene (Note), 1771
Hinojosa, O. See Reinhardt, R. M., 1691
Hiromoto, Y. See Yokouchi, M., 1965
Hirotsu, T.
Some Surface Properties of Plasma Polymers Prepared from Hexamethyldisilazane and Diethylaminotrimethylsilane, 1957
Hjermstad, H. P.
Solubility and Diffusivity of Bis-(2-Chloroethyl)Sulfide in Polypropylene, 1885
Hofferbert, W. L., Jr. See Preston, J., 1109
Horak, R. M. See Pizzi, A., 1571
Horn, W. See Sugama, T., 2121
Horska, J.
—; Stejskal, J.; Kratochvil, P.: Refractive Index Increments of Polyethylene, 1845
Hrouz, J. See Rosovizky, V. F., 1007
Huang, L-C. See Lin, C-C., 1169
Huang, R. Y. M. See Dickson, J. M., 1341; Habert, A. C., 489, 801

Iida, T.
—; Goto, K.: Stabilization of Poly(vinyl Chloride). IV. Color Changes on Heating Poly(vinyl Chloride)–Dye Systems, 1917
Iisaka, K.
—; Shibayama, K.: Mechanism of Solvent Crazing in Unmodified and Rubber-Modified Polystyrenes, 2113
Ilavsky, M. See Rosovizky, V. F., 1007
Inagaki, N.
—; Katsuura, K.: Copolymerization of Ethylene Chlorophosphonite with 2-Phenyl-1,3-Dioxolane and Its Flame-Retardant Effect on Polyester Fabric, 249
—; Shintani, T.; Kunisada, H.; Katsuura, K.: New Attempt at Flame-Retardation of Polyester/Cotton Fabric Blends, 1
Ishigaki, I. See Okada, T., 1713
Isobe, Y. See Kunugi, T., 923
Itadani, K. See Nakatsuka, T., 1985
Iwakura, K.
—; Fujimura, T.: Melt Rheology of Ionomer Filled with Methyl Methacrylate–Grafted Perlite, 975

Jackson, K. F. See Kesting, R. E., 1439
Joshi, R. M.
A Carboxylic Rubber from Polyethylene (Note), 595
Jozefonvicz, J. See Morel, G., 771

Kabanov, V. A.
—; Orujev, D. D.; Efendiev, A. A.: Complex-Forming Polymeric Sorbents with Macromolecular Arrangement Favorable for Ion Sorption, 259
Kaeriyama, K.
Heavy Metal Ion Adsorbents Having Thioamide Groups, 1205
Kaetsu, I. See Okubo, H., 161
—; Yoshida, M.: New Coating Materials and Their Preparation by Radiation Polymerization. III. Antifogging Coating Composition, 235
—; Yoshida, K.; Okubo, H.: Preparation of Fresnel Lenses by Radiation Cast Polymerization, 1515
Kagiyama, Y.
—; Shikata, K.; Mizutani, Y.: Copolymerization of Styrene-m-Divinylbenzene in the Presence of Poly(vinyl Chloride) (Erratum), 1395
Kalir, R. See Warshawsky, A., 1125
Kamath, B. V. See Banerjee, B., 683
Kambanis, S. M. See Rybicky, J., 1523
Kamel, M. M. See Hebeish, A., 2071
Kamezawa, M.
—; Yamada, K.; Takayanagi, M.: Preparation of Ultrahigh Modulus Isotactic Polypropylene by Means of Zone Drawing, 1227
Kasatani, H. See Nakamura, S., 51
Katsuura, K. See Inagaki, N., 1, 249
Kaufman, J. See Paciorek, K. J. L., 1397
Kaur, I. See Misra, B. N., 1595
Kawakami, W. See Takehisa, M., 853, 865
Kawasaki, H. See Nakatsuka, T., 1985
Keenan, J. D.
—; Seferis, J. C.; Quinlivan, J. T.: Effects of Moisture and Stoichiometry on the Dynamic Mechanical Properties of a High-Performance Structural Epoxy, 2375
Kesting, R. E.
—; Ditter, J. F.; Jackson, K. F.; Murray, A. S.; Newman, J. M.: DRY-RO Membranes From Cellulose Acetate Carbamates, 1439
Kimura, K. See Kunugi, T., 923
Kirsten, R. See Chang, E. P., 827
Kishimoto, Y.
—; Hayashi, T.; Hashimoto, M.; Ohshima, T.: Polymer Film-Type Channel Electron Multipliers: Their Characteristics and Comparison with Bulk-Type Flexible Multipliers, 465

Kishore, K.
—; Verneker, V. R. P.; Vasanthakumari, R.: Curing Reactions in Plastic Prepolymers and Propellants. I. Polystyrene, 1603
—; Prasad, G.; Verneker, V. R. P.: Mechanism of the Oxidative Degradation of Binder During the Aging of Composite Solid Propellant (Note), 589
Kobayashi, A.
—; Ohtani, N.: Instantaneous Crack Resistance during Crack Propagation in a Viscoelastic Solid, 2255
Kobayashi, Y. See Yokouchi, M., 29, 1965; Yoshida, H., 2277
Kodama, A. See Takehisa, M., 1831
Kojima, K.
—; Yoshikuni, M.; Suzuki, T.: Tributylborane-Initiated Grafting of Methyl Methacrylate onto Chitin, 1587
Kokta, B. V. See Chen, R., 1609
Kolarik, J.
Dynamic Mechanical Behavior of Chlorosubstituted Derivatives of Poly(ethyl Methacrylate) and Poly(ethyl Acrylate), 1565
Kolarz, B. N. See Galina, H., 891, 901
Konsulov, V. See Mircheva, V., 1165
Korpi, G. K. See Noren, G. K., 2369
Kostov, G. K. See Matsuda, O., 1053
Kpestev, V. P. See Stoyanov, A. I., 583
Kratochvil, P. See Horska, J., 1845
Kratz, R. F. See Plazek, D. J., 1305
Kratzer, R. H. See Paciorek, K. J. L., 1397
Krishnamurthy, V. N. See Thomas, T. J., 1797
Kukacka, L. E. See Carciello, N. R., 2191; Sugama, T., 2121; Zeldin, A., 1759; Zeldin, A. N., 455
Kulshreshtha, A. K.
A Study on the Further Acetylation of SPA Cotton (Note), 1139
Kunisada, H. See Inagaki, N., 1
Kunugi, T.
—; Watanabe, H.; Hashimoto, M.: Dynamic Mechanical Properties of Poly(*p*-phenyleneterephthalamide) Fiber, 1039
—; Isobe, Y.; Kimura, K.; Asanuma, Y.; Hashimoto, M.: Stress Relaxation of Oriented Nylon 6 Fibers, 923
Kuribara, H. See Shimada, M., 1017
Kurihara, H. See Takehisa, M., 865, 1831
Kurokawa, T. See Tsujimoto, I., 2289, 2303
Kwiatkowski, G. T. See Stewart, D. D., 115

Larsen, F. See Penn, L., 599
Lautenschlaeger, F. K.
—; Myhre, M.: Classification of Properties of Elastomers Using the "Optimum Property Concept." I. Introduction, 605
Lee, B-L.
—; Singleton, C.: Experimental Study of the Relationship of Processing to the Morphology in Blends of SBR and *cis*-Polybutadiene with Carbon Black, 2169
Levy, R. L.
—; Fanter, D. L.; Summers, C. J.: Spectroscopic Evidence for Mechanochemical Effects of Moisture in Epoxy Resins, 1643
Lin, C-C.
—; Yu, P-C.; Huang, L-C.: The Kinetics of Polyesterifications. IV. Polyol from BHET and Adipic Acid and its Urethanes, 1169
Lipatov, Yu. S. See Rosovizky, V. F., 1007
Liu, D. D.
—; Prausnitz, J. M.: Thermodynamics of Gas Solubilities in Molten Polymers, 725
Lloyd, D. R. See Dickson, J. M., 1341
Lora, S. See Bortolus, P., 285
Luston, J.
—; Manasek, Z.; Samuhelova, Z.: Effect of Washing on the Photo-oxidation Resistance of Stabilized Polypropylene Fibers, 2005

Machi, S. See Matsuda, O., 1053; Okada, T., 1713; Takehisa, M., 853, 865, 1831; Watanabe, T., 1237
MacRury, T. B.
—; McConnell, M. L.: Measurement of the Absolute Molecular Weight and Molecular Weight Distribution of Polyolefins using Low-Angle Laser Light Scattering, 651
Maeda, Y. See Takigami, S., 1419, 1429
Maher, G. G.
Grafting Starch Xanthate with Vinyl Monomers and Hydrogen Peroxide in Foam Rubber Production, 9
Majewska, Z. See Nierzwicki, W., 1089
Manasek, Z. See Luston, J., 2005
Mandik, L.
—; Foksova, A.; Foltyn, J.: Gel Permeation Chromatography of Poly(dimethyl siloxane). I. The Universal Calibration, 395
Manjunath, B. R. See Venkataraman, A., 601
Manson, J. A. See Devia, N., 569
Marineau, Y. See Schreiber, H. P., 1925
Martin, J. R. See Gardner, R. J., 1269
Maruyama, S. See Takehisa, M., 1831
Maruyama, Y. See Takehisa, M., 865, 1831
Matsuda, H.
—; Minoura, Y.: Ionic Crosslinking of Carboxyl-Terminated Liquid Rubbers with Metal Oxides, 811
Matsuda, O. See Watanabe, T., 1237
—; Kostov, G. K.; Tabata, Y.; Machi, S.: Radiation-Induced Copolymerization of α,β,β-Trifluoroacrylonitrile with α-Olefin, 1053
Matsumoto, I. See Shimada, M., 1017
Matsunaga, T. See Shiraishi, N., 2347, 2361
Matsuura, T. See Gildert, G. R., 305
Matsuzaki, K. See Nakamura, S., 51
McConnell, M. L. See MacRury, T. B., 651
McGinnis, G. D. See Wilson, W. W., 2195
Meic, Z. See Trbojevic-Gobac, S., 1101
Memory, J. D. See Fuller, R. T., 1383
Messadi, D.
—; Vergnaud, J-M.: Quick Identification and Analysis of Plasticizers in PVC by Programmed-Temperature Gas Chromatography Using the Best Stationary Phases, 1215
Mettler, C. M. See Saam, J. C., 187
Millard, M. M. See Thorsen, W. J., 523
Miller, G. G.
—; Patel, G. N.: Copolymerization of Diacetylenes in the Crystalline Solid State. A Method for Recording Latent Fingerprints (Note), 883
Miller, W. R., Jr. See Plazek, D. J., 1305
Minoura, N.
—; Fujiwara, Y.; Nakagawa, T.: Permeability of Synthetic Poly(amino Acid) Membranes to Oxygen Dissolved in Water, 965
Minoura, Y. See Matsuda, H., 811
Minto, F. See Bortolus, P., 285
Mircheva, V.
—; Mladenov, I.; Konsulov, V.; Sodeva, D.: Preparation of a Flocculant Based on Polyamides, 1165
Misra, B. N.
—; Kaur, I.; Dogra, R.: Grafting Onto Wool. VI. Effect of Amines in Ceric Ion-Initiated Grafting of Poly(Vinyl Acetate), 1595
Miwa, T. K. See Chang, S-P., 441
Miyanaga, K. See Takehisa, M., 853, 865
Mizutani, Y. See Kagiyama, Y., 1395
Mladenov, I. See Mircheva, V., 1165
Moffitt, R. B. See Stewart, D. D., 115
Monnerie, L. See Halary, J. L., 985
Moosemiller, M. D. See Baker, E. C., 135, 749, 1775
Morel, G.
—; Jozefonvicz, J.: Structure and Morphology of Poly(Tetrafluoroethylene)-Poly(N-Vinylpyrrolidone) Copolymer Membranes, 771
Morita, Z. See Motomura, H., 1747
Motoda, I. See Takehisa, M., 853
Motomura, H.
—; Morita, Z.: Diffusion with Simultaneous Reaction of Reactive Dyes in Cellulose. II. Effect of Hydrolysis, 1747
Moursi, A. Z. See Hebeish, A., 385
Moustafa, A. B. See Rabie, A. M., 417
Muller, L. L. See Reinhardt, R. M., 1739

Murayama, T. See Bryant, Y. G., 2389
Dynamic Measurement of Interfilament Friction on Staple Yarns, 1413
Murray, A. S. See Kesting, R. E., 1439
Mustakas, G. C. See Baker, E. C., 135, 749, 1775
Myhre, M. See Lautenschlaeger, F. K., 605

Nakagawa, T. See Minoura, N., 965
Nakahara, J. H. See Paciorek, K. J. L., 1397
Nakajima, H. See Takehisa, M., 853, 865, 1831
Nakamura, S.
—; Kasatani, H.; Matsuzaki, K.: Graft Copolymerization of Styrene onto Poly(*p*-Nitrophenyl Acrylate) by Chain Transfer Reaction, 51
Nakamura, Y. See Shimada, M., 1017; Takigami, S., 1419, 1429
Nakatsuka, T.
—; Kawasaki, H.; Itadani, K.; Yamashita, S.: Functional Silane-Modified Calcium Carbonate, 1985
Nandi, U. S. See Thomas, T. J., 1797
Negishi, Y. See Ohya, H., 663
Newman, J. M. See Kesting, R. E., 1439
Nierzwicki, W.
—; Majewska, Z.: Swelling Properties of Urethane Elastomers and Their Bearing on Microphase Separation, 1089
Nishiyama, S. See Okubo, H., 161
Noel, C. See Halary, J. L., 985
Nofal, E. See Zahran, A. H., 1723, 1875
Nomura, H.
—; Seno, M.; Takahashi, H.; Yamabe, T.: Permeability of Phenol Through Cellulose Acetate Membranes by Reverse Osmosis in Various Alcoholic Systems, 1191
Noren, G. K.
—; Korpi, G. K.; England, G. J.: Release Rate Characteristics of Microencapsulated 2,3,5,6-Tetrachloro-4-methylsulfonylpyridine, 2369
Novotny, V.
—; Alexandru, L.: Laser Marking in Dye– Polymer Systems, 1321

O'Donnell, J. H. See Bowmer, T. N., 425; Garrett, R. W., 2415
Ogata, N.
—; Dougasaki, S.; Yoshida, K.: Fractography of Nylon-6 Yarn, 837
Ohshima, T. See Kishimoto, Y., 465
Ohtani, N. See Kobayashi, A., 2255
Ohya, H.
—; Akimoto, N.; Negishi, Y.: Reverse Osmosis Characteristics of Cellulose Acetate Butyrate Membranes, 663
Okada, T.
—; Ishigaki, I.; Suwa, T.; Machi, S.: Synthesis of Cationic Flocculant by Radiation-Induced Copolymerization of Methyl Chloride Salt of N,N-Dimethylaminoethyl Methacrylate with Acrylamide in Aqueous Solution, 1713
Okubo, H. See Kaetsu, I., 1515
—; Yoshii, F.; Nishiyama, S.; Yoshida, K.; Kaetsu, I.: Cast and Mold Polymerization of Organic Glass by Irradiation from Fluid and Soft Gel Prepolymers, 161
Omichi, H.
—; Hagiwara, M.; Asano, M.; Araki, K.: Radiation-Modified Atactic Polypropylene as a Sensitizer for Photodegradation of Polyethylene, 2311
Onabe, F.
Interfacial Properties of Polyelectrolyte-Cellulose Systems. IV. Electrokinetic Properties of Carboxymethylcellulose Fibers with Adsorbed Multilayers of Cationic Polyelectrolyte, 1629
Orujev, D. D. See Kabanov, V. A., 259
Ostensson, B. See Rabek, J. F., 2407
Otaguro, K. See Takehisa, M., 853

Paciorek, K. J. L.
—; Kratzer, R. H.; Kaufman, J.; Nakahara, J. H.: Thermal Oxidative Studies of Poly(hexafluoropropene Oxide) Fluids, 1397
Padhye, M. R. See Venkataraman, A., 601
Pai, K. P. See Shenai, V. A., 2269
Panda, S. P. See Sadafule, D. S., 511
Patel, G. N. See Miller, G. G., 883
Patel, N. C.
—; Dweltz, N. E.: Frequency Distributions of Breaking Load, Tenacity, and Ratio of Cell Wall Thickness to Ribbon Width for Single Cotton Fibers, 547
Paul, D. R. See Chan, A. H., 1539; Cruz, C. A., 2101, 2399
Peiffer, D. G.
Impact Strength of Thick-Interlayer Composites, 1451
Penn, L.
—; Larsen, F.: Physicochemical Properties of Kevlar 49 Fiber (Erratum), 599
Peppas, N. A.
—; Gehr, T. W. B.: Statistical Analysis of Nitrogen-Containing Vinyl Copolymers: Radiation-Induced Copolymerization of Vinyl Acetate and FR–Vinyl-2-Pyrrolidone, 2159
Peters, E. N. See Stewart, D. D., 115
Flame-Retardant Thermoplastics. I. Polyethylene–Red Phosphorus, 1457
Piirma, I.
—; Chou, L-P. H.: Block Copolymers Obtained by Free-Radical Mechanism. I. Methyl Methacrylate and Styrene, 2051
Pizzi, A.
—; Horak, R. M.; Ferreira, D.; Roux, D. G.: Condensates of Phenol, Resorcinol, Phloroglucinol, and Pyrogallol as Model Compounds of Flavonoid A- and B-Rings with Formaldehyde (Note), 1571
Phenolic and Tannin-Based Adhesive Resins by Reactions of Coordinated Metal Ligands. I. Phenolic Chelates, 1247
Phenolic and Tannin-Based Adhesive Resins by Reactions of Coordinated Metal Ligands. II. Tannin Adhesive Preparation, Characteristics and Application, 1257
Tannin/Polyurethane Adhesives for Bonding Aluminum (Note), 1579
Plazek, D. J.
—; Raghupathi, N.; Kratz, R. F.; Miller, W. R., Jr.: Recoverable Compliance Behavior of High-Density Polyethylenes, 1305
Poehlein, G. W. See Durbin, D. P., 703
Pomery, P. J. See Garrett, R. W., 2415
Port, A. B.
—; Still, R. H.: Synthesis and Characterization of Poly(phenylene Sulfide), Poly(2-methylphenylene Sulfide), and Poly(2,6-Dimethylphenylene Sulfide), 1145
Porter, R. S. See Zachariades, A. E., 1371, 2137
Prasad, G. See Kishore, K., 589
Prausnitz, J. M. See Liu, D. D., 725
Preston, J.
—; Hofferbert, W. L., Jr.: Preparation of Polyamides Via the Phosphorylation Reaction. II. Modification of Wholly Aromatic Polyamides with Trifunctional Monomers, 1109
Prud'homme, R. E. See Baalbaki, Z., 887
Pusatcioglu, S. Y.
—; Fricke, A. L.; Hassler, J. C.: Heats of Reaction and Kinetics of a Thermoset Polyester, 937
—; Fricke, A. L.; Hassler, J. C.: Variation of Thermal Conductivity and Specific Heat During Cure of Thermoset Polyesters, 947
Pusch, W. See Burghoff, H.-G., 1479

Quinlivan, J. T. See Keenan, J. D., 2375

Rabek, J. F.
—; Ostensson, B.; Flodin, P.; Ranby, B.: Oxidation of Polyene Structures in Poly(vinyl Chloride) by Molecular Oxygen and Singlet Oxygen (Note), 2407
Rabie, A. M.
—; Moustafa, A. B.; Badran, A. S.: Preparation and

Characterization of Poly(methyl Methacrylate)Lead Silicate Composites, 417
Raghupathi, N. See Plazek, D. J., 1305
Rajadurai, S. See Reddy, B. S. R., 339
Ranby, B. See Rabek, J. F., 2407
Rao, D. A. See Han, C. D., 225
Ravindranath, K.
—; Gandhi, K. S.: Molecular Weight Distributions in Epoxy Resins, 1115
Rayford, W. E.
—; Wing, R. E.; Doane, W. M.: Carboxyl-Containing Starch Graft Polymer: Preparation and Use in Heavy Metal Removal, 105
Reams, W. See Zeldin, A. N., 455
Reddy, B. S. R.
—; Rajadurai, S.; Santappa, M.: Kinetic Studies on the Condensation Reaction of 2-Methylol-4-*t*-Butylphenol with 4-*t*-Butylphenol Using Acid Catalysts, 339
Reilly, P. M. See Rudin, A., 171
—; Van Der Hoff, B. M. E.; Ziogas, M.: Statistical Study of the Application of the Huggins Equation to Measure Intrinsic Viscosity, 2087
Reinhardt, R. M.
—; Arthur, J. C., Jr.; Hinojosa, O.: Methyl Ketone-Photosensitized Polymerization of N-Methylolacrylamide with Cotton, 1691
—; Arthur, J. C., Jr.; Muller, L. L.: Photoinitiated Polymerization of N-Methylolacrylamide with Crosslinked Cotton Cellulose, 1739
—; Arthur, J. C., Jr.: Reactivity of N-Methylolacrylamide in Treatment of Cotton Under Ultraviolet Light, 147
Roberts, C. W. See Cheung, P-S. R., 1809
Robson, A. See Barkakaty, B. C., 269
Rogovin, Z. A. See Shalabi, S. E., 19
Rosovizky, V. F.
—; Ilavsky, M.; Hrouz, J.; Dusek, K.; Lipatov, Yu. S.: Viscoelastic Behavior of Interpenetrating Networks of Polyurethane and Polyurethane Acrylate, 1007
Roux, D. G. See Pizzi, A., 1571
Rowland, S. P. See Franklin, W. E., 1281
Rudin, A.
—; Samanta, M. C.: Emulsion Copolymerization of Alpha-Methylstyrene and Styrene, 1665
—; Samanta, M. C.: Emulsion Copolymers of Alpha-Methylstyrene and Styrene, 1899
—; Samanta, M. C.; Reilly, P. M.: Thermal Decomposition of Anionic and Emulsion Polymerized Polystyrenes, 171
Ryan, M. E. See Dutta, A., 635
Rybicky, J.
—; Kambanis, S. M.: Analysis of Amino Resins by Carbon/Nitrogen Analyzer. I. Mole Ratios of Components, 1523

Saam, J. C.
—; Mettler, C. M.; Falender, J. R.; Dill, T. J.: Silicone-Toughened Poly(styrene-co-Acrylonitrile), 187
Sacher, E.
—; Engel, P. A.; Bayer, R. G.: Mechanochemical Aspects of Repetitive Impacts and Sliding on Polymers, 1503
—; Susko, J. R.: Water Permeation of Polymer Films. II. Dual-Mode Absorption in Teflon FEP, 1997
Sadafule, D. S.
—; Panda, S. P.: Photocrosslinkable Unsaturated Polyesters, 511
Sakurai, K. See Tsujimoto, I., 2289, 2303
Salovey, R. See Chang, E. P., 827
Samanta, M. C. See Rudin, A., 171, 1665, 1899
Samuhelova, Z. See Luston, J., 2005
Santappa, M. See Reddy, B. S. R., 339
Sar, C.
—; Valentin, M.; Ai, B.: Methods for Lowering Loss Angle Tangent of Thin Polystyrene Films Obtained by Electrical Discharge in Styrene Vapor, 503
Sarkar, N.
Thermal Gelation Properties of Methyl and Hydroxypropyl Methylcellulose, 1073
Sato, H.
—; Tamamura, T.: Polymer Effect in Electrochromic Behavior of Oligomeric Viologens, 2075
Schatz, M. See Vondracek, P., 1619
Schreiber, H. P.
—; Marineau, Y.: Surface Tension Measurements on Film-Forming Polymers: Thermal Aging Effects, 1925
Schwartz, S. See Brodman, B. W., 2025
Scimia, T. M., Jr. See Sukanek, P. C., 2185
Seferis, J. C. See Keenan, J. D., 2375
Seno, M. See Nomura, H., 1191
Senrui, S. See Takehisa, M., 865
Shah, D. C. See Shenai, V. A., 2261
Shalabi, S. E.
—; Gabrielyan, G. A.; Rogovin, Z. A.: Mechanism and Kinetics of Grafting of Macrodiisocyanate on to Carboxyl-Containing Acrylonitrile Copolymers, 19
Shasha, B. S. See Stout, E. I., 153
Shelfo, S. See Giori, C., 2323
Shenai, V. A.
—; Shah, D. C.: Chemically Modified Celluloses. XII. Affinities of Azoic Coupling Components for Chemically Modified Celluloses, 2261
—; Pai, K. P.: Chemically Modified Celluloses. XIII. Periodate Oxidation of Cellulose Dyed with Reactive and Direct Dyes in the Presence of Electrolytes, 2269
Sherman, E. S. See Zachariades, A. E., 2137
Sherrow, S. See Fuller, R. T., 1383
Shibayama, K. See Iisaka, K., 2113
Shikata, K. See Kagiyama, Y., 1395
Shimada, M.
—; Kuribara, H.; Matsumoto, I.; Nakamura, Y.: Fine Structure of Carbamoylethylated and Carboxyethylated Cotton Cellulosic Fibers, 1017
Shimada, T. See Takehisa, M., 1831
Shintani, T. See Inagaki, N., 1
Shiraishi, N.
—; Matsunaga, T.; Yokota, T.; Hayashi, Y.: Preparation of Higher Aliphatic Acid Esters of Wood in an N_2O_4–DMF Cellulose Solvent Medium, 2347
—; Matsunaga, T.; Yokota, T.: Thermal Softening and Melting of Esterified Wood Prepared in an N_2O_4–DMF Cellulose Solvent Medium, 2361
Shum, E. C. See Garrett, R. W., 2415
Siegmann, A.
Crystalline/Crystalline Polymer Blends: Some Structure–Property Relationships, 2333
Singh, L. P. See Chaudhuri, N. K., 2243
Singleton, C. See Lee, B-L., 2169
Sionakidis, J.
—; Sperling, L. H.; Thomas, D. A.: Morphology and Mechanical Behavior of Poly(vinyl Chloride)/Poly(butadiene–co–Acrylonitrile) Latex Interpenetrating Polymer Networks, 1179
Sirkar, K. K. See Swaminathan, T., 1581
Smith, H. K., II. See Heilmann, S. M., 1551
Snuparek, J., Jr.
Particle Coagulation at Semicontinuous Emulsion Polymerization. I. Some Factors Affecting the Process, 909
—; Tutalkova, A.: Particle Coagulation at Semicontinuous Emulsion Polymerization. II. Characterization of Surface Groups, 915
Snyder, S. L.
Methyl Methacrylate Stabilization by Sodium Borohydride, 2237
Sodeva, D. See Mircheva, V., 1165
Solomon, I. See Giori, C., 2323
Sourirajan, S. See Gildert, G. R., 305
Southern, J. H.
—; Ballman, R. L.: Preferential Wetting Phenomenon in Bicomponent Polymer Melt Flow, 693
Sparrow, J. T. See Hearle, J. W. S., 1465, 1857
Spencer, H. G.
—; Barrie, J. A.: Transient Sorption by Two-Component Laminate Slabs in a Semiinfinite Bath (Note), 1391
Sperling, L. H. See Devia, N., 569; Sionakidis, J., 1179
Springer, J.
—; Brito, H.: Permeabilitat galvanisch beschichteter

Polymerfolien. I. Methode zur Messung der Gaspermeabilitat, 329
Stejskal, J. See Horska, J., 1845
Stevens, M. P. See Hinch, J. C., 1771
Stewart, D. D.
—; Peters, E. N.; Beard, C. D.; Moffitt, R. B.; Kwiatkowski, G. T.; Bohan, J. J.; Hedaya, E.: D_2-*m*-Carboranesiloxanes. VIII. Preparation and Characterization of Carboranesiloxane/Polysulfone Alternating Block Copolymer, 115
Still, R. H. See Port, A. B., 1145
Stout, E. I.
—; Shasha, B. S.; Doane, W. M.: Pilot-Plant Process for Starch Xanthide Encapsulated Pesticides, 153
Stoyanov, A. I.
—; Kpestev, V. P.: Influence of Drawing and Molecular Weight on Structural-Mechanical Properties of Acrylic Fibers, 583
Subramanian, D. R. See Venkataraman, A., 601
Sugama, T.
—; Kukacka, L. E.; Horn, W.: Interaction Mechanisms between Poly(methyl Methacrylate) and Tricalcium Silicate (C_3S), 2121
Sugo, T. See Takehisa, M., 853, 1831
Sukanek, P. C.
—; Scimia, T. M., Jr.: Viscous Heating Effects In Polymer Mechanochemistry (Note), 2185
Summers, C. J. See Levy, R. L., 1643
Sundardi, F.
Emulsion Polymerization of Vinyl Acetate Initiated by Intermittent γ Radiation, 1031
Susko, J. R. See Sacher, E., 1997
Suwa, T. See Okada, T., 1713; Takehisa, M., 865, 1831
Suzuki, J.
—; Harada, H.; Suzuki, S.: Ozone Treatment of Water-Soluble Polymers. V. Ultraviolet Irradiation Effects on the Ozonization of Polyacrylamide, 999
Suzuki, S. See Suzuki, J., 999
Suzuki, T. See Kojima, K., 1587; Tokiwa, Y., 1701
Swaminathan, T.
—; Chaudhuri, M.; Sirkar, K. K.: Anomalous Flux Behavior in Initial Time Stirred Protein Ultrafiltration Through Partially Permeable Membranes (Note), 1581

Tabata, Y. See Matsuda, O., 1053; Watanabe, T., 1237
Tagawa, T. See Tai, K., 211
Tai, K.
—; Teranishi, H.; Arai, Y.; Tagawa, T.: The Kinetics of Hydrolytic Polymerization of ϵ-Caprolactam, 211
Takahashi, H. See Nomura, H., 1191
Takahashi, S. See Takehisa, M., 853
Takahashi, T. See Tsujimoto, I., 2289, 2303
Takamatsu, T.
—; Eisenberg, A.: Densities and Expansion Coefficients of Nafion Polymers, 2221
—; Hashiyama, M.; Eisenberg, A.: Sorption Phenomena in Nafion Membranes, 2199
Takasaka, Y. See Takehisa, M., 853, 865
Takayanagi, M. See Kamezawa, M., 1227; Yamada, K., 781
Takehisa, M.
—; Machi, S.; Watanabe, H.; Ueno, T.; Takahashi, S.; Tsuchiya, R.; Otaguro, K.; Motoda, I.; Takasaka, Y.; Miyanaga, K.; Kawakami, W.; Yamaguchi, K.; Sugo, T.; Nakajima, H.; Watanabe, T.; Hinachi, C.: Radiation-Induced Polymerization of Ethylene in a Pilot Plant. I. Bulk Process, 853
—; Watanabe, H.; Kurihara, H.; Maruyama, Y.; Miyanaga, K.; Suwa, T.; Nakajima, H.; Takasaka, Y.; Yamaguchi, K.; Tohei, M.; Kawakami, W.; Watanabe, T.; Senrui, S.; Machi, S.: Radiation-Induced Polymerization of Ethylene in Pilot Plant. II. Development of Wet-Wall Process, 865
—; Watanabe, H.; Kurihara, H.; Yamaguchi, K.; Nakajima, H.; Yagi, T.; Watanabe, T.; Sugo, T.; Suwa, T.; Maruyama, S.; Kodama, A.; Shimada, T.; Maruyama, Y.; Tohei, M.; Wada, T.; Machi, S.: Radiation-Induced Polymerization of Ethylene in Pilot Plant. III. Heavy-Phase Recycling Process, 1831
Takigami, S.
—; Maeda, Y.; Nakamura, Y.: Permeability of Solutes through Cellophanes Grafted with Vinyl Monomers. I. Diffusion of Potassium Chloride, Urea, and Uric Acid, 1419
—; Maeda, Y.; Nakamura, Y.: Permeability of Solutes through Cellophanes Grafted with Vinyl Monomers. II. Diffusion of Potassium Chloride through Cellophanes Grafted with Acrylic Acid, 1429
Tamamura, T. See Sato, H., 2075
Taylor, N. W.
Rheology and Water Swelling of Carboxymethyl Starch Gels, 2031
Teranishi, H. See Tai, K., 211
Theoret, A. See Gilbert, R., 125
Thomas, D. A. See Sionakidis, J., 1179
Thomas, T. J.
—; Krishnamurthy, V. N.; Nandi, U. S.: Thermogravimetric and Mass-Spectrometric Study of the Thermal Decomposition of PBCT Resins, 1797
Thompson, R. W. See Chiang, A. S. T., 1935
Thorsen, W. J.
—; Ward, W. H.; Millard, M. M.: Wool Shrinkage Control and Surface Modification by Ozone, 523
Tohei, M. See Takehisa, M., 865, 1831
Tokiwa, Y.
—; Suzuki, T.; Ando, T.: Synthesis of Copolyamide–Esters and Some Aspects Involved in Their Hydrolysis by Lipase, 1701
Tomizawa, K. See Yoshida, H., 2277
Trbojevic-Gobac, S.
—; Vlatkovic, M.; Meic, Z.: Gamma Radiation-Induced Graft Copolymerization of Divinylbenzene onto Cellulose Fabric, 1101
Tsuchiya, R. See Takehisa, M., 853
Tsujimoto, I.
—; Kurokawa, T.; Takahashi, T.; Sakurai, K.: Change in Fine Structure of Nylon 6 Gut Yarn in Twisting, Annealing, and Untwisting Processes. I. Observation by WAXD, SAXD, and EM, 2289
—; Kurokawa, T.; Takahashi, T.; Sakurai, K.: Change in Fine Structure of Nylon 6 Gut Yarn in Twisting, Annealing, and Untwisting Processes. II. Observation by the Microbeam X-Ray Technique, 2303
Tung, L. H.
Block Copolymer Molecular Weight by GPC, 953
Tutalkova, A. See Snuparek, J., Jr., 915

Ueno, T. See Takehisa, M., 853

Valade, J. L. See Chen, R., 1609
Valentin, M. See Sar, C., 503
Van Der Hoff, B. M. E. See Reilly, P. M., 2087
Vanderhoff, J. W. See Durbin, D. P., 703
Varma, D. S. See Goel, R. N., 1061
Varma, I. K. See Goel, R. N., 1061
Vasanthakumari, R. See Kishore, K., 1603
Venkataraman, A.
—; Subramanian, D. R.; Ayare, D. S.; Manjunath, B. R.; Padhye, M. R.: Spectral Studies on Cellulose Treated with Sodium Deuteroxide (Erratum), 601
Vergnaud, J-M. See Messadi, D., 1215
Verneker, V. R. P. See Kishore, K., 589, 1603
Vlatkovic, M. See Trbojevic-Gobac, S., 1101
Vondracek, P.
—; Capka, M.; Schatz, M.: Nonterminal Unsaturated Silane Coupling Agents for Mineral-Filled Ethylene–Propylene Rubber, 1619
Vuong, R. See Goring, D. A. I., 931

Wada, T. See Takehisa, M., 1831
Wagener, K. B. See Cheung, P-S. R., 1809

Waly, A. See Hebeish, A., 385
Ward, W. H. See Thorsen, W. J., 523
Warshawsky, A.
—; Kalir, R.: Twisted Polymers: Structural Reorganization in Macromolecular Network Through Metal Ion Coordination, 1125
Watanabe, H. See Kunugi, T., 1039; Takehisa, M., 853, 865, 1831
Watanabe, T. See Takehisa, M., 853, 865, 1831
—; Matsuda, O.; Tabata, Y.; Machi, S.: Physical and Chemical Properties of Methyl Trifluoroacrylate–α-Olefin Copolymer and Its Hydrolyzed Copolymer, 1237
Webb, M. Q. See Bonner, W. H., 89
Wilson, W. W.
—; Fang, P.; McGinnis, G. D.: Disassociation of Polyphenolics Studies by Dynamic Light Scattering and Size Exclusion Chromatography (Note), 2195
Wing, R. E. See Rayford, W. E., 105
Winzor, D. J. See Bowmer, T. N., 425
Worth, R. A.
Accuracy of the Parallel-Plate Analogy for Representation of Viscous Flow Between Coaxial Cylinders, 319

Yagi, T. See Takehisa, M., 1831
Yamabe, T. See Nomura, H., 1191
Yamada, K. See Kamezawa, M., 1227
—; Takayanagi, M.: Superstructural Description of Deformation Process in Uniaxial Extension of Preoriented Isotactic Polypropylene, 781
Yamaguchi, K. See Takehisa, M., 853, 865, 1831
Yamashita, S. See Nakatsuka, T., 1985
Yamauchi, T. See Giori, C., 2323
Yokota, T. See Shiraishi, N., 2347, 2361
Yokouchi, M.
—; Hiromoto, Y.; Kobayashi, Y.: Effect of Uniaxial Stretching on the Tensile Impact Test for Poly(ethylene Terephthalate), 1965
—; Kobayashi, Y.: Flywheel-Type Tensile Impact Tester with a New Load Cell for Polymer Sheet and Film, 29
Yoshida, H.
—; Tomizawa, K.; Kobayashi, Y.: Effect of Annealing at Temperatures Around Glass Transition Temperature on Molecular Orientation and Shrinkage of Ethylene–Vinyl Alcohol Copolymers, 2277
Yoshida, K. See Kaetsu, I., 1515; Ogata, N., 837; Okubo, H., 161
Yoshida, M. See Kaetsu, I., 235
Yoshii, F. See Okubo, H., 161
Yoshikuni, M. See Kojima, K., 1587
Yu, P-C. See Lin, C-C., 1169

Zachariades, A. E.
—; Porter, R. S.: Reversible Plasticization of Nylons 6 and 11 with Anhydrous Ammonia and Their Deformation by Solid-State Coextrusion, 1371
—; Sherman, E. S.; Porter, R. S.: Ultradrawing of Amorphous Polymers by Coextrusion Illustrated with Atactic Polystyrene, 2137
Zahran, A. H.
—; Nofal, E.; Elsabee, M. Z.; El-Azmirly, M. A.: Irradiation of Poly(vinyl Chloride) with H_2 Plasma. I, 1723
—; Nofal, E.; El-Azmirly, M. A.; Elsabee, M. Z.: Irradiation of Poly(vinyl Chloride) with H_2 Plasma. II, 1875
Zdrahala, R. J.
—; Gerkin, R. M.; Hager, S. L.; Critchfield, F. E.: Polyether-Based Thermoplastic Polyurethanes. I. Effect of the Hard-Segment Content, 2041
Zeldin, A.
—; Kukacka, L. E.; Carciello, N.: Influence of the Ratio of Styrene and Acrylonitrile in Crosslinked Polymeric Binders for Use in High-Temperature Polymer Concrete Composites, 1759
Zeldin, A. N. See Carciello, N. R., 2191
—; Kukacka, L. E.; Fontana, J. J.; Carciello, N. R.; Reams, W.: Influence of Curing Agent Concentration and Curing Temperatures on the Thermostability of Styrene–Acrylonitrile–Acrylamide–Trimethylolpropane Trimethacrylate Copolymer Systems, 455
Zeronian, S. H.
—; Ellison, M. S.: Temperature Dependence of the Brittleness of Cellulose Fibers and of Chemically Modified Cellulose Fibers, 1497
Ziogas, M. See Reilly, P. M., 2087
Zollars, R. L.
Kinetics of the Emulsion Polymerization of Vinyl Acetate, 1353

Subject Index to Volume 24

Notes and Errata are indicated by the letters N and E, respectively, following the page number.

ABS films metallized, gas permeability through, 329
Absorption, of water, in Teflon FEP films, 1997
Acetylene-terminated phenylquinoxaline oligomers, 763
Acrylamide, copolymerization with N,N-dimethylaminoethyl methacrylate, methyl chloride salt, 1713
—, copolymer with styrene, acrylonitrile and trimethylolpropane trimethacrylate, 455
—, grafted on cellophanes, 1419
—, graft polymerization on starch, 2015
Acrylamido-2-methylpropanesulfonic acid, mixtures with acrylonitrile, grafting on starch, 1387(N)
2-Acrylamido-2-methylpropanesulfonic acid, graft polymerization on starch, 2015
Acrylate esters, copolymers with *N*-acryloylamino acids and derivatives, 1551
Acrylates, emulsion polymerization of, semicontinuous, 909, 915
Acrylic acid, copolymer with diethyl vinylphosphonate, 259
—, grafted on cellophanes, 1419, 1429
Acrylic fibers, drawing and molecular weight, effect on properties of, 583
—, from polymer blends, relation of dynamic mechanical properties and dye diffusion in, 2389
Acrylonitrile, copolymers, carboxyl-containing, grafting macrodiisocyanate on, 19
—, copolymers with styrene, silicone-toughened, 187
—, copolymer with butadiene, carboxyl-terminated, crosslinking with metal oxides, 811
—, copolymer with styrene, acrylamide and trimethylolpropane trimethacrylate, 455
—, grafted on starch polymers, 105
—, mixtures with acrylamido-2-methylpropanesulfonic acid, grafting on starch, 1387(N)
—, polymer concrete containing copolymer of styrene and, 1759
N-Acryloylamino acids, and derivatives, copolymers with acrylate esters, 1551
Additives, loss from polymers, 357
Adhesion, 1551
Adhesive resins, phenolic and tannin-based, 1247, 1257
—, tannin-based, 1247, 1257
Adhesives, for aluminum, tannin/polyurethane, 1579(N)
—, polybutadiene based, 735
—, pressure-sensitive, from copolymers of acrylate esters with *N*-acryloylamino acids and derivatives, 1551
Adsorption, of heavy metal ions, 1205
—, physical, of gases, model of, 1479
Aging of plastics, humid, 1269
Allyl esters, polymers of, 441
Allyl esters of Crambe-derived long-chain fatty acids and their polymers, 441
Aluminum, adhesives for, based on tannin/polyurethane, 1579(N)
Amines, effect of in ceric ion-initiated grafting of poly(vinyl acetate), 1595
Amino resins, C/N analysis of, 1523
—, etherified, NMR analysis of, 1523
Amorphous polymers, relation of ductile-brittle transition to structure of, 37
—, relation of tensile impact strength to structure of, 37
Anion exchange resins prepared from polystyrene crosslinked via a Friedel–Crafts reaction, 2147
Annealing, effect of, on nylon 6 gut yarn fine structure, 2289, 2303
—, at temperatures around glass transition, effect on molecular orientation and shrinkage of EVA copolymers, 2277
Anomalous flux, initial, in ultrafiltration of proteins, 1581(N)
Antifogging coating, 235
Arylene sulfides, polymeric, 1145
ATR-IR, 1957
Azoic coupling components, affinities of, for chemically modified celluloses, 2261

Behenic acid, allyl ester, polymers of, 441
Benoit universal calibration, 395
Bersted model, 671
BHET, See Bis(β-hydroxyethylterephthalate)
Binder, in composite solid propellant, oxidative degradation of, 589(N)
Birefringence, 2137
Bis-(2-chloroethyl)sulfide, solubility and diffusivity of, in polypropylene, 1885
Bis(β-hydroxyethylterephthalate), polyol with adipic acid, urethanes from, 1169
Blend polyester, properties of, 1295
Blends, cellulose with polyacrylonitrile, 887(N)
—, cotton-polyester, flame retardant, 1
—, polycarbonate–polyester, 2101, 2399
—, polyester-cotton, flame retardant, 1
—, polystyrene–PMMA, radiation degradation of, 2415(N)
—, PP-polybutene-1, structure–property relationships of, 2333
Block copolymer, molecular weight by GPC, 953
—, MMA with styrene, 2051
Block copolymers obtained by free-radical mechanism, 2051
Borohydride, sodium, stabilization of MMA by, 2237
Brassidic acid, allyl ester, polymers of, 441
Breaking load, of cotton fibers, 547
Brittleness, cellulosic fibers, temperature dependence of, 1497
Butadiene, block copolymer with styrene, molecular weight of, by GPC, 953
—, copolymer with acrylonitrile, carboxyl-terminated, crosslinking with metal oxides, 811
cis-2-Butenyltriethoxysilane, 1619
Butyl rubber, vulcanization by *p*-quinone dioxime dibenzoate, 371
By-products, of coal conversion process, thermosetting polymers from, 2323

Calcium carbonate, modified by functional silanes, 1985
ϵ-Caprolactam, polymerization of, hydrolytic, 211
Carbamates, cellulose acetate, RO membranes from, 1439
Carbamoylethylated and carboxyethylated cotton cellulosic fibers, fine structure of, 1017

Carboranesilanol-terminated carboranesiloxane oligomer, 115
Carboranesiloxane-polysulfone alternating block copolymer, 115
Carboranesiloxanes, D_2-*m*-, 115
Carboxyethylated cotton cellulose fibers, 1017
Carboxyl-containing acrylonitrile copolymers, 19
Carboxyl-containing starch graft polymer, 105
Carboxylic rubber from polyethylene, viscoelastic properties of, 595(N)
Carboxyl-terminated liquid rubbers, crosslinking with metal oxides, 811
Carboxymethylcellulose, fibers, with adsorbed multilayers of cationic polyelectrolyte, electrokinetic properties of, 1629
Carboxymethyl starch gels, water swelling and rheology of, 2031
Carboxy-terminated polybutadienes, thermal decomposition of, 1797
Cast and mold polymerization of organic glass, 161
Castor oil elastomers, simultaneous interpenetrating networks based on, 569
Cellophanes, vinyl monomer grafted, permeability through, 1419, 1429
Cellulose, blends with polyacrylonitrile, 887(N)
—, chemically modified, 2261, 2269
—, chemically modified, dyeing of, 385
—, cotton, crosslinked, grafting of N-methylolacrylamide on, 1739
—, cotton, fibers, carbamoyl- and carboxy-ethylated, 1017
—, cotton, flame retardants for, phosphorus containing, 1281
—, diffusion and reaction of reactive dyes in, 1747
—, dyed, periodate oxidation of, 2269
—, fibers, brittleness of, temperature dependence of, 1497
—, hydroxypropyl-, thermal gelation of, 1073
—, methyl-, thermal gelation of, 1073
—, NaOD treated, 601(E)
—, oxidized, dyeing of, 385
—, solvent for, N_2O_4–DMF–pyridine as, 2347, 2361
Cellulose acetate, flow visualization in acetone solution, 475
—, membranes for RO of phenol in alcoholic systems, 1191
—, membranes, RO, 1775(C)
—, reverse osmosis membranes, effect of gelation media on, 305(N)
Cellulose acetate butyrate, membranes for RO, 663
Cellulose acetate carbamates, RO membranes from, 1439
Cellulose acetate membranes, water and solute transport across, 135
Cellulose fabric, radiation-induced grafting of divinylbenzene, 1101
Cellulose fibers, chemically modified, brittleness of, temperature dependence of, 1497
Cellulose materials, decrystallization of, 1139(N)
Cellulosic materials, acetylation of, 1139(N)
Chain transfer reaction, graft polymerization by, 51
Chalconyl group, containing polyesters, photocrosslinkable, 511
Channel electron multipliers, 465
—, bulk-type flexible, 465
—, polymer film-type, 465
Chemically modified celluloses, 2261, 2269
Chitin, MMA grafting on, tributylborane initiated, 1587
Chromatography, gas, programmed-temperature, 1215
—, size exclusion, 2195(N)
Cinnamylidenemalonyl group, containing polyesters, photocrosslinkable, 511
Coagulation, particle, in semicontinuous emulsion polymerization, 909, 915
Coal conversion process, by-products, thermosetting polymers from, 2323
Coatings, antifogging, 235
—, mar-resistant, 235
Coextrusion, ultradrawing of amorphous polymers by, 2137
—, ultradrawing of atactic polystyrene by, 2137
Cohesion, 1551
Complex-forming polymeric sorbents, 259
Compliance behavior, recoverable, of high-density polyethylenes, 1305
Composites, glass-reinforced, from coal conversion process by-products, 2323
—, high temperature polymer concrete, 1759
—, interlayer, impact strength of, 1451
—, lead silicate–poly(methyl methacrylate), 417
—, polymer concrete, 2191(N)
—, poly(methyl methacrylate)–lead silicate, 417
Composite solid propellant, aging of, oxidative degradation in, 589(N)
Compressive creep, of flexible polyurethane foam, 709
Compressive strength, 2121
Computer optimization of reverse osmosis processing of soy whey with cellulose acetate modules, 749
Concrete, polymer, from mixtures of liquid and solid monomers, 2191(N)
Condensates of phenol and polyhydroxybenzenes as models of flavonoid rings with HCHO, 1571(N)
Condensation polymerization, acid catalyzed, 339
—, 4-*t*-butylphenol with 2-methylol-4-*t*-butylphenol, acid catalyzed, 339
—, 2-methylol-4-*t*-butylphenol with 4-*t*-butylphenol, acid catalyzed, 339
Conductivity, thermal, See thermal conductivity
Convolutions, effect on extension of cotton fibers, 1465
Coordinated metal ligands, reactions of, 1247, 1257
Copolyamide–esters, synthesis and hydrolysis by lipase, 1701
Copolymerization, of methyl chloride salt of N,N-dimethylaminoethyl methacrylate with acrylamide, 1713
Copolymers, acrylamide with divinylbenzene, sulfurized, 1205
—, acrylic acid with diethyl vinylphosphonate, 259
—, acrylonitrile with butadiene, 1179
—, block, alternating, polysulfone-carborane siloxane, 115
—, block, molecular weight of, by GPC, 953
—, butadiene with acrylonitrile, 1179
—, diethyl ester of vinylphosphonic acid with acrylic acid, complex-forming sorbents from, 259
—, dimethylacrylamide with divinylbenzene, sulfurized, 1205
—, divinylbenzene with acrylamides, sulfurized, 1205
—, ethylene, ethylene solubility and diffusion in, 1787
—, m-divinylbenzene with styrene, 1395(E)
—, methyl trifluoroacrylate with α-olefins, 1237
—, α-olefins with methyl trifluoroacrylate, 1237
—, styrene with m-divinylbenzene, 1395(E)
Copper, adhesives for, 735
Cotton, chemical modification of, improved soil-release properties via, 2071(N)
—, easy-care, improved soil-release properties via chemical modification, 2071(N)
—, fibers, breaking load of, 547
—, fibers, encapsulation of, photoinitiated, 1767(N)
—, fibers, extension of, 1465
—, fibers, extension of, mechanics, 1857
—, fibers, tenacity of, 547
—, fibers, wall thickness to ribbon width ratio in, 547
—, graft, flame resistant, 201
—, grafting of N-methylolacrylamide on, photosensitized, 1691
—, polyester blends with, flame retardant, 1
—, SPA, acetylation of, 1139(N)
—, SPA, decrystallization of, 1139(N)
—, treatment of, with N-methylolacrylamide, 147
Cotton cellulose, crosslinked, grafting of N-methylolacrylamide on, 1739
—, fibers, carbamoyl- and carboxy-ethylated, 1017
—, flame retardants for, phosphorus containing, 1281
Crack resistance, instantaneous during crack propagation in a viscoelastic solid, 2255
Crambe-derived acids, allyl esters of, 441
Crazing, solvent, in unmodified and rubber-modified

polystyrenes, 2113
Creep, compressive, of flexible polyurethane foams, 709
Creosote bush (*Larrea tridentata*) phenolic resin, polymerization with formaldehyde, 1531
CR-39 resin, 235
Crystalline/crystalline polymer blends, structure–property relationships, 2333
Crystallinity index, IR, on Nylon 6, 2243
Crystallization, heat of, 1145
2-(3-Cyclohexenylethyl)methyldiethoxysilane, 1619
2-(3-Cyclohexenylethyl)triethoxysilane, 1619
Cylindrical film roll method, 1747

Darcy's law, 985
D_2-*m*-carboranesiloxanes, 115
Degradation, of discharge, 125
—, of polystyrene, by gamma irradiation, 425
—, thermal, of polystyrenes, 171
Densities and expansion coefficients of Nafion polymers, 2221
Deterrents, for small arms propellants, benzoates as, 2025
Diacetylenes, copolymerization of, solid state, 883(N)
Dialysis coefficients, of membranes, 985
Dialysis membranes, 489
—, ionically crosslinked poly(acrylic acid), 801
3,5-Diaminobenzoic acid, modification of aromatic polyamides by, 1109
4,4′-Diamino diphenyl methane, polyimide fibers from, 1061
Di-*t*-butyl 4,4′-azobis(4-cyanoperoxyvalerate), as initiator for block copolymerization of styrene and MMA, 2051
Dielectric behavior of the constituents of the natural resin shellac, 1977
Dielectric relaxation, 1977
Diethylaminotrimethylsilane, plasma polymers from, 1957
Diethyl vinylphosphonate, copolymer with acrylic acid, 259
Differential scanning calorimetry, See DSC
Diffusion, of ethylene in LDPE and ethylene copolymers, 1787
—, of solutes, through cellophanes grafted with vinyl monomers, 1419, 1429
Diffusion coefficients, 1391(N), 1747
Diffusion with simultaneous reaction of reactive dyes in cellulose, 1747
Diffusivity, of bis-(2-chloroethyl)sulfide, in polypropylene, 1885
Difluoromethyl polysulfane polymers, 125
Dilatometry, 1031
Disassociation of polyphenolics, 2195(N)
Discharge, electrical, preparation of polystyrene films by, 503
Distribution coefficients, 1391(N)
Divinylbenzene, radiation-induced grafting on cellulose fabric, 1101
Donnan equilibrium, 1429
Draw resonance, severity of, effect of molecular structure and cooling conditions on, 61
Draw texturing, 311(C)
Droplet size, monomer, effect on emulsion polymerization, 703
Dry latex, 345
DSC, 635, 937, 2333
—, of SBR-carbon black filled *cis*-butadiene blends, 2169
Ductile-brittle transition, amorphous polymers, relation to structure of, 37
Dye diffusion, relation to dynamic mechanical properties of, in acrylic fibers from polymer blends, 2389
Dyeing of chemically modified cellulose, 385
Dye-photosensitized oxidation, of polyene structures in PVC, 2407(N)
Dye–polymer systems, laser marking in, 1321
Dye–PVC systems, stabilization of, 1917
Dyes, reactive, diffusion and reaction in cellulose, 1747
Dynamic light scattering, 2195(N)
Dynamic mechanical properties, relation to dye diffusion, in acrylic fibers from polymer blends, 2389
Dynamic mechanical properties of a high-performance structural epoxy, effects of moisture and stoichiometry on the, 2375
Dynamic mechanical spectroscopy, 1179
Dynamic pH determinations, in study of PVC stabilization with epoxides, 1777

Elastomers, applications, 605
—, properties, classification, 605
—, properties, optimum, 605
—, properties, test equipment for, 605
Electrochromic behavior of oligomeric viologens, polymer effect in, 2075
Electron beam irradiation, crosslinking by, 1237
Electron microscopy, 569, 931
Elliptical strain device, Bergen, 2113
Elongational viscosity of undiluted polymer fluids, 671
EM, 2051, 2289
Emulsion copolymers of α-methylstyrene and styrene, 1899
Emulsion polymerization, effect of monomer droplet size on, 703
—, α-methylstyrene with styrene, 1665
—, radiation-induced, 1031
—, semicontinuous, particle coagulation in, 909, 915
Emulsion polymerization of vinyl acetate, 1353
Emulsion polymerization of vinyl acetate initiated by intermittent γ radiation, 1031
Emulsion polymerization reactors, continuous, stability of, 1935
Energy-dispersive x-ray, 201
Energy transfer, in poly(ethylene terephthalate-*co*–2,6-napthalenedicarboxylate)s, 1809
Entanglement network model, 37
Epoxides, stabilization of PVC by, 1777
Epoxy resin, degradation by rf discharge in SF_6, 125
—, structural, high-performance, effects of moisture and stoichiometry on properties of, 2375
—, curing of, effect of fillers on, 635
—, hydrogen exchange with water, 1383(N)
—, moisture effects on mechanochemical properties, 1643
—, molecular weight distributions in, 1115
Errata, 311, 599, 601, 1395, 1775
Erucic acid, allyl ester, polymers of, 441
ESCA, 1957
Ethanolamines, effect on thiuram vulcanization of rubber by, 683
Ethylene, radiation-induced polymerization of, 853, 865, 1831
Ethylene chlorophosphonite, copolymerization with 2-phenyl-1,3-dioxolane, flame-retardant effect on polyester fabric, 249
Ethylene copolymers, ethylene solubility and diffusion in, 1787
Ethylene 2,6-naphthalenedicarboxylate, copolymers with ethylene terephthalate, photodegradation and energy transfer in, 1809
Ethylene–propylene copolymers, rheological properties of, 225
Ethylenepropylene-1:4 hexadiene, (EPDM), graft copolymer, 827
Ethylene–propylene rubber, mineral filled, silane coupling agent for, 1619
Ethylene solubility and diffusion in low-density polyethylene and ethylene copolymers, 1787
Ethylene terephthalate, copolymers with ethylene 2,6-naphthalenedicarboxylate, photodegradation and energy transfer in, 1809
Ethylene–vinyl alcohol (EVA) copolymers, effect of annealing near, T_g on, 2277
4-(3-Ethynylphenoxy)benzil, polymers based on, 763
Expansion coefficient of free volume, 923
Expansion coefficients, and densities, of Nafion polymers, 2221
Extension of cotton fibers, effect of convolutions, 1465
—, mechanics of, 1857

Extrudate swell, 1305

Fibers, acrylic, drawing and molecular weight, effect on properties of, 583
—, cotton, 547
—, polyimide, 1061
Fillers, effect on epoxy cure, 635
Fingerprints, latent, method for recording, 883(N)
Fisher and Denn theory, 61
Flame resistant cotton by photoinitiated graft copolymerization, 201
Flame retardance, polyester-cotton blends, 1
Flame retardants, phosphorus-containing, 1281
Flame-retardant thermoplastics, 1457
Flavonoids, condensates with formaldehyde, models for, 1571(N)
Flocculant, based on polyamides, 1165
—, cationic, copolymers of N,N-dimethylaminoethyl methacrylate, methyl chloride salt with acrylamide, 1713
Flory-Huggins relation, 1885
Flow, melt, bicomponent, preferential wetting in, 693
—, viscous, parallel plate representation for, 319
Flow visualization of cellulose acetate–acetone solutions, 475
Fluid prepolymers, organic glasses by irradiation of, 161
Fluorinated, polyesters, 1397
Flywheel-type tensile impact tester, 29
Foam, closed-cell, See also pneumacel
Foams, polyurethane, flexible, compressive creep of, 709
Formaldehyde, condensates with phenol, phloroglucinol, resorcinol and pyrogallol, 1571(N)
—, polymerization with phenolic resin, from creosote bush, 1531
Fractography of nylon-6 yarn, 837
Fracture morphology of polycarbonate, 1269
Free volume fraction, 923
Fresnel lenses, preparation by radiation cast polymerization, 1515
Freundlich isotherm, 1479
Friction, interfilament, on staple yarns, 1413
Friedel–Crafts crosslinking of polystyrene, based anion exchange resin, 2147
FTIR, 1643
Fujita's free-volume theory, 1885
Functional silane-modified calcium carbonate, 1985
Fuoss method, 1797

Gas chromatography, 683
—, programmed-temperature, 1215
Gases, adsorption of, physical, model of, 1479
Gas permeability, through metallized polymer films, 329
Gas solubility, in molten polymers, thermodynamics of, 725
Gas sorption, of glassy polycarbonate, 1539
Gelation, thermal, See thermal gelation
Gelation media, effect on formation of cellulose acetate RO membranes, 305(N)
Gel-permeation chromatography, 1899
—, of poly(dimethyl siloxane), 395
Gel polarization, 1581(N)
Gel prepolymers, organic glasses by irradiation of, 161
Gels, porous, crosslinked poly(methacrylic acid), 891, 901
Glass transition temperature, effect of annealing near, on EVA copolymers, 2277
Goniometry, x-ray, 781
GPC, 953, 1305, 1531, 1985, 2051
—, comparison of curves, 405
—, comparison with low-angle laser light scattering, 651
Graft copolymer, of ethylenepropylene-1,4-hexadiene (EPDM), blend with PVC, 827
Graft copolymerization, radiation-induced, of divinylbenzene on cellulose fabric, 1101
Graft copolymerization of styrene onto poly(*p*-nitrophenyl acrylate) by chain transfer reaction, 51
Graft copolymers, radiation induced, PVP and TFE, membranes from, 771
Grafting, macrodiisocyanate on carboxyl-containing acrylonitrile copolymers, 19
—, radiation induced of vinyl monomers on cellophanes, 1419, 1429
Graft polymerization, N-methylolacrylamide on cotton, photosensitized, 1691
—, N-methylolacrylamide on crosslinked cotton cellulose, 1739
—, of acrylamide and 2-acrylamido-2-methylpropanesulfonic acid onto starch, 2015
—, of starch with mixtures of acrylonitrile and 2-acrylamido-2-methylpropanesulfonic acid, 1387(N)
—, poly(vinyl acetate) on wool, ceric ion initiated, 1595
—, styrene on lignosulfonate, 1609
—, tributylborane initiated, MMA on chitin, 1587

Han slit/capillary rheometer, 225
Heat, specific, See specific heat
Heats of reaction, thermoset polyester, 937
Heavy metal ion adsorbents having thioamide groups, 1205
Henry's constant, for a solute in a molten polymer, 725
Hexachlorocyclopentadiene, reaction of maleimidomethylated polystyrene with, 1771(N)
2,4-Hexadiyn-1,6-bis(p-chlorophenylurethane), solid state copolymerization, 883(N)
2,4-Hexadiyn-1,6-bis(phenylurethane), solid state copolymerization, 883(N)
Hexahydrotriacryloyl-*s*-triazine, copolymer with styrene, anion exchange resins from, 2147
Hexamethyldisilazane, plasma polymers from, 1957
High-pressure treatment, prior, effect on Nylon 6 films, 2243
High-temperature polymer concrete composites, 1759
High temperature resistant polymers, 763
HPLC, 211
Huggins equation, applied to measurement of intrinsic viscosity, 2087
Humid aging of plastics, 1269
Hycar, See polybutadiene and butadiene-acrylonitrile copolymer
Hydrofuramide, effect on thiuram vulcanization of rubber by, 683
Hydrogen exchange between water and epoxy resin, 1383(N)
Hydroquinone, phenol formaldehyde resins, See HPF,
—, poly(vinyl alcohol), formaldehyde and acrylonitrile resins, See HPFA

Impact poly(vinyl chloride), effect of additives on, 827
Impacts, repetitive, mechanochemical effect on polymers, 1503
Impact strength of thick-interlayer composites, 1451
Impact test, tensile, for PET, effect of uniaxial stretching on, 1965
Impact tester, tensile, flywheel-type, load cell for, 29
Infrared spectroscopy analysis, 2121
Initiator, multifunctional, di-*t*-butyl 4,4′-azobis(4-cyanoperoxyvalerate) as, 2051
Inorganic glass, 235
Interaction mechanisms between poly(methyl methacrylate) and tricalcium silicate (C_3S), 2121
Interfacial properties of polyelectrolyte-cellulose systems, 1629
Interlayer composites, impact strength of, 1451
Intermittent, γ-radiation, induction of emulsion polymerization by, 1031
Interpenetrating networks, polyurethane and polyurethane diacrylate, 1007
—, simultaneous, SIN, 569
Ion exchange resins, anion, polystyrene based, Friedel–Crafts crosslinking of, 2147

Ionically crosslinked poly(acrylic acid) membranes, 489, 801, 1341
Ionic crosslinking of carboxyl-terminated liquid rubbers with metal oxides, 811
Ionomer, melt rheology of filled, 975
IPN, See networks, interpenetrating polymer
IR, 249, 455, 2051
Irradiation, electron beam, crosslinking by, 1237
γ-Irradiation, See irradiation, γ-
Irradiation of poly(vinyl chloride) with H_2 plasma, 1723, 1875
IR spectroscopy, 1985
Isocyanate, di-, macro-, poly(propylene oxide) based, 19
Isotactic polypropylene, ultrahigh modulus, 1227
—, uniaxial extension of, 781
Izod impact tests, 569

Kevlar 49, properties of, 599(E)
Kinetics of polyesterifications, 1169
Kinetics of the emulsion polymerization of vinyl acetate, 1353

Laminates, adhesives for, 735
—, transient sorption by, 1391(N)
Laser light scattering, low-angle, comparison with GPC, 651
—, low-angle, of MW and MWD determination by, 651
Laser marking in dye–polymer systems, 1321
Latex, dry, 345
Lead silicate, composite with poly(methyl methacrylate), 417
Lenses, Fresnel, preparation by radiation cast polymerization, 1515
Light scattering, 1899
—, dynamic, 2195(N)
Lignosulfonate, styrene grafting on, 1609
Lignosulfonate macromolecules, flatness of, shown by EM, 931
Lipase, hydrolysis of copolyamide–esters by, 1701
Load cell for, flywheel-type tensile impact tester, 29
Lodge model, 671
Loeb-type membranes, 985
Loss angle tangent, in thin polystyrene films, lowering of, 503
Loss tangent, 1413

Macrodiisocyanate, 19
Maleimidomethylated polystyrene, reaction with hexachlorocyclopentadiene, 1771(N)
Mark–Houwink equation, for PDMS, 395
Mar-resistant coatings, 235
Mass-spectrometry, 1797
—, of pyrolyzed cotton cellulose, 1281
m-Divinylbenzene, copolymers with styrene, 1395(E)
Mechanics of the extension of cotton fibers, 1857
Mechanism of solvent carzing in unmodified and rubber-modified polystyrenes, 213
Mechanochemical aspects of repetitive impacts and sliding on polymers, 1503
Mechanochemical effects, spectroscopic evidence for, 1643
Mechanochemistry, viscous heating effects in, 2185(N)
Melts, polymer melts, thermodynamics of gas solubilities in, 725
Melt spinning, 61
Membrane osmometry, 1899
Membranes, cellulose acetate butyrate, for RO, 663
—, cellulose acetate, for RO, 135, 749
—, cellulose acetate, for RO of phenol in alcoholic systems, 1191
—, dialysis, 489
—, dialysis coefficients, 985
—, dialysis, ionically crosslinked poly(acrylic acid), 801
—, from graft copolymers of PVP and TFE, 771
—, hydraulic permeability of, 985
—, Nafion, sorption phenomena in, 2199
—, partially permeable, for ultrafiltration of proteins, 1581(N)
—, poly(acrylic acid), ionically crosslinked, 489
—, poly(α-amino acid), oxygen permeability of, 965
—, reverse osmosis, 489
—, RO, from cellulose acetate carbamates, 1439
—, RO, ionically crosslinked poly(acrylic acid), 801, 1341
Metal ion coordination, reorganization of macromolecular network through, 1125
Metallized polymer films, gas permeability through, 329
Metal removal, heavy, by carboxyl-containing starch graft polymer, 105
Methacrylic acid, sulfoethyl ester, copolymerization of, 909, 915
γ-Methacryloxypropyltrimethoxysilane, modification of $CaCO_3$ by, 1985
Methyl ketone-photosensitized polymerization of N-methylolacrylamide with cotton, 1691
Methyl methacrylate, block copolymers with styrene, 2051
—, grafting on chitin, tributylborane initiated, 1587
—, radiation cast polymerization of, Fresnel lenses prepared by, 1515
Methyl methacrylate–grafted perlite, melt rheology of ionomer filled with, 975
Methyl methacrylate stabilization by NaBH, 2237
2-Methylol-4-*t*-butylphenol, reaction with 4-*t*-butylphenol using acid catalysts, 339
α-Methylstyrene, copolymerization with styrene, emulsion, 1899
—, emulsion copolymerization with styrene, 1665
Methyl trifluoroacrylate, copolymers with α-olefins, 1237
Microbeam x-ray, 2303
Microencapsulation, of 2,3,5,6-tetrachloro-4-methylsulfonylpyridine, release rate in, 2369
Microgels, 891, 901
Microphase separation, effect of, on swelling of urethanes, 1089
Microscopy, dynamic mechanical, 1179
—, transmission electron, 1179
Modulus, shear, of carboxymethyl starch gels, 2031
Modulus–temperature relationships, in urethane elastomers, 1089
Moisture, effect on properties of high-performance structural epoxy, 2375
—, mechanochemical effects of, on epoxy resins, 1643
Molecular arrangement of EVA copolymers, effect of annealing near T_g on, 2277
Molecular weight, of block copolymers, by GPC, 953
—, determination by low-angle laser light scattering, 651
Molecular weight distribution, determination by low-angle laser light scattering, 651
Molecular weight distributions in epoxy resins, 1115
Morphology, fracture, of polycarbonate, 1269
—, of SBR-carbon black filled *cis*-polybutadiene blends, relationship of processing to, 2169
MW, See molecular weight
MWD, effect of, on elongation viscosity of undiluted polymer fluids, 671
—, See molecular weight distribution

Nafion, membranes, sorption phenomena in, 2199
—, polymers, densities and expansion coefficients in, 2221
Networks, interpenetrating polymer, 1179
Newtonian materials, draw resonance in spinning of, 61
Nitrocellulose-based propellants, benzoates as deterrents for, 2025
Nitrogen-containing vinyl copolymers, statistical analysis of, 2159
N-methylolacrylamide, grafting on cotton, photosensitized, 1691
—, grafting on crosslinked cotton cellulose, 1739
—, graft polymerized on cotton, flame resistant, 201
—, treatment of cotton by, 147
NMR, 1523, 1531, 2051
—, broadline, 1383(N)
—, proton, 249

NMR-proton, 1665
N,N-dimethylaminoethyl methacrylate, methyl chloride salt, copolymerization with acrylamide, 1713
N_2O_4-DMF–pyridine as cellulose solvent, 2347, 2361
Non-Newtonian fluids, 319
Nordel, See EPDM rubber
NR powders, preparation of, 345
N-Vinylpyrrolidone, graft copolymer with TFE, membranes, structure and morphology of, 771
N-Vinyl-2-pyrrolidone, grafted on cellophanes, 1419
Nylon 6, effect of prior high pressure treatment on, 2243
—, fibers, oriented, stress relaxation of, 923
—, and nylon 11, reversible plasticization of, 1371
—, yarn, fractography of, 837
Nylon 11, and nylon 6, reversible plasticization of, 1371
Nylon 6 gut yarn, change in fine structure, in, 2289
—, change in fine structure of, in twisting, annealing, and untwisting processes, 2303
Nylon-nylon melt flow, bicomponent, preferential wetting in, 693
Nylon-polyurethane melt flow, bicomponent, preferential wetting in, 693
Nylons 11 and 6, coextrusion of, 1371
Nylons 6 and 11, coextrusion of, 1371

2,6-Octadienyltriethoxysilane, 1619
Olefinic-type thermoplastic rubbers, rheological properties of, 225
α-Olefins, copolymers with methyl trifluoroacrylate, 1237
α-Olefins copolymerization with α,β,β-trifluoroacrylonitrile, radiation induced, 1053
Oleo-erucic acid, allyl ester, polymers of, 441
Oligoamides, reduced, flocculants from, 1165
Organic glass, by irradiation of fluid and gel prepolymers, 161
Oscillating torsional pendulum, 1565
Osmometers, vapor pressure, 293
Osmosis, reverse, cellulose acetate butyrate membranes for, 663
Oxidation, photo, of polyene structures in PVC by molecular oxygen and singlet oxygen, 2407(N)
—, photo-, resistance of stabilized PP fibers to, effect of washing on, 2005
—, thermal, of poly(hexafluoropropene oxide) fluids, 1397
Oxygen, molecular and singlet, in oxidation of polyene structures of PVC, 2407(N)
Oxygen electrode, 965
Ozone, shrinkage control and surface modification of wool by, 523
Ozone treatment of polyacrylamide, UV effect on, 999
Ozone treatment of water-soluble polymers, 999

Particle coagulation at semicontinuous emulsion polymerization, 909, 915
Periodate oxidation, of cellulose dyed with reactive and direct dyes in the presence of electrolytes, 2269
Perlite, grafted with methyl methacrylate, as filler for ionomer, 975
Permeability, gas, of synthetic poly(α-amino acid) membranes, 965
—, gas, through metallized polymer films, 329
—, oxygen, of synthetic poly(α-amino acid) membranes, 965
—, of phenol, through cellulose acetate membranes, 1191
Permeability of solutes through cellophanes grafted with vinyl monomers, 1419, 1429
Permeation, of water, through polymer films, 1997
—, of water, through Teflon FEP, 1997
Perturbed-hard-chain theory, 725
Pesticides, starch xanthide encapsulated, 153
pH, dynamic, in study of PVC stabilization, 1777
Phenol, condensates with HCHO, 1571(N)
—, separation by reverse osmosis, 1191
Phenolic and tannin-based adhesive resins, 1247, 1257
Phenolic chelates, 1247
Phenolic resin, from creosote bush, polymerization with formaldehyde, 1531
Phenolics, poly-, disassociation of, 2195(N)
2-Phenyl-1,3-dioxolane, copolymer with ethylene chlorophosphonite, effect of, on flame retardance of polyesters, 249
Phenylquinoxaline oligomers, acetylene terminated, 763
—, diacetylene terminated, 763
Phloroglucinol, condensates with HCHO, 1571(N)
Phosphorous compounds, flame retardance by, 1
Phosphorus, red, flame retardant for polyolefins, 1457
Phosphorus-containing flame retardants, 1281
Phosphorylation, flame retardance by, 1
—, preparation of aromatic polyamides by, 1109
Photocrosslinkable unsaturated polyesters, 511
Photodegradation, in poly(ethylene terephthalate-*co*-2,6-naphthalenedicarboxylate)s, 1809
Photoinitated polymeric encapsulation of cotton fibers, 1767(N)
Photoinitiated graft copolymerization on cotton, flame resistance by, 201
Photoinitiated polymerization of N-methylolacrylamide with crosslinked cotton cellulose, 1739
Photo-oxidation, resistance of stabilized PP fibers to, effect of washing on, 2005
Photo-oxidation of polyene structures of PVC, 2407(N)
Photosensitization, dye-, of oxidation of polyene structures in PVC, 2407(N)
Photosensitized graft polymerization of N-methylolacrylamide on cotton, 1691
Photoviscoplastic material, mechanical and optical characterization of, 1295
Physical adsorption of gases, 1479
Plasma, H_2, irradiation of PVC with, 1723, 1875
Plasma polymerization, of silyl amines, 1957
Plasticization, reversible, of nylons 6 and 11, 1371
Plasticizers, in PVC, analysis of, 1215
Pneumacel, basic technology and applications, 89
—, See also foam, closed-cell,
Polarized light microscopy, 269
Polyacrylamide, ozone treatment of, UV effect on, 999
Poly(acrylic acid), ionically crosslinked, membranes from, 801
—, ionically crosslinked, RO membranes from, 1341
—, membranes, ionically crosslinked, 489
Polyacrylonitrile, blends with cellulose, 887(N)
Poly (acrylonitrile–*co*–butadiene), IPNs with PVC, 1179
Polyamides, aromatic, modification with trifunctional monomers, 1109
—, oligomeric, reduced, flocculants from, 1165
—, preparation via the phosphorylation reaction, 1109
Poly(α-amino acid) membranes, oxygen permeability of, 965
Poly(arylene sulfides), 1145
Poly(γ-benzyl L-glutamate), membranes, oxygen permeability of, 965
Poly[bis(*p*-tolylamino)]phosphazene, photochemical behavior of, 285
1,2-Polybutadiene, adhesive compositions based on, 735
cis-Polybutadiene, carbon black filled, blends with SBR, relationship of processing to morphology, 2169
Poly(butadiene–*co*–acrylonitrile), IPNs, with PVC, 1179
Polybutadiene adhesive compositions, 735
Polybutadiene carboxyl-terminated, crosslinking with metal oxides, 811
Polybutadienes, carboxy-terminated, thermal decomposition of, 1797
Polybutene-1-polypropylene blends, structure–property relationships of, 2333
Polycarbonate, glassy, effect of history on gas sorption, thermal, and mechanical properties,

1539
—, glassy, gas sorption of, 1539
—, morphology of, fracture, 1269
Polycarbonate–polyester blends, 2101
—, branched aliphatic polyesters in, 2399
Poly(2,6-dimethylphenylene sulfide), synthesis and characterization of, 1145
Poly(2,2-dimethyl-1,3-propylene succinate), in polycarbonate–polyester blends, 2399
Poly(dimethylsiloxane), dispersions in a poly(styrene-co-acrylonitrile) matrix, 187
—, gas solubilities in, thermodynamics of, 725
—, GPC of, 395
Polyelectrolytes, cationic, adsorbed multilayers of, in carboxymethyl cellulose fibers, 1629
Polyene structures, in PVC, oxidation of, 2407(N)
Polyester, adhesives for, 735
—, cotton blends with, flame retardant, 1
—, flame retardant, poly(ethylene chlorophosphonite-co-2-phenyl-1,3-dioxolane) effect on, 249
—, thermoset, curing, 937
—, thermoset, heats of reaction of, 937
Polyester blend, properties of, 1295
Polyester–polycarbonate blends, 2101
—, branched aliphatic polyesters in, 2399
Polyesters, aliphatic, branched, in polycarbonate–polyester blends, 2399
—, aliphatic, linear, in polyester–polycarbonate blends, 2101
—, from BHET and adipic acid, urethanes from, 1169
—, perfluorinated, 1397
—, thermosetting, specific heat and thermal conductivity of curing, 947
—, unsaturated, photocrosslinkable, 511
Polyether-based thermoplastic polyurethanes, effect of the hard-segment content on, 2041
Poly(ethyl acrylates), chlorosubstituted, mechanical behavior of, 1565
Polyethylene, carboxylic rubber from, viscoelastic properties of, 595(N)
—, degradation by rf discharge in SF_6, 125
—, ethylene solubility and diffusion in, 1787
—, gas solubilities in, thermodynamics of, 725
—, high density, recoverable compliance of, 1305
—, low density, See LDPE
—, photodegradation of, radiation-modified PP as sensitizer for, 2311
—, red phosphorus as flame retardant for, 1457
—, refractive index increments in, 1845
Poly(ethylene terephthalate), tensile properties, comparison of drawn and spun fibers, 301(N)
Poly(ethylene terephthalate–*co*–2,6-naphthalenedicarboxylate) copolymers, energy transfer in, 1809
—, photodegradation in, 1809
Poly(ethylene terephthalate) (PET), tensile impact test for, 1965
Poly(ethyl methacrylates), chlorosubstituted, mechanical behavior of, 1565
Poly(hexafluoropropene oxide), fluids, thermal oxidation of, 1397
Polyhydrazides, sulfurized, 1205
Polyimide, adhesives for, 735
Polyimide fibers, preparation and properties of, 1061
Polyisobutylene, gas solubilities in, thermodynamics of, 725
Polymer concrete, from mixtures of liquid and solid monomers, 2191(N)
—, styrene–acrylonitrile containing, 1759
Polymer–dye systems, laser marking in, 1321
Polymer films, metallized, gas permeability through, 329
Polymer fluids, undiluted, effect of MWD on elongational viscosity of, 671
Polymeric sorbents, complex-forming, 259
Polymerization, condensation, See condensation polymerization
—, emulsion, 703
—, emulsion, α-methylstyrene with styrene, 1665
—, emulsion, of styrene with α-methylstyrene, 1899
—, emulsion, of vinyl acetate, 1353
—, emulsion, radiation-induced, 1031
—, emulsion, semicontinuous, particle coagulation in, 909, 915
—, plasma, of silyl amines, 1957
Polymer melts, thermodynamics of gas solubilities in, 725
Polymers, film-forming, surface tension measurements on, 1925
—, film-forming, thermal aging effects, 1925
—, high temperature resistant, 763
—, water-soluble, ozonization of, UV effect on, 999
Poly(methacrylic acid), crosslinked, porous gels from, structure, 891
—, crosslinked, porous gels from, swelling of, 901
Poly(methyl methacrylate), 235
—, composite with lead silicate, 417
—, crack propagation in, 2255
—, interaction with tricalcium silicate, 2121
Poly(methyl methacrylate)-polystyrene blends, radiation degradation of, 2415(N)
Poly(γ-methyl L-glutamate), membranes, oxygen permeability of, 965
Poly(2-methylphenylene sulfide), synthesis and characterization of, 1145
Poly(N^{ϵ}-carbobenzoxy-L-lysine, membranes, oxygen permeability of, 965
Poly(*p*-nitrophenyl acrylate), graft polymerization of styrene on, 51
Poly(L-glutamic acid), membranes, oxygen permeability of, 965
Poly(L-methionine), membranes, oxygen permeability of, 965
Poly(N-vinylpyrrolidone-co-tetrafluoroethylene), graft membranes, structure and morphology of, 771
Polyolefins, measurement of MW and MWD by low-angle laser light scattering, 651
—, red phosphorus as flame retardant for, 1457
Poly(organophosphazenes), photochemical behavior of, 285
Poly(phenylene sulfide), synthesis and characterization of, 1145
Poly(*p*-phenyleneterephthalamide) fiber, dynamic mechanical properties of, 1039
Poly(pivalolactone), in polycarbonate–polyester blends, 2399
Polypropylene, atactic, radiation modified as sensitizer for PE photodegradation, 2311
—, isotactic, solubility and diffusivity of bis-(2-chloroethyl)sulfide in, 1885
—, isotactic, ultrahigh modulus, 1227
—, isotactic, uniaxial extension of, 781
Polypropylene fibers, stabilized, photo-oxidation resistance of, 2005
Polypropylene-polybutene-1 blends, structure–property relationships of, 2333
Polystyrene, anion exchange resins based on, Friedel–Crafts crosslinking of, 2147
—, anionic polymerized, thermal degradation of, 171
—, atactic, ultradrawing of, by coextrusion, 2137
—, curing of prepolymer and propellant slurries, 1603
—, degradation of, by γ-radiation, 425
—, elongational viscosity of, 671
—, emulsion polymerized, thermal degradation of, 171
—, maleimidomethylated, reaction of hexachlorocyclopentadiene with, 1771(N)
—, simultaneous interpenetrating networks based on, 569
Poly(styrene-co-acrylonitrile), silicone toughened, 187
Polystyrene films, loss angle tangent in, 503
—, preparation by electrical discharge in styrene vapor, 503
Polystyrene-PMMA blends, radiation degradation of, 2415(N)
Polystyrenes, TGA of, 171
—, unmodified and rubber modified, solvent crazing in, 2113
Polysulfone, ureidosilane-terminated, 115
Polysulfone-carboranesiloxane alternating block copolymers, 115
Poly(tetrafluoroethylene), degradation by rf

discharge in SF_6, 125
—, *VSE* equation for, 1329
Poly(tetrafluoroethylene-co-N-vinylpyrrolidone), graft membranes, structure and morphology of, 771
Polythiocarbamides, 1205
Polyurethane, IPN with polyurethane diacrylate, 1007
Polyurethane diacrylate, IPN with polyurethane, 1007
Polyurethane foams, flexible, compressive creep of, 709
Polyurethane-nylon melt flow, bicomponent, preferential wetting in, 693
Polyurethanes, polyether based, effect of hard-segment content on, 2041
—, from polyol of BHET and adipic acid, 1169
Poly(vinyl acetate), grafting on wool, ceric ion initiated, 1595
Poly(vinyl chloride), impact, effect of additives on, 827
—, irradiation of, with H_2 plasma, 1875
—, irradiation with H_2 plasma, 1723
—, stabilization of, 1917
Poly(vinyl chloride)/poly(butadiene–*co*–acrylonitrile), IPNs from, 1179
Pore radius, 891
Pore volume, 891
Porosity, of crosslinked poly(methacrylic acid) gels, 891
Porous polymer gels, crosslinked poly(methacrylic acid), 891, 901
Preemulsification, monomer, effect on emulsion polymerization, 703
Preoriented isotactic polypropylene, uniaxial extension of, 781
Preparation of higher aliphatic acid, esters of wood in an N_2O_4–DMF–pyridine cellulose solvent medium, 2347
Prepolymers, organic glasses by irradiation of, 161
Pressure-sensitive adhesives, thermoplastic, 1551
Processing, of SBR-carbon black filled *cis*-polybutadiene blends, relationship of morphology to, 2169
Propellant, solid composite, degradation of binder in, 589(N)
—, nitrocellulose based, benzoates as deterrents for, 2025
—, polystyrene–ammonium perchlorate based, curing of, 1603
Properties of polyacrylonitrile–cellulose blends, 887(N)
Proteins, ultrafiltration of, anomalous flow in, 1581(N)
PVC, analysis of plasticizers in, 1215
—, blend with graft copolymer, of ethylenepropylene-1,4-hexadiene, 827
—, copolymerization of styrene and m-DVB in the presence of, 1395(E)
—, polyene structures in, oxidation of, 2407(N)
—, stabilization of, by epoxides, 1777
PVC–dye systems, stabilization of, 1917
Pyrogallol, condensates with HCHO, 1571(N)
Pyrolysis of cotton cellulose, 1281
Pyromellitic dianhydride, polyimide fibers from, 1061

p-Quinone dioxime dibenzoate, vulcanization of butyl rubber by, 371

Radiation, γ-, degradation of polystyrene by, 425
—, γ-, effect on PMMA–lead silicate composites, 417
—, γ-, induction of emulsion polymerization by, 1031
Radiation cast polymerization, of MMA, Fresnel lenses prepared by, 1515
Radiation degradation of polystyrene/poly(methyl methacrylate) blends, 2415(N)
Radiation grafting, of vinyl monomers on cellophanes, 1419, 1429
Radiation-induced, γ-, graft copolymerization of divinylbenzene onto cellulose fabric, 1101
Radiation-induced copolymerization of methyl chloride salt of N,N-dimethylaminoethyl methacrylate with acrylamide, 1713
Radiation-induced copolymerization of α,β,β-trifluoroacrylonitrile with α-olefin, 1053
Radiation-induced copolymerization of vinyl acetate and *N*-vinyl-2-pyrrolidone, 2159
Radiation induced graft copolymerization, PVP and TFE, membranes from, 771
Radiation induced grafting of acrylamides on starch, 2015
Radiation-induced polymerization of ethylene, 1831
—, bulk process, 853
—, development of wet-wall process, 865
Radiation-modified atactic polypropylene as a sensitizer for photodegradation of polyethylene, 2311
Radiation polymerization, 235
Reaction of reactive dyes in cellulose, 1747
Reactors, continuous, emulsion polymerization, stability of, 1935
—, emulsion polymerization, continuous, stability of, 1935
Refractive index increments of polyethylene, 1845
Reimschuessel's kinetic constants, 211
Release rate of microencapsulated 2,3,5,6-tetrachloro-4-methylsulfonylpyridine, 2369
Reorganization in macromolecular network through metal ion coordination, 1125
Resin shellac, natural, dielectric behavior of constituents of, 1977
Resorcinol, condensates with HCHO, 1571(N)
Reverse osmosis, cellulose acetate membranes for, 135, 749, 1191
—, See osmosis reverse
Reverse osmosis membranes, 489
—, cellulose acetate, 305(N), 1775(E)
—, cellulose acetate butyrate, 663
—, cellulose acetate carbamates, 1439
—, ionically crosslinked poly(acrylic acid), 801, 1341
RF discharge degradation of polymers, 125
Rheological properties of thermoplastic elastomers, 225
Rheology, melt, filled ionomer, 975
Rheology and water swelling of carboxymethyl starch gels, 2031
Rheovibron, 1413
Rhizopus delemar lipase, See lipase
Ribbon width, ratio to wall thickness, in cotton fibers, 547
Room temperature-vulcanized silicone elastomer, See RTV
Rubber, butyl, vulcanization of, 371
—, carboxylic, from polyethylene, viscoelastic properties of, 595(N)
—, foam, starch xanthate grafted with vinyl monomers in production of, 9
—, natural, thiuram vulcanization of, 683
Rubber elasticity, theory of, 1169
Rubber-filler powders, method for preparation of, 345
Rubber-modified polystyrenes, solvent crazing in, 2113
Rubbers, liquid, carboxyl-terminated, crosslinking with metal oxides, 811

SAXD, 2289
SBR, blends with carbon black filled *cis*-polybutadiene, relationship of processing to morphology, 2169
SBR powders, preparation of, 345
SBS block copolymers, rheological properties of, 22
Scanning electron microscopy, 201, 269, 2121
Scattering, laser light, low-angle determination of MW and MWD by, 651
SEM, 837
Shear viscosity, 225, 1305
Shellac, natural resin, dielectric behavior of constituents of, 1977
Shrinkage control, of wool, by ozone, 523
Shrinkage of EVA copolymers, effect of annealing near T_g on, 2277

Silane, functional, calcium carbonate modified by, 1985
Silane coupling agents, nonterminal unsaturated, for filled EPR, 1619
Silicic acid, tricalcium salt, interaction with PMMA, 2121
Silicone-toughened poly(styrene-co-acrylonitrile), 187
Silyl amines, plasma polymers from, 1957
Simultaneous interpenetrating networks based on castor oil elastomers and polystyrene, 569
Sisal, fibers, polymer deposition in, 269
—, graft polymerization of vinyl monomers on, 269
Size exclusion chromatography, 2195(N)
Sliding, repetitive, mechanochemical effect on polymers, 1503
Small arms propellants, benzoates as deterrents for, 2025
Smith–Ewart–Gardon theory of emulsion polymerization, 1665
Smith–Ewart rate theory, 1031
Sodium deuteroxide, cellulose treated with, 601(E)
Soil-release properties of easy-care cotton, improvement via chemical modification, 2071(N)
Solid state copolymerization, of diacetylenes, 883(N)
Solubility, of ethylene in LDPE and ethylene copolymers, 1787
—, gas, in molten polymers, thermodynamics of, 725
Solubility and diffusivity of bis-(2-chloroethyl)sulfide in polypropylene, 1885
Sorption, transient, by 2-component laminate slab, 1391(N)
Sorption phenomena in Nafion membranes, 2199
Soybean whey, treatment of by RO using cellulose acetate membranes, 135, 749
SPA cotton, acetylation of, 1139(N)
Specific heat, variation of, in curing thermosetting polyesters, 947
Spectroscopic evidence for mechanochemical effects of moisture in epoxy resins, 1643
Spinning, melt, 61
Stability of continuous emulsion polymer reactors, 1935
Stabilization, of MMA, by $NaBH_4$, 2237
Stabilization of poly(vinyl chloride), 1917
Starch, graft copolymerization of acrylonitrile and acrylamido-2-methylpropanesulfonic acid on, 1387(N)
—, graft polymerization of acrylamide and 2-acrylamido-2-methylpropanesulfonic acid on, 2015
Starch gels, carboxymethyl, water swelling and rheology of, 2031
Starch polymers, acrylonitrile grafted on, 105
—, carboxyl-containing, 105
Starch xanthate, vinyl monomer grafted, in foam rubber, 9
Starch xanthide, See also starch xanthate
Starch xanthide encapsulated pesticides, 153
Statistical analysis of nitrogen-containing vinyl copolymers, 2159
Statistical methods for comparing GPC curves, 405
Statistical study of the application of the Huggins equation to measure intrinsic viscosity, 2087
Stearo-behenic acid, allyl ester, polymers of, 441
Stoichiometry, effect on properties of high-performance structural epoxy, 2375
Stress birefringence, 1295
Stress difference, 225
Stress relaxation of oriented nylon 6 fibers, 923
Stress–strain analysis, 569
Stretching, uniaxial, effect on tensile impact test for PET, 1965
Structure of crosslinked poly(methacrylic acid) gels, 891
Styrene, block copolymers with MMA, 2051
—, block copolymer, with butadiene, molecular weight of, by GPC, 953
—, copolymerization with α-methylstyrene, emulsion, 1899
—, copolymers with acrylonitrile, silicone-toughened, 187
—, copolymers with m-divinylbenzene, 1395(E)
—, copolymer with acrylonitrile, acrylamide and trimethylolpropane trimethacrylate, 455
—, copolymer with DVB, alkylation with 5-chloromethyl-8-hydroxyquinoline, metal coordination in, 1125
—, copolymer with hexahydrotriacryloyl-*s*-triazine, anion exchange resins from, 2147
—, emulsion copolymerization with α-methylstyrene, 1665
—, grafted on cellophanes, 1419
—, grafting on lignosulfonate, 1609
—, graft polymerization on poly(*p*-nitrophenyl acrylate), 51
—, polymer concrete containing copolymer of acrylonitrile and, 1759
Styrene–acrylonitrile, 1759
Styrene–acrylonitrile–acrylamide–trimethylolpropane trimethacrylate copolymers, 455
Sulfoethyl methacrylate, copolymerization of, 909, 915
Sulfur hexafluoride, degradation of polymers in, 125
Surface properties of plasma polymers from hexamethyldisilazane and diethylaminotrimethylsilane, 1957
Surface tension, in bicomponent melt flow, 693
Surface tension measurements on film-forming polymers, 1925
Swelling, equilibrium, of unmodified and rubber-modified polystyrenes, 2113
—, water, of carboxymethyl starch gels, 2031
Swelling behavior of crosslinked poly(methacrylic acid) gels, 901
Swelling measurements, on Nylon 6, 2243
Swelling properties of urethane elastomers, 1089

Tack, 1551
Taffy process, 1115
Takayanagi's two-phase model, 1007
Tannin, adhesive resins based on, 1247, 1257
Tannin/polyurethane adhesives for bonding aluminum, 1579(N)
Teflon FEP, water permeation through, 1997
TEM, 1767(N)
Temperature dependence of the brittleness of cellulosic fibers, 1497
Tenacity, of cotton fibers, 547
Tensile impact strength, amorphous polymers, relation to structure of, 37
Tensile impact tester, flywheel-type, load cell for, 29
2,3,5,6-Tetrachloro-4-methylsulfonylpyridine, microencapsulated, release rate of, 2369
Tetrafluoroethylene, graft copolymer with PVP, membranes, structure and morphology of, 771
Tetramethyl thiuram disulfide, rubber vulcanization by, 683
Texturing, draw, mechanics of, 311(E)
TGA, 455, 683, 1237
—, of polystyrenes, 171
TGA and mass-spectrometric study of the thermal decomposition of PBCT resins, 1797
Thermal analysis, 2121, 2137
Thermal conductivity, variation of, in curing thermosetting polyesters, 947
Thermal decomposition of anionic and emulsion polymerized polystyrenes, 171
Thermal gelation properties of methyl and hydroxypropyl methylcellulose, 1073
Thermal oxidative studies of poly(hexafluoropropene oxide) fluids, 1397
Thermal softening and melting of esterified wood prepared in an N_2O_4–DMF cellulose solvent medium, 2361
Thermodynamics of gas solubilities in molten polymers, 725
Thermosetting polymers, synthesis of, from by-products of coal conversion, 2323
Thioamide groups, polymers containing, 1205
Thiuram vulcanization of natural rubber, 683
Transient sorption by two-component laminate slabs in a semiinfinite bath, 1391(N)
Transmission electron microscopy, 1179

Transmission IR, 1383(N)
Transport phenomena in cellulose diacetate membranes, 985
Tributylborane-initiated grafting of methyl methacrylate onto chitin, 1587
Tricalcium silicate, interaction with PMMA, 2121
α,β,β-Trifluoroacrylonitrile, copolymerization with α-olefins, radiation induced, 1053
—, homopolymerization, radiation induced, 1053
Trimesic acid, modification of aromatic polyamides by, 1109
Trimethylolpropane trimethacrylate, copolymer with styrene, acrylonitrile and acrylamide, 455
Twisted polymers, 1125
Twisting, effect of, on nylon 6 gut yarn fine structure, 2289, 2303

Ultradrawing of amorphous polymers by coextrusion illustrated with atactic polystyrene, 2137
Ultrahigh modulus isotactic polypropylene, 1227
Uniaxial extension of preoriented isotactic polypropylene, 781
Uniaxial-stretching, effect on the tensile impact test for PET, 1965
Unsaturated polyesters, chalconyl group containing, photocrosslinkable, 511
—, cinnamylidenemalonyl group containing, photocrosslinkable, 511
Untwisting, effect of, on nylon 6 gut yarn fine structure, 2289, 2303
Urea–formaldehyde resin, in microencapsulation of 2,3,5,6-tetrachloro-4-methylsulfonylpyridine, 2369
Ureidosilane-terminated polysulfone, 115
Urethanes, microphase separation from, 1089
—, swelling of, 1089
Urethane thermoplastic elastomers, rheological properties of, 225
UV, treatment of cotton with N-methylolacrylamide under, 147
UV initiated graft copolymerization on cotton, flame resistance by, 201
UV irradiation effects on the ozonization of polyacrylamide, 999

Vanzetti Infrared Thermal Monitoring System, 61
Vapor pressure osmometers, calibration of, 293
Vinyl acetate, emulsion polymerization of, 1353
—, emulsion polymerization of, radiation-induced, 1031
—, radiation-induced copolymerization with *n*-vinyl-2-pyrrolidone, 2159
Vinyl copolymers, nitrogen containing, statistical analysis of, 2159
Vinyl monomers, grafted on cellophanes, 1419, 1429
—, grafted on starch xanthate, in foam rubber, 9
—, graft polymerization on sisal fibers, 269
Vinyl phosphonate oligomer, graft polymerized on cotton, flame resistance by, 201
Vinylphosphonic acid, diethyl ester, 259
N-Vinyl-2-pyrrolidone, radiation-induced copolymerization with vinyl acetate, 2159
Vinyl sulfonate-type dyes, 2269
Viologens, oligomeric, electrochromic behavior of, polymer effect in, 2075
Viscoelastic behavior, carboxylic rubber from PE, 595(N)
Viscoelastic behavior of interpenetrating networks of polyurethane and polyurethane diacrylate, 1007
Viscoelastic materials, draw resonance in spinning of, 61
Viscoelastic solid, crack propagation in, 2255
Viscoelastometer, Rheovibron DDV-II, 1413
Viscosity, of carboxymethyl starch gels, 2031
—, elongational, of polystyrene, 671
—, elongational, undiluted polymer fluids, effect of MWD on, 671
—, intrinsic, Huggins equation applied to, 2087
—, intrinsic, of copolyamide–esters, 1701
Viscous flow between coaxial cylinders, 319
Viscous heating effects in polymer mechanochemistry, 2185(N)
Volume–entropy–energy (*VSE*) equation of state for liquids, 1329
VPO, 1531
VSE, See also volume–entropy–energy
VSE equation of state for liquids, 1329
Vulcanization, of butyl rubber, by *p*-quinone dioxime dibenzoate, 371

Wall thickness, ratio to ribbon width, in cotton fibers, 547
Washing, effect on the photo-oxidation resistance of stabilized polypropylene fibers, 2005
Water and solute transport across cellulose acetate membranes, 1775(E)
Water permeation of polymer films, 1997
WAXD, 2289, 2333
Weissenberg rheogoniometer, 225, 975
Wet Spinning, 1061
Wetting, preferential, in bicomponent melt flow, 693
Whey, treatment of, by RO, 1775(E)
WLF equation, 923
Wool, poly(vinyl acetate) grafting on, ceric ion initiated, 1595
—, surface modification by ozone, 523
Wool shrinkage control and surface modification by ozone, 523

X-ray, microbeam, 2303
X-ray diffraction, of Nylon 6, 2243
X-ray goniometry, 781

Yamazaki phosphorylation reaction, 1109
Yarns, staple, interfilament friction on, 1413
Young modulus, dynamic, 1007

Zeta potential, 1629
Zone-drawing, of isotactic polypropylene, 1227

Journal of Applied Polymer Science

Volume 24, 1979

Editorial Board: H. MARK • A. LEDWITH • M. MORTON
B. RANBY • P. WEISS

Advisory Board:

J. C. ARTHUR, JR.
New Orleans, Louisiana
H. BARTL
Leverkusan, Germany
R. F. BOYER
Midland, Michigan
J. H. BRADBURY
Canberra, Australia
E. CERNIA
Rome, Italy
H. CHERDRON
Frankfurt, Germany
S. L. COOPER
Madison, Wisconsin
W. COOPER
Birmingham, England
H. W. COOVER, JR.
Kingsport, Tennessee
N. S. ENIKOLOPIAN
Moscow, USSR
H. P. FRANK
Linz, Austria
Z. G. GARDLUND
Warren, Michigan
T. W. GEORGE
Raleigh, North Carolina
J. K. GILLHAM
Princeton, New Jersey
M. A. GOLUB
Moffet Field, California
H. B. HOPFENBERG
Raleigh, North Carolina
F. E. KARASZ
Amherst, Massachusetts
J. L. KARDOS
St. Louis, Missouri
H. KRAESSIG
Lenzing-Oberosterreich, Austria
M. KRYSZEWSKI
Lodz, Poland
J. LE BRAS
Paris, France
M. LEWIN
Jerusalem, Israel
D. J. METZ
Upton, New York
S. MORIMOTO
Osaka, Japan
N. OGATA
Tokyo, Japan
J. A. PARKER
Moffet Field, California
D. R. PAUL
Austin, Texas
N. A. PEPPAS
West Lafayette, Indiana
R. H. PETERS
Manchester, England
L. REBENFELD
Princeton, New Jersey
F. RODRIGUEZ
Ithaca, New York
R. SALOVEY
Los Angeles, California
H. TSCHAMLER
Vienna, Austria
L. VALTASAARI
Otaniemi, Finland
G. L. WILKES
Blacksburg, Virginia
H. L. WILLIAMS
Toronto, Ontario
N. WOODING
London, England

An Interscience® Publication
Published by JOHN WILEY & SONS

The *Journal of Applied Polymer Science* is published in two sections as follows: *Journal of Applied Polymer Science*, semimonthly; *Applied Polymer Symposia*, irregularly. Published semimonthly, two volumes per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016. Second-class postage paid at New York, New York, and at additional mailing offices.

Copyright © 1979 by John Wiley & Sons, Inc. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright law without the permission of the copyright owner is unlawful.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price (1980): $270.00 (one volume). Postage and handling outside U.S.A.: $28.00. Please allow four weeks for change of address. Back volumes, microfilm, and microfiche available for previous years.

Claims for undelivered copies must be made no later than three months following month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Journal of Applied Polymer Science

Contents

Volume 24, 1979

ISSUE NO. 1, 1 JULY 1979

New Attempt at Flame-Retardation of Polyester/Cotton Fabric Blends
N. Inagaki, T. Shintani, H. Kunisada, and K. Katsuura 1

Grafting Starch Xanthate with Vinyl Monomers and Hydrogen Peroxide in Foam Rubber Production
G. G. Maher 9

Mechanism and Kinetics of Grafting of Macrodiisocyanate on to Carboxyl-Containing Acrylonitrile Copolymers
S. E. Shalabi, G. A. Gabrielyan, and Z. A. Rogovin 19

Flywheel-Type Tensile Impact Tester with a New Load Cell for Polymer Sheet and Film
M. Yokouchi and Y. Kobayashi 29

Entanglement Network Model Relating Tensile Impact Strength and the Ductile-Brittle Transition to Molecular Structure in Amorphous Polymers
B. H. Bersted 37

Graft Copolymerization of Styrene onto Poly(*p*-Nitrophenyl Acrylate) by Chain Transfer Reaction
S. Nakamura, H. Kasatani, and K. Matsuzaki 51

Studies on Melt Spinning. VIII. The Effects of Molecular Structure and Cooling Conditions on the Severity of Draw Resonance
C. D. Han and S. M. Apte 61

Pneumacel: Basic Technology and Applications
W. H. Bonner, F. H. Fish, Jr., and M. Q. Webb 89

Carboxyl-Containing Starch Graft Polymer: Preparation and Use in Heavy Metal Removal
W. E. Rayford, R. E. Wing, and W. M. Doane 105

D_2-*m*-Carboranesiloxanes. VIII. Preparation and Characterization of Carboranesiloxane/Polysulfone Alternating Block Copolymer
D. D. Stewart, E. N. Peters, C. D. Beard, R. B. Moffitt, G. T. Kwiatkowski, J. J. Bohan, and E. Hedaya 115

Degradation of Polymers Subjected to Radio-Frequency Discharges in SF_6
R. Gilbert, J. Castonguay, and A. Théorêt 125

Water and Solute Transport Across Cellulose Acetate Membranes in the Treatment of Soybean Whey by Reverse Osmosis
E. C. Baker, G. C. Mustakas, M. D. Moosemiller, and E. B. Bagley 135

Reactivity of N-Methylolacrylamide in Treatment of Cotton Under Ultraviolet Light
R. M. Reinhardt and J. C. Arthur, Jr. 147

Pilot-Plant Process for Starch Xanthide Encapsulated Pesticides
E. I. Stout, B. S. Shasha, and W. M. Doane 153

Cast and Mold Polymerization of Organic Glass by Irradiation from Fluid and Soft Gel Prepolymers
H. Okubo, F. Yoshii, S. Nishiyama, K. Yoshida, and I. Kaetsu 161

Thermal Decomposition of Anionic and Emulsion Polymerized Polystyrenes
A. Rudin, M. C. Samanta, and P. M. Reilly 171

Silicone-Toughened Poly(Styrene-co-Acrylonitrile)
J. C. Saam, C. M. Mettler, J. R. Falender, and T. J. Dill 187

Flame Resistant Cotton by Photoinitiated Graft Copolymerization
J. A. Harris, J. C. Arthur, Jr., and W. R. Goynes, Jr. 201

The Kinetics of Hydrolytic Polymerization of ϵ-Caprolactam
K. Tai, H. Teranishi, Y. Arai, and T. Tagawa 211

Measurement of the Rheological Properties of Thermoplastic Elastomers
C. D. Han and D. A. Rao 225

New Coating Materials and Their Preparation by Radiation Polymerization. III. Antifogging Coating Composition
I. Kaetsu and M. Yoshida 235

Copolymerization of Ethylene Chlorophosphonite with 2-Phenyl-1,3-Dioxolane and Its Flame-Retardant Effect on Polyester Fabric
N. Inagaki and K. Katsuura 249

Complex-Forming Polymeric Sorbents with Macromolecular Arrangement Favorable for Ion Sorption
V. A. Kabanov, A. A. Efendiev, and D. D. Orujev 259

Polymer Deposition in Sisal Fibers: A Structural Investigation
B. C. Barkakaty and A. Robson 269

Photochemical Behavior of Poly(Organophosphazenes). I. Poly[Bis(*p*-Tolylamino)] Phosphazene
P. Bortolus, F. Minto, G. Beggiato, and S. Lora 285

Calibration of Vapor Pressure Osmometers for Molecular Weight Measurement
D. E. Burge 293

NOTES

Tensile Properties of Drawn Polyethylene Terephthalate Fibers Compared with Fibers Spun at High Windup Speeds
H. Brody 301

Effect of Different Alcohol–Water Mixtures as Gelation Mediums during Formation of Cellulose Acetate Reverse Osmosis Membranes
G. R. Gildert, T. Matsuura, and S. Sourirajan 305

ERRATUM

On the Mechanics of Draw Texturing
D. Brookstein 311

Information for Contributors 317

Issue No. 2, 15 July 1979

Accuracy of the Parallel-Plate Analogy for Representation of Viscous Flow Between Coaxial Cylinders
R. A. Worth 319

Permeabilität galvanisch beschichteter Polymerfolien. I. Methode zur Messung der Gaspermeabilität
J. Springer and H. Brito 329

Kinetic Studies on the Condensation Reaction of 2-Methylol-4-*t*-Butylphenol with 4-*t*-Butylphenol Using Acid Catalysts. I.
B. S. R. Reddy, S. Rajadurai, and M. Santappa 339

"Dry Latex." A New Method for the Preparation of Rubber-Filler Powders
R. Caspary and J. Heske 345

Loss of Additives from Polymers: A Theoretical Model
P. D. Calvert and N. C. Billingham 357

Vulcanization of Butyl Rubber by *p*-Quinone Dioxime Dibenzoate
L. M. Gan and C. H. Chew 371

Dyeing of Chemically Modified Cellulose. IV. Dyeing of Oxidized Celluloses with Some Reactive and Direct Dyes
A. Hebeish, A. Z. Moursi, A. Waly, and M. H. El-Rafie ... 385

Gel Permeation Chromatography of Poly(dimethyl siloxane). I. The Universal Calibration
L. Mandík, A. Foksová, and J. Foltyn ... 395

Statistical Methods for Comparing GPC Curves
L. Füzes ... 405

Preparation and Characterization of Poly (methyl Methacrylate)–Lead Silicate Composites
A. M. Rabie, A. B. Moustafa, and A. S. Badran ... 417

Degradation of Polystyrene by Gamma Irradiation: Effect of Air on the Radiation-Induced Changes in Mechanical and Molecular Properties
T. N. Bowmer, L. K. Cowen, J. H. O'Donnell, and D. J. Winzor ... 425

Allyl Esters of Crambe-Derived Long-Chain Fatty Acids and Their Polymers
S.-P. Chang and T. K. Miwa ... 441

Influence of Curing Agent Concentration and Curing Temperatures on the Thermostability of Styrene–Acrylonitrile–Acrylamide–Trimethylolpropane Trimethacrylate Copolymer Systems
A. N. Zeldin, L. E. Kukacka, J. J. Fontana, N. R. Carciello, and W. Reams ... 455

Polymer Film–Type Channel Electron Multipliers: Their Characteristics and Comparison with Bulk-Type Flexible Multipliers
Y. Kishimoto, T. Hayashi, M. Hashimoto, and T. Ohshima ... 465

Flow Visualization of Cellulose Acetate–Acetone Solutions
E. Boudreaux, Jr., and J. A. Cuculo ... 475

Ionically Crosslinked Poly(acrylic Acid) Membranes. I. Wet Technique
A. C. Habert, R. Y. M. Huang, and C. M. Burns ... 489

Methods for Lowering Loss Angle Tangent of Thin Polystyrene Films Obtained by Electrical Discharge in Styrene Vapor
C. Sar, M. Valentin, and B. Ai ... 503

Photocrosslinkable Unsaturated Polyesters
D. S. Sadafule and S. P. Panda ... 511

Wool Shrinkage Control and Surface Modification by Ozone
W. J. Thorsen, W. H. Ward, and M. M. Millard ... 523

Frequency Distributions of Breaking Load, Tenacity, and Ratio of Cell Wall Thickness to Ribbon Width for Single Cotton Fibers
N. C. Patel and N. E. Dweltz ... 547

Simultaneous Interpenetrating Networks Based on Castor Oil Elastomers and Polystyrene. V. Behavioral Trends and Analysis
N. Devia, J. A. Manson, L. H. Sperling, and A. Conde ... 569

Influence of Drawing and Molecular Weight on Structural-Mechanical Properties of Acrylic Fibers
A. I. Stoyanov and V. P. Kpestev ... 583

NOTES

Mechanism of the Oxidative Degradation of Binder During the Aging of Composite Solid Propellant
K. Kishore, V. R. P. Verneker, and G. Prasad ... 589

A Carboxylic Rubber from Polyethylene
R. M. Joshi ... 595

ERRATA

Physicochemical Properties of Kevlar 49 Fiber
L. Penn and F. Larsen ... 599

Spectral Studies on Cellulose Treated with Sodium Deuteroxide
A. Venkataraman, D. R. Subramanian, D. S. Ayare, B. R. Manjunath, and M. R. Padhye ... 601

Information for Contributors ... 603

ISSUE NO. 3, 1 AUGUST 1979

Classification of Properties of Elastomers Using the "Optimum Property Concept." I. Introduction
F. K. Lautenschlaeger and M. Myhre 605

Effect of Fillers on Kinetics of Epoxy Cure
A. Dutta and M. E. Ryan 635

Measurement of the Absolute Molecular Weight and Molecular Weight Distribution of Polyolefins using Low-Angle Laser Light Scattering
T. B. MacRury and M. L. McConnell 651

Reverse Osmosis Characteristics of Cellulose Acetate Butyrate Membranes
H. Ohya, N. Akimoto, and Y. Negishi 663

Effect of Molecular Weight Distribution on Elongational Viscosity of Undiluted Polymer Fluids
B. H. Bersted 671

Thiuram Vulcanization of Natural Rubber in the Presence of Hydrofuramide and Ethanolamines
B. Banerjee, S. N. Chakravarty, B. V. Kamath, and A. B. Biswas 683

Preferential Wetting Phenomenon in Bicomponent Polymer Melt Flow
J. H. Southern and R. L. Ballman 693

Influence of Monomer Preemulsification on Formation of Particles from Monomer Drops in Emulsion Polymerization
D. P. Durbin, M. S. El-Aasser, G. W. Poehlein, and J. W. Vanderhoff 703

Compressive Creep of Flexible Polyurethane Foam
G. A. Campbell 709

Thermodynamics of Gas Solubilities in Molten Polymers
D. D. Liu and J. M. Prausnitz 725

Polybutadiene Adhesive Compositions
W. M. Alvino 735

Computer Optimization of Reverse Osmosis Processing of Soy Whey with Cellulose Acetate Modules
E. C. Baker, M. D. Moosemiller, and G. C. Mustakas 749

New Acetylene-Terminated Phenylquinoxaline Oligomers
F. L. Hedberg and F. E. Arnold 763

Structure and Morphology of Poly(Tetrafluoroethylene)-Poly(N-Vinylpyrrolidone) Copolymer Membranes
G. Morel and J. Jozefonvicz 771

Superstructural Description of Deformation Process in Uniaxial Extension of Preoriented Isotactic Polypropylene
K. Yamada and M. Takayanagi 781

Ionically Crosslinked Poly(acrylic Acid) Membranes. II. Dry Technique
A. C. Habert, C. M. Burns, and R. Y. M. Huang 801

Ionic Crosslinking of Carboxyl-Terminated Liquid Rubbers with Metal Oxides
H. Matsuda and Y. Minoura 811

The Effect of Additives on Impact Poly(Vinyl Chloride)
E. P. Chang, R. Kirsten, and R. Salovey 827

Fractography of Nylon-6 Yarn
N. Ogata, S. Dougasaki, and K. Yoshida 837

Radiation-Induced Polymerization of Ethylene in a Pilot Plant. I. Bulk Process
M. Takehisa, S. Machi, H. Watanabe, T. Ueno, S. Takahashi, R. Tsuchiya, K. Otaguro, I. Motoda, Y. Takasaka, K. Miyanaga, W. Kawakami, K. Yamaguchi, T. Sugo, H. Nakajima, T. Watanabe, and C. Hinachi 853

Radiation-Induced Polymerization of Ethylene in a Pilot Plant. II. Development of Wet-Wall Process
M. Takehisa, H. Watanabe, H. Kurihara, Y. Takasaka, Y. Maruyama, K. Miyanaga, T. Suwa, H. Nakajima, K. Yamaguchi, M. Tohei, W. Kawakami, T. Watanabe, S. Senrui, and S. Machi 865

NOTES

Copolymerization of Diacetylenes in the Crystalline Solid state. A Method for Recording Latent Fingerprints
G. G. Miller and G. N. Patel 883

Properties of Polyacrylonitrile–Cellulose Blends
Z. Baalbaki and R. E. Prud'homme 887

ISSUE NO. 4, 15 AUGUST 1979

Studies of Porous Polymer Gels. II. Structure and Porosity of Moderately Crosslinked Poly(Methacrylic Acid) Gels
H. Galina and B. N. Kolarz 891

Studies of Porous Polymer Gels. III. Swelling Behavior of Porous Poly(Methacrylic Acid) Gels
H. Galina and B. N. Kolarz 901

Particle Coagulation at Semicontinuous Emulsion Polymerization. I. Some Factors Affecting the Process
J. Šňupárek, Jr. 909

Particle Coagulation at Semicontinuous Emulsion Polymerization. II. Characterization of Surface Groups
J. Šňupárek, Jr. and A. Tutálková 915

Stress Relaxation of Oriented Nylon 6 Fibers
T. Kunugi, Y. Isobe, K. Kimura, Y. Asanuma, and M. Hashimoto 923

The Flatness of Lignosulfonate Macromolecules as Demonstrated by Electron Microscopy
D. A. I. Goring, R. Vuong, C. Gancet, and H. Chanzy 931

Heats of Reaction and Kinetics of a Thermoset Polyester
S. Y. Pusatcioglu, A. L. Fricke, and J. C. Hassler 937

Variation of Thermal Conductivity and Specific Heat During Cure of Thermoset Polyesters
S. Y. Pusatcioglu, A. L. Fricke, and J. C. Hassler 947

Block Copolymer Molecular Weight by GPC
L. H. Tung 953

Permeability of Synthetic Poly(α-amino Acid) Membranes to Oxygen Dissolved in Water
N. Minoura, Y. Fujiwara, and T. Nakagawa 965

Melt Rheology of Ionomer Filled with Methyl Methacrylate-Grafted Perlite
K. Iwakura and T. Fujimura 975

Analysis of Transport Phenomena in Cellulose Diacetate Membranes. I. Relation Between Dialysis Coefficients and Membrane Morphology and Hydration
J. L. Halary, C. Noël, and L. Monnerie 985

Ozone Treatment of Water-Soluble Polymers. V. Ultraviolet Irradiation Effects on the Ozonization of Polyacrylamide
J. Suzuki, H. Harada, and S. Suzuki 999

Viscoelastic Behavior of Interpenetrating Networks of Polyurethane and Polyurethane Acrylate
V. F. Rosovizky, M. Ilavský, J. Hrouz, K. Dušek, and Yu. S. Lipatov 1007

Fine Structure of Carbamoylethylated and Carboxyethylated Cotton Cellulosic Fibers
M. Shimada, H. Kuribara, I. Matsumoto, and Y. Nakamura 1017

Emulsion Polymerization of Vinyl Acetate Initiated by Intermittent γ Radiation
F. Sundardi 1031

Dynamic Mechanical Properties of Poly(*p*-phenyleneterephthalamide) Fiber
T. Kunugi, H. Watanabe, M. Hashimoto 1039

Radiation-Induced Copolymerization of α,β,β-Trifluoroacrylonitrile with α-Olefin
O. Matsuda, G. K. Kostov, Y. Tabata, and S. Machi 1053

Preparation and Properties of Polyimide Fibers
R. N. Goel, I. K. Varma, and D. S. Varma 1061

Thermal Gelation Properties of Methyl and Hydroxypropyl Methylcellulose
N. Sarkar 1073

Swelling Properties of Urethane Elastomers and Their Bearing on Microphase Separation
W. Nierzwicki and Z. Majewska 1089

Gamma Radiation–Induced Graft Copolymerization of Divinylbenzene onto Cellulose Fabric
S. Trobojević-Gobac, M. Vlatković, and Z. Meić 1101

Preparation of Polyamides Via the Phosphorylation Reaction. II. Modification of Wholly Aromatic Polyamides with Trifunctional Monomers
J. Preston and W. L. Hofferbert, Jr. 1109

Molecular Weight Distributions in Epoxy Resins
K. Ravindranath and K. S. Gandhi 1115

Twisted Polymers: Structural Reorganization in Macromolecular Network Through Metal Ion Coordination
A. Warshawsky and R. Kalir 1125

NOTE

A Study on the Further Acetylation of SPA Cotton
A. K. Kulshreshtha and N. E. Dweltz 1139

Information for Contributors 1143

ISSUE NO. 5, 1 SEPTEMBER 1979

Synthesis and Characterization of Poly(phenylene Sulfide), Poly(2-methylphenylene Sulfide), and Poly(2,6-Dimethylphenylene Sulfide)
A. B. Port and R. H. Still 1145

Preparation of a Flocculant Based on Polyamides
V. Mircheva, I. Mladenov, V. Konsulov, and D. Sodeva 1165

The Kinetics of Polyesterifications. IV. Polyol from BHET and Adipic Acid and its Urethanes
C-C. Lin, P-C. Yu, and L-C. Huang 1169

Morphology and Mechanical Behavior of Poly(vinyl Chloride)/Poly(butadiene-*co*-Acrylonitrile) Latex Interpenetrating Polymer Networks
J. Sionakidis, L. H. Sperling, and D. A. Thomas 1179

Permeability of Phenol Through Cellulose Acetate Membranes by Reverse Osmosis in Various Alcoholic Systems
H. Nomura, M. Senō, H. Takahashi, and T. Yamabe 1191

Heavy Metal Ion Adsorbents Having Thioamide Groups
K. Kaeriyama 1205

Quick Identification and Analysis of Plasticizers in PVC by Programmed-Temperature Gas Chromatography Using the Best Stationary Phases
D. Messadi and J-M. Vergnaud 1215

Preparation of Ultrahigh Modulus Isotactic Polypropylene by Means of Zone Drawing
M. Kamezawa, K. Yamada, and M. Takayanagi 1227

Physical and Chemical Properties of Methyl Trifluoroacrylate–α-Olefin Copolymer and Its Hydrolyzed Copolymer
T. Watanabe, O. Matsuda, Y. Tabata, and S. Machi 1237

Phenolic and Tannin-Based Adhesive Resins by Reactions of Coordinated Metal Ligands. I. Phenolic Chelates
A. Pizzi 1247

Phenolic and Tannin-Based Adhesive Resins by Reactions of Coordinated Metal Ligands. II. Tannin Adhesive Preparation, Characteristics, and Application
A. Pizzi 1257

Humid Aging of Plastics: Effect of Molecular Weight on Mechanical Properties and Fracture Morphology of Polycarbonate
R. J. Gardner and J. R. Martin 1269

Effects of Phosphorus-Containing Flame Retardants on Pyrolysis of Cotton Cellulose
W. E. Franklin and S. P. Rowland 1281

Mechanical and Optical Characterization of a Photoviscoplastic Material
J. F. Doyle 1295

Recoverable Compliance Behavior of High-Density Polyethylenes
D. J. Plazek, N. Raghupathi, R. F. Kratz, and W. R. Miller, Jr. 1305

Laser Marking in Dye–Polymer Systems
V. Novotny and L. Alexandru 1321

A *VSE* Equation of State for Liquids. V. Poly(tetrafluoroethylene), 600–725 K
A. K. Doolittle 1329

Ionically Crosslinked Poly(acrylic Acid) Membranes. III. Reverse Osmosis Results for Dry Cast Membranes
J. M. Dickson, D. R. Lloyd, and R. Y. M. Huang 1341

Kinetics of the Emulsion Polymerization of Vinyl Acetate
R. L. Zollars 1353

Reversible Plasticization of Nylons 6 and 11 with Anhydrous Ammonia and Their Deformation by Solid-State Coextrusion
A. E. Zachariades and R. S. Porter 1371

NOTES

Hydrogen Exchange Between Water and Epoxy Resin
R. T. Fuller, S. Sherrow, R. E. Fornes, and J. D. Memory 1383

Graft Polymerization of Starch with Mixtures of Acrylonitrile and 2-Acrylamido-2-Methylpropanesulfonic Acid
R. C. Burr, G. F. Fanta, and W. M. Doane 1387

Transient Sorption by Two-Component Laminate Slabs in a Semiinfinite Bath
H. G. Spencer and J. A. Barrie 1391

ERRATUM

Copolymerization of Styrene-*m*-Divinylbenzene in the Presence of Poly(vinyl Chloride)
Y. Kagiyama, K. Shikata, and Y. Mizutani 1395

ISSUE NO. 6, 15 SEPTEMBER 1979

Thermal Oxidative Studies of Poly(hexafluoropropene Oxide) Fluids
K. J. L. Paciorek, R. H. Kratzer, J. Kaufman, and J. H. Nakahara 1397

Dynamic Measurement of Interfilament Friction on Staple Yarns
T. Murayama 1413

Peameability of Solutes through Cellophanes Grafted with Vinyl Monomers. I. Diffusion of Potassium Chloride, Urea, and Uric Acid
S. Takigami, Y. Maeda, and Y. Nakamura 1419

Permeability of Solutes through Cellophanes Grafted with Vinyl Monomers. II. Diffusion of Potassium Chloride through Cellophanes Grafted with Acrylic Acid
S. Takigami, Y. Maeda, and Y. Nakamura 1429

DRY-RO Membranes from Cellulose Acetate Carbamates
R. E. Kesting, J. F. Ditter, K. F. Jackson, A. S. Murray, and J. M. Newman ... 1439

Impact Strength of Thick-Interlayer Composites
D. G. Peiffer 1451

Flame-Retardant Thermoplastics. I. Polyethylene–Red Phosphorus
E. N. Peters 1457

Mechanics of the Extension of Cotton Fibers. I. Experimental Studies of the Effect of Convolutions
J. W. S. Hearle and J. T. Sparrow 1465

A Model of Physical Adsorption of Gases
H.-G. Burghoff and W. Pusch 1479

Temperature Dependence of the Brittleness of Cellulose Fibers and of Chemically Modified Cellulose Fibers
S. H. Zeronian and M. S. Ellison 1497

Mechanochemical Aspects of Repetitive Impacts and Sliding on Polymers
E. Sacher, P. A. Engel, and R. G. Bayer 1503

Preparation of Fresnel Lenses by Radiation Cast Polymerization
I. Kaetsu, K. Yoshida, and H. Okubo 1515

Analysis of Amino Resins by Carbon/Nitrogen Analyzer. I. Mole Ratios of Components
J. Rybicky and S. M. Kambanis 1523

Polymerization Studies of Creosote Bush (*Larrea tridentata*) Phenolic Resin with Formaldehyde
H. Belmares and A. Barrera 1531

Influence of History on the Gas Sorption, Thermal, and Mechanical Properties of Glassy Polycarbonate
A. H. Chan and D. R. Paul 1539

Acrylic-Functional Aminocarboxylic Acids and Derivatives as Components of Pressure-Sensitive Adhesives
S. M. Heilmann and H. K. Smith II 1551

Dynamic Mechanical Behavior of Chlorosubstituted Derivatives of Poly(ethyl Methacrylate) and Poly(ethyl Acrylate)
J. Kolařík 1565

NOTES

Condensates of Phenol, Resorcinol, Phloroglucinol, and Pyrogallol as Model Compounds of Flavonoid A- and B-Rings with Formaldehyde
A. Pizzi, R. M. Horak, D. Ferreira, and D. G. Roux 1571

Tannin/Polyurethane Adhesives for Bonding Aluminum
A. Pizzi 1579

Anomalous Flux Behavior in Initial Time Stirred Protein Ultrafiltration Through Partially Permeable Membranes
T. Swaminathan, M. Chaudhuri, and K. K. Sirkar 1581

ISSUE NO. 7, 1 OCTOBER 1979

Tributylborane-Initiated Grafting of Methyl Methacrylate onto Chitin
K. Kojima, M. Yoshikuni, and T. Suzuki 1587

Grafting onto Wool. VI. Effect of Amines in Ceric Ion-Initiated Grafting of Poly(vinyl Acetate)
B. N. Misra, I. Kaur, and R. Dogra 1595

Curing Reactions in Plastic Prepolymers and Propellants. I. Polystyrene
K. Kishore, V. R. P. Verneker, and R. Vasanthakumari 1603

Graft Copolymerization of Lignosulfonate and Styrene
R. Chen, B. Kokta, and J. L. Valade 1609

Nonterminal Unsaturated Silane Coupling Agents for Mineral-Filled Ethylene–Propylene Rubber
P. Vondráček, M. Čapka, and M. Schätz 1619

Interfacial Properties of Polyelectrolyte-Cellulose Systems. IV. Electrokinetic Properties of Carboxymethylcellulose Fibers with Adsorbed Multilayers of Cationic Polyelectrolyte
F. Onabe 1629

Spectroscopic Evidence for Mechanochemical Effects of Moisture in Epoxy Resins
R. L. Levy, D. L. Fanter, and C. J. Summers 1643

Emulsion Copolymerization of Alpha-Methylstyrene and Styrene
A. Rudin and M. C. Samanta 1665

Methyl Ketone-Photosensitized Polymerization of N-Methylolacrylamide with Cotton
R. M. Reinhardt, J. C. Arthur, Jr., and O. Hinojosa 1691

Synthesis of Copolyamide–Esters and Some Aspects Involved in Their Hydrolysis by Lipase
Y. Tokiwa, T. Ando, and T. Suzuki 1701

Synthesis of Cationic Flocculant by Radiation-Induced Copolymerization of Methyl Chloride Salt of N,N-Dimethylaminoethyl Methacrylate with Acrylamide in Aqueous Solution
T. Okada, I. Ishigaki, T. Suwa, and S. Machi 1713

Irradiation of Poly(vinyl Chloride) with H_2 Plasma. I
A. H. Zahran, E. Nofal, M. Z. Elsabee, and M. A. El-Azmirly 1723

Photoinitiated Polymerization of N-Methylolacrylamide with Crosslinked Cotton Cellulose
R. M. Reinhardt, J. C. Arthur, Jr., and L. L. Muller 1739

Diffusion with Simultaneous Reaction of Reactive Dyes in Cellulose. II. Effect of Hydrolysis
H. Motomura and Z. Morita 1747

Influence of the Ratio of Styrene and Acrylonitrile in Crosslinked Polymeric Binders for Use in High-Temperature Polymer Concrete Composites
A. Zeldin, L. E. Kukacka, and N. Carciello 1759

NOTES

Photoinitiated Polymeric Encapsulation of Cotton Fibers
J. A. Harris and J. C. Arthur, Jr. 1767

Reaction of Maleimidomethylated Polystyrene with Hexachlorocyclopentadiene
J. C. Hinch and M. P. Stevens 1771

ERRATUM

Water and Solute Transport Across Cellulose Acetate Membranes in the Treatment of Soybean Whey by Reverse Osmosis
E. C. Baker, G. C. Mustakas, M. D. Moosemiller, and E. B. Bagley 1775

ISSUE NO. 8, 15 OCTOBER 1979

A Study of PVC Stabilization with Epoxides Using Dynamic pH Determinations
V. Gonzalez-Gonzalez 1777

Ethylene Solubility and Diffusion in Low-Density Polyethylene and Ethylene Copolymers
S. Beret and S. L. Hager 1787

Thermogravimetric and Mass-Spectrometric Study of the Thermal Decomposition of PBCT Resins
T. J. Thomas, V. N. Krishnamurthy, and U. S. Nandi 1797

Synthesis, Photodegradation, and Energy Transfer in a Series of Poly(ethylene Terephthalate–*co*–2,6-Naphthalenedicarboxylate) Copolymers
P-S. R. Cheung, C. W. Roberts, and K. B. Wagener 1809

Radiation-Induced Polymerization of Ethylene in Pilot Plant. III. Heavy-Phase Recycling Process
M. Takehisa, H. Watanabe, H. Kurihara, K. Yamaguchi, H. Nakajima, T. Yagi, T. Watanabe, T. Sugo, T. Suwa, S. Maruyama, A. Kodama, T. Shimada, Y. Maruyama, M. Tohei, T. Wada, and S. Machi 1831

Refractive Index Increments of Polyethylene
J. Horská, J. Stejskal, and P. Kratochvíl 1845

Mechanics of the Extension of Cotton Fibers. II. Theoretical Modeling
J. W. S. Hearle and J. T. Sparrow 1857

Irradiation of Poly(vinyl Chloride) with H_2 Plasma. II
A. H. Zahran, E. Nofal, M. A. El-Azmirly, and M. Z. Elsabee 1875

Solubility and Diffusivity of Bis-(2-Chloroethyl)Sulfide in Polypropylene
H. P. Hjermstad 1885

Emulsion Copolymers of Alpha-Methylstyrene and Styrene
A. Rudin and M. C. Samanta 1899

Stabilization of Poly(vinyl Chloride). IV. Color Changes on Heating Poly(vinyl Chloride)–Dye Systems
T. Iida and K. Gotō 1917

ISSUE NO. 9, 1 NOVEMBER 1979

Surface Tension Measurements on Film-Forming Polymers: Thermal Aging Effects
H. P. Schreiber and Y. Marineau 1925

Stability of Continuous Emulsion Polymer Reactors
A. S. T. Chiang and R. W. Thompson 1935

Some Surface Properties of Plasma Polymers Prepared from Hexamethyldisilazane and Diethylaminotrimethylsilane
T. Hirotsu 1957

Effect of Uniaxial Stretching on the Tensile Impact Test for Poly(ethylene Terephthalate)
M. Yokouchi, Y. Hiromoto, and Y. Kobayashi 1965

Dielectric Behavior of the Constituents of the Natural Resin Shellac
D. N. Goswami 1977

Functional Silane-Modified Calcium Carbonate
T. Nakatsuka, H. Kawasaki, K. Itadani, and S. Yamashita 1985

Water Permeation of Polymer Films. II. Dual-Mode Absorption in Teflon FEP
E. Sacher and J. R. Susko 1997

Effect of Washing on the Photo-oxidation Resistance of Stabilized Polypropylene Fibers
J. Lustoň, Z. Maňásek, and Z. Samuhelová 2005

Graft Polymerization of Acrylamide and 2-Acrylamido-2-methylpropane sulfonic Acid onto Starch
G. F. Fanta, R. C. Burr, and W. M. Doane 2015

Benzoates as Deterrents for Small Arms Propellants
B. W. Brodman, S. Schwartz, and M. P. Devine 2025

Rheology and Water Swelling of Carboxymethyl Starch Gels
N. W. Taylor 2031

Polyether-Based Thermoplastic Polyurethanes. I. Effect of the Hard-Segment Content
R. J. Zdrahala, R. M. Gerkin, S. L. Hager, and F. E. Critchfield 2041

Block Copolymers Obtained by Free-Radical Mechanism. I. Methyl Methacrylate and Styrene
I. Piirma and L-P. H. Chou 2051

NOTE

Improving Soil-Release Properties of Easy-Care Cotton via Chemical Modification
A. Hebeish, M. H. El-Rafie, M. M. Kamel, and A. T. El-Aref 2071

ISSUE NO. 10, 15 NOVEMBER 1979

Polymer Effect in Electrochromic Behavior of Oligomeric Viologens
H. Sato and T. Tamamura 2075

Statistical Study of the Application of the Huggins Equation to Measure Intrinsic Viscosity
P. M. Reilly, B. M. E. van der Hoff, and M. Ziogas 2087

Polyester–Polycarbonate Blends. V. Linear Aliphatic Polyesters
C. A. Cruz, D. R. Paul, and J. W. Barlow 2101

Mechanism of Solvent Crazing in Unmodified and Rubber-Modified Polystyrenes
K. Iisaka and K. Shibayama 2113

Interaction Mechanisms between Poly(methyl Methacrylate) and Tricalcium Silicate (C_3S)
T. Sugama, L. E. Kukacka, and W. Horn 2121

Ultradrawing of Amorphous Polymers by Coextrusion Illustrated with Atactic Polystyrene
A. E. Zachariades, E. S. Sherman, and R. S. Porter 2137

Anion Exchange Resins Prepared from Polystyrene Crosslinked Via a Friedel–Crafts Reaction
S. Belfer and R. Glozman 2147

Statistical Analysis of Nitrogen-Containing Vinyl Copolymers: Radiation-Induced Copolymerization of Vinyl Acetate and *N*-Vinyl-2-Pyrrolidone
N. A. Peppas and T. W. B. Gehr 2159

Experimental Study of the Relationship of Processing to the Morphology in Blends of SBR and *cis*-Polybutadiene with Carbon Black
B. L. Lee and C. Singleton 2169

NOTES

Viscous Heating Effects in Polymer Mechanochemistry
P. C. Sukanek and T. M. Scimia, Jr. 2185

An Alternate Method of Preparing Polymer Concrete From Mixtures of Liquid and Solid Monomers
N. R. Carciello, A. N. Zeldin, and L. E. Kukacka 2191

Disassociation of Polyphenolics Studied by Dynamic Light Scattering and Size Exclusion Chromatography
W. W. Wilson, P. Fang, and G. D. McGinnis 2195

Issue No. 11, 1 December 1979

Sorption Phenomena in Nafion Membranes
T. Takamatsu, M. Hashiyama, and A. Eisenberg 2199

Densities and Expansion Coefficients of Nafion Polymers
T. Takamatsu and A. Eisenberg 2221

Methyl Methacrylate Stabilization by Sodium Borohydride
S. L. Snyder 2237

Effect of Prior High-Pressure on Nylon 6 Films: Swelling and Other Studies
N. K. Chaudhuri and L. P. Singh 2243

Instantaneous Crack Resistance during Crack Propagation in a Viscoelastic Solid
A. Kobayashi and N. Ohtani 2255

Chemically Modified Cellulose. XII. Affinities of Azoic Coupling Components for Chemically Modified Celluloses
V. A. Shenai and D. C. Shah 2261

Chemically Modified Cellulose. XIII. Periodate Oxidation of Cellulose Dyed with Reactive and Direct Dyes in the Presence of Electrolytes
V. A. Shenai and K. P. Pai 2269

Effect of Annealing at Temperatures Around Glass Transition Temperature on Molecular Orientation and Shrinkage of Ethylene–Vinyl Alcohol Copolymers
H. Yoshida, K. Tomizawa, and Y. Kobayashi 2277

Change in Fine Structure of Nylon 6 Gut Yarn in Twisting, Annealing, and Untwisting Processes. I. Observation by WAXD, SAXD, and EM
I. Tsujimoto, T. Kurokawa, T. Takahashi, and K. Sakurai 2289

Change in Fine Structure of Nylon 6 Gut Yarn in Twisting, Annealing, and Untwisting Processes. II. Observation by the Microbeam X-Ray Technique
I. Tsujimoto, T. Kurokawa, T. Takahashi, and K. Sakurai 2303

Radiation-Modified Atactic Polypropylene as a Sensitizer for Photodegradation of Polyethylene
H. Omichi, M. Hagiwara, M. Asano, and K. Araki 2311

ISSUE NO. 12, 15 DECEMBER 1979

Synthesis of Thermosetting Polymers from the By-Products of Coal Conversion Processes
C. Giori, W. Eisenberg, T. Yamauchi, S. Shelfo, and I. Solomon 2323

Crystalline/Crystalline Polymer Blends: Some Structure–Property Relationships
A. Siegmann 2333

Preparation of Higher Aliphatic Acid Esters of Wood in an N_2O_4–DMF Cellulose Solvent Medium
N. Shiraishi, T. Matsunaga, T. Yokota, and Y. Hayashi 2347

Thermal Softening and Melting of Esterified Wood Prepared in an N_2O_4–DMF Cellulose Solvent Medium
N. Shiraishi, T. Matsunaga, T. Yokota 2361

Release Rate Characteristics of Microencapsulated 2,3,5,6-Tetrachloro-4-methylsulfonylpyridine
G. K. Noren, G. K. Korpi, and G. J. England 2369

Effects of Moisture and Stoichiometry on the Dynamic Mechanical Properties of a High-Performance Structural Epoxy
J. D. Keenan, J. C. Seferis, and J. T. Quinlivan 2375

Relation Between Dynamic Mechanical Properties and Dye Diffusion Behavior in Acrylic Fibers from Polymer Blends
Y. G. Bryant and T. Murayama 2389

Polyester–Polycarbonate Blends. VI. Branched Aliphatic Polyesters
C. A. Cruz, J. W. Barlow, and D. R. Paul 2399

NOTES

Oxidation of Polyene Structures in Poly(vinyl Chloride) by Molecular Oxygen and Singlet Oxygen
J. F. Rabek, B. Ranby, B. Östensson, and P. Flodin 2407

Radiation Degradation of Polystyrene/Poly(methyl Methacrylate) Blends
R. W. Garrett, J. H. O'Donnell, P. J. Pomery, and E. C. Shum 2415

Author Index 2419

Subject Index 2427

Information for Contributors 2437